



Pearson

# Mark Scheme (Results)

November 2024

Pearson Edexcel GCSE

In Mathematics (1MA1)

Foundation (Calculator) Paper 2F

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

November 2024

Question Paper Log Number P57159A

Publications Code 1MA1\_2F\_2411\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1** All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

- 2** All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

**Questions where working is not required:** In general, the correct answer should be given full marks.

**Questions that specifically require working:** In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3** **Crossed out work**

This should be marked **unless** the candidate has replaced it with an alternative response.

- 4** **Choice of method**

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

- 5** **Incorrect method**

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

- 6** **Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**7 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

**8 Probability**

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**9 Linear equations**

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

**10 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g. 3.5 – 4.2) then this is inclusive of the end points (e.g. 3.5, 4.2) and all numbers within the range.

**11 Number in brackets after a calculation**

Where there is a number in brackets after a calculation E.g.  $2 \times 6 (=12)$  then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

**12 Use of inverted commas**

Some numbers in the mark scheme will appear inside inverted commas E.g. "12"  $\times$  50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

**13 Word in square brackets**

Where a word is used in square brackets E.g. [area]  $\times$  1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

**14 Misread**

If a candidate misreads a number from the question. Eg. uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

### Guidance on the use of abbreviations within this mark scheme

<b>M</b>	method mark awarded for a correct method or partial method
<b>P</b>	process mark awarded for a correct process as part of a problem solving question
<b>A</b>	accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
<b>C</b>	communication mark
<b>B</b>	unconditional accuracy mark (no method needed)
<b>oe</b>	or equivalent
<b>cao</b>	correct answer only
<b>ft</b>	follow through (when appropriate as per mark scheme)
<b>sc</b>	special case
<b>dep</b>	dependent (on a previous mark)
<b>indep</b>	independent
<b>awrt</b>	answer which rounds to
<b>isw</b>	ignore subsequent working

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
1	$\frac{17}{100}$	B1	for $\frac{17}{100}$ or any other equivalent fraction	
2	2 hours 20 minutes	B1	cao	
3	0.05, 0.5, 0.507, 0.57	B1	for 0.05, 0.5, 0.507, 0.57	Accept reverse order
4	hexagon	B1	cao	
5	3	B1	cao	
6	10	P1  P1  A1	for process to find greatest number of bracelets for one colour, eg $52 \div 5 (= 10(.4))$ <b>or</b> $80 \div 7 (= 11(.4..))$  for process to find greatest number of bracelets for both colours, eg $52 \div 5 (= 10(.4))$ <b>and</b> $80 \div 7 (= 11(.4..))$  cao	May be seen as a repeated addition or subtraction but must be complete for one colour, eg 50 or 70 May be implied by eg 50:70 or 50:77  Must see working with both colours for this mark.
7 (a)	12	M1  A1	for method to find mean, eg $(14 + 10 + 10 + 13 + 15 + 9 + 15 + 10) \div 8$ <b>or</b> $96 \div 8$  cao	Allow one error or omission but must divide by 8
(b)	6	M1  A1	for $15 - 9$ <b>or</b> $9 - 15$ <b>or</b> 9 to 15  cao	Condone eg 9, 15 but not $9 + 15$
(c)	cross at $\frac{1}{4}$	B1	for cross (or mark) at $\frac{1}{4}$	Accept any mark near to $\frac{1}{4}$ if the intention is clear; do not accept if additional marks are shown


Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
8 (a)	No and reason	C1	<p>No <b>and</b> reason</p> <p><b>Acceptable examples</b>            No, because <math>10^2 = 100</math> <b>or</b> <math>10^2</math> is <math>10 \times 10</math>  <math>4^2 = 16</math> and <math>5^2 = 25</math> so 20 is not a square number            Junaid is wrong because <math>\sqrt{20} \neq 10</math> <b>or</b> <math>\sqrt{20} = 4.47\dots</math>            Incorrect because 20 is <math>2 \times 10</math> not <math>10 \times 10</math>            No she multiplied by 2 instead of squaring <b>or</b> <math>10^2</math> is not <math>10 \times 2</math>            Wrong as she added instead of multiplying</p> <p><b>Not acceptable examples</b>            Yes....            No because 20 is <math>10 \times 2</math>            Incorrect because 20 is not a square number            No because <math>10^2</math> is not 20            No because she added            No because a square number is when a number is multiplied by itself</p>	
(b)	example	C1	<p>for a correctly evaluated example,            eg <math>12 \div 4 = 3</math> or <math>10 \div 2 = 5</math> or <math>2 \div 4 = 0.5</math></p>	<p>Accept rounded and truncated values,            eg <math>2 \div 6 = 0.3(\dots)</math>, <math>100 \div 6 = 16.6(\dots)</math></p>
9	3 : 5	M1	<p>for 90 : 150 oe ratio  <b>or</b> 5 : 3</p>	<p>eg 30 : 50, 15: 25, 9 : 15</p>
		A1	<p>cao</p>	<p>Accept 3 : 5 in the form <math>n : 1</math>,            eg <math>0.6 : 1</math> <b>or</b> <math>1 : n</math>, eg <math>1 : 1.66(\dots)</math></p>

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
10	120	P1  P1  A1	for process to work with length, eg $40 \div 4 (= 10)$ <b>or</b> $40 \times 5 (= 200)$ <b>or</b> $40 \div 4 \times 3 (= 30)$ <b>or</b> $40 \times 4 (= 160)$  for process to work with perimeter, eg “10” $\times 12$ <b>or</b> [square side length] $\times 12$ <b>or</b> [square side length] $\times 11$ <b>or</b> “200” $- 2 \times 40$ <b>or</b> “30” $\times 4$ oe <b>or</b> “160” $- 40$  cao	May be shown on the diagram  [square side length] is what they clearly think is the length of one side of the square.
11 (a)	$6xy$	B1	cao	An answer of $5d + -3e$ scores M1 A0
(b)	$5d - 3e$	M1  A1	for $5d$ <b>or</b> $-3e$  for $5d - 3e$	
12	15	P1  P1  <b>OR</b>  P1  A1	for process to find number of child tickets, eg $180 \div 100 \times 60 (= 108)$ oe  for process to find total cost of child tickets, eg “108” $\times 8 (= 864)$ <b>or</b> [108] $\times 8$ <b>OR</b> for process to find number of adult tickets, eg $180 - [108] (= 72)$ or $180 \div 5 \times 2 (= 72)$ oe or $180 \times \frac{100 - 60}{100}$  for a complete process, eg $(1944 - “864”) \div “72”$ <b>or</b> $(1944 - [108] \times 8) \div (180 - [108])$  cao	Where [108] is what they clearly think is 60% of 180 but can’t be greater than 180





Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
15	3.5	M1  M1  A1	<p>for a correct first step, eg <math>14 \times 25\,000 (= 350\,000)</math> <b>or</b> digits <math>14 \times</math> digits 25 <b>or</b> <math>25\,000 \div 100\,000 (= 0.25)</math> oe <b>or</b> <math>14 \div 100\,000 (= 0.00014)</math> <b>or</b> <math>[\text{distance}] \div 100\,000</math></p> <p>for a complete method, eg “<math>350\,000</math>” <math>\div 100\,000</math> oe <b>or</b> “<math>0.25</math>” <math>\times 14</math> <b>or</b> “<math>0.00014</math>” <math>\times 25\,000</math></p> <p>for 3.5 oe</p>	[distance] is any calculated value using digits 14 and digits 25
16	Box B and correct figures	P1  P1  C1	<p>for process to find one probability or proportion, eg <math>\frac{10}{10+30} \left( = \frac{10}{40} \right)</math> <b>or</b> <math>\frac{7}{7+18} \left( = \frac{7}{25} \right)</math></p> <p>(dep P1) for process to find figures to compare using a common format, eg <math>10 \div [40] (= 0.25)</math> <b>and</b> <math>7 \div [25] (= 0.28)</math> <b>or</b> <math>10 \div [40] \times 100 (= 25)</math> <b>and</b> <math>7 \div [25] \times 100 (= 28)</math> <b>or</b> <math>\frac{10}{[40]} = \frac{25}{100}</math> oe <b>and</b> <math>\frac{7}{[25]} = \frac{28}{100}</math> oe</p> <p><b>or</b> <math>\frac{10 \div 10}{[40] \div 10} \left( = \frac{1}{4} \right)</math> <b>and</b> <math>\frac{7 \div 7}{[25] \div 7} \left( = \frac{1}{3.57\dots} \right)</math></p> <p>(dep on P2) for Box B <b>and</b> correct comparative figures, eg 0.25 and 0.28 <b>or</b> 25% and 28%</p>	<p>Accept 10 : 30 or 7 : 18</p> <p>Accept eg 30 : 90 <b>and</b> 35 : 90 [40] is any value &gt;10 [25] is any value &gt;7 but one probability or proportion must be correct from previous P1</p> <p>Comparative figures may be probabilities, ratios or comparative proportions eg box A: 70R and 210G and box B: 70R and 180G</p>

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
17 (a)	265.05	M1	for $285 \times (7 \div 100)$ (= 19.95) oe <b>or</b> $(100 - 7) \div 100$ (= 0.93)	Accept £265.05p
		M1	for $285 - "19.95"$ <b>or</b> $285 \times "0.93"$ oe	
		A1	cao	
(b)	8000	P1	for start of process, eg $2100 - 1700$ (= 400)	
		P1	for using "400" = 5%, eg $(1\% =) "400" \div 5$ (= 80) or $(10\% =) "400" \times 2$ (= 800) or $(50\% =) "400" \times 10$ (= 4000) <b>or</b> $"400" \div 5 \times 100$	
		A1	cao	
18	enlargement, scale factor 2, centre (0, 0)	B2	enlargement, scale factor 2, centre (0, 0)	Award no marks if more than one transformation is given
		(B1	for 2 correct aspects)	
19 (a)	$5w(3w - 1)$	B2	for $5w(3w - 1)$	
		(B1	for $5(3w^2 - w)$ <b>or</b> $w(15w - 5)$ <b>or</b> $5w(aw - b)$ where $a$ and $b$ are integers or $(3w - 1)$ as a factor)	
(b)		M1	for drawing a line from -2 to 4 or for an open circle at -2 or for a closed circle at 4	
		A1	cao	

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
20	4.643(069317)	M1  A1	for 192.6 <b>or</b> 8.934 <b>or</b> 21.558(09268) <b>or</b> answer of 4.64 <b>or</b> digits 4643...  for 4.643(069317)	Answer must be given to at least 3 decimal places rounded or truncated Check first 3 decimal places only If given to 3 dp or better ignore subsequent rounding
21 (a)	positive	C1	cao	Ignore any description of a relationship and any reference to strength of correlation
(b)	lobf drawn	C1	for straight line passing between (140, 20) and (140, 22.5) and between (220, 30) and (220, 32.5)	
(c)	26.5 to 29.5	C1	for answer in range 26.5 – 29.5 <b>or</b> ft single line with positive gradient	

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
22	Zurich (supported)	P1	for one process to compare, eg eg Currency conversion, $3.5 \times 1.25 (= 4.375)$ <b>or</b> $7.20 \div 1.25 (= 5.76)$ <b>or</b> finds 1g in one place $\pounds 3.50 \div 200 (= 0.0175)$ <b>or</b> $7.20 \div 360 (= 0.02)$ <b>or</b> finds 200g in Zurich, $7.2 \div 360 \times 200 (= 4.0)$ <b>or</b> finds 360g in London, $3.5 \div 200 \times 360 (= 6.30)$ <b>or</b> finds grams per unit cost, $200 \div 3.50 (= 57.1\ldots)$ <b>or</b> $360 \div 7.20 (= 50)$	Accept figures rounded or truncated to 2sf throughout
		P1	for a complete process to find comparable figures in the same currency, eg comparing 200g in £ or francs $3.5 \times 1.25 (= 4.375)$ <b>and</b> $7.2 \div 360 \times 200 (= 4.0)$ <b>or</b> $"4.0" \div 1.25 (= 3.20)$  <b>OR</b> comparing 360g in £ or francs $"6.30" \times 1.25 (= 7.875)$ <b>or</b> $3.5 \div 200 \times 360 (= 6.30)$ <b>and</b> $7.20 \div 1.25 (= 5.76)$  <b>OR</b> comparing 1g in £ or francs $"0.0175" \times 1.25 (= 0.0218\ldots)$ <b>and</b> $7.20 \div 360 (= 0.02)$ <b>or</b> $\pounds 3.50 \div 200 (= 0.0175)$ <b>and</b> $"0.02" \div 1.25 (= 0.016)$  <b>OR</b> comparing quantity per unit cost in £ or francs $200 \div 3.50 (= 57.1\ldots)$ <b>and</b> $360 \div "5.76" (= 62.5)$ <b>or</b> $200 \div "4.375" (= 45.7\ldots)$ <b>and</b> $360 \div 7.20 (= 50)$	Accept working in pence Ignore incorrect units for P marks Award of this mark implies the previous mark
		C1	for Zurich supported by correct comparable values, eg 4.3(75 F) <b>and</b> 4(.0 F) <b>or</b> (£)3.2(0) <b>or</b> 7.8(75 F) <b>or</b> (£)6.3(0) <b>and</b> (£)5.76 <b>or</b> 0.021(8... F) <b>and</b> 0.02 (F) <b>or</b> (£)0.017(5) <b>and</b> (£)0.016 <b>or</b> 57(.1... g/£) <b>and</b> 62(.5 g/£) <b>or</b> 45(.7... g/F) <b>and</b> 50 (g/F)	Clear indication that bar is better value for money in Zurich supported by correct values for comparison Units not needed but if stated must be correct. Table with examples at end of mark scheme

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
23	statements	C1	<p>for identifying that the number 17 should only be in the intersection</p> <p><b>Acceptable examples</b>  17 should only be in the middle  Take 17 out of (set) <math>A</math> only  appropriate 17 crossed out on the Venn diagram</p> <p><b>Not acceptable examples</b>  Tom should put 17 in <math>B</math>  Should have two 17's in the middle  Take 17 out of (set) <math>A</math>  Needs to remove a 17  17 is on twice</p>	Accept correct descriptions using correct set notation for both marks Diagram may be used to support statements
		C1	<p>for identifying that the number 1 is missing from the diagram</p> <p><b>Acceptable examples</b>  1 should be in the outside region  He should put 1 outside the circles  Tom needs to put the number 1 on the diagram  include 1 (outside <math>A \cup B</math>)  1 added to the diagram in the correct region</p> <p><b>Not acceptable examples</b>  Add the remaining numbers  There are missing odd numbers between 0 and 20  put all the odd numbers outside the circles  add the odd numbers in the <math>\mathcal{E}</math> box  include the even numbers  1 should be outside the Venn diagram</p>	

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
24 (a)	5, (0), -3, -4, (-3), 0, 5	B2 (B1	for all 5 correct values  for at least 2 correct values)	Accept freehand curves drawn that are not line segments Ignore anything drawn outside the required range
(b)	Graph drawn	B2  (B1	for a fully correct graph  ft (dep on B1 in (a)) for plotting at least 5 of the points from their table correctly)	
25	Yes (supported)	P1  P1  P1  C1	for start to a process to find a percentage increase, eg $85 - 76 (=9)$ or $66 - 65 (=1)$  <b>or</b> $\frac{85}{76} (=1.118...)$ or $\frac{66}{65} (=1.015...)$  for process to find a % increase, eg $\frac{9}{76} \times 100 (= 11.84...)$ or $\frac{1}{65} \times 100 (= 1.53...)$  <b>or</b> $\frac{85}{76} \times 100 - 100 (= 11.84...)$ oe or $\frac{66}{65} \times 100 - 100 (= 1.53...)$ oe  for processes to find both % increases, eg $\frac{9}{76} \times 100 (= 11.84...)$ <b>and</b> $\frac{1}{65} \times 100 (= 1.53...)$  <b>or</b> $\frac{85}{76} \times 100 - 100 (= 11.84...)$ oe <b>and</b> $\frac{66}{65} \times 100 - 100 (= 1.53...)$ oe  for Yes supported by correct figures, eg $11(.842...) \div 1.5(38...) = 7.3$ to 8 <b>or</b> $11(.842...) \text{ and } 1.5(38...) \times 7 = 10(.766...)$ <b>or</b> $11(.842...) \div 7 = 1.57$ to 1.7 <b>and</b> $1.5(3...)$ <b>or</b> $0.11(842...) \text{ and } 0.10(766...)$	Accept use of rounded and truncated figures for all marks.       May work in decimals or equivalent proportions throughout

Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
26	240	P1	for forming an appropriate equation, eg $2x + 11 = 4x - 4$ <b>or</b> $2x + 11 + 4x - 4 + 2x + 5 = 72$ <b>or</b> $8x + 12 = 72$	$8x = 60$ <b>or</b> $2x = 15$ implies P2 A correct length stated or shown on diagram implies P2, eg $AB = 20$ , $AC = 26$ , $CB = 26$  $[AC]$ $[BC]$ $[AB]$ $[ACB]$ $[CAB]$ and $[BAC]$ must be clearly identified if incorrect. May be on diagram. $AB = 2 \times "7.5" + 5 (= 20)$ $AC = 2 \times "7.5" + 11 (= 26)$ $CB = 4 \times "7.5" - 4 (= 26)$ Alternative scheme not expected on Foundation tier but may be seen.  ft incorrect figures providing at least one previous P1 awarded. [height] is what they clearly think is the height of the triangle but not 26 or 20 or 10
		P1	(dep P1) for process to correctly isolate terms in $x$ , eg $4x - 2x = 11 + 4$ <b>or</b> $2x + 4x + 2x = 72 - 11 + 4 - 5$ <b>or</b> $x = 7.5$ oe	
		P1	for correct application of Pythagoras, eg $("26")^2 - \left(\frac{"20"}{2}\right)^2$ <b>or</b>  $[AC]^2 - \left(\frac{[AB]}{2}\right)^2$ <b>or</b> height = 24 <b>or</b> a complete method to find the height	
		P1	for process to find area of triangle, eg $"20" \times "24" \div 2$ <b>or</b> $[AB] \times [\text{height}] \div 2$	
		A1	cao	



Paper: 1MA1/2F				
Question	Answer	Mark	Mark scheme	Additional guidance
27	$3.125 \times 10^7$	M1  A1	for $(k =) (1.25 \times 10^{-12}) \div (4 \times 10^{-20})$ <b>or</b> for the digits 3125  cao	Condone missing brackets on division $3.1 \times 10^7$ or $3.12 \times 10^7$ or $3.13 \times 10^7$ will score M1A0
28	7.96	M1  M1  A1	for method to find volume of cylinder, eg $\pi \times 3^2 \times 10$ ( $= 90\pi$ or 282.74...)  for method to find density, eg $2250 \div \text{“282.74...”}$ <b>or</b> $2250 \div [\text{volume}]$  for answer in the range 7.95 to 7.96	[volume] is any value they clearly think is the volume of the cylinder but must come from a calculation and must not be 3 or 10

**Question 22 additional guidance**

	London	Zurich
100g	$3.5 \div 2 = \text{£}1.75$ $1.75 \times 1.25 = \text{£}2.1875 \text{ F}$	$7.2 \div 360 = \text{£}2.00 \text{ F}$ $2.00 \div 1.25 = \text{£}1.60$
200g	$\text{£}3.50$ $3.5 \times 1.25 = \text{£}4.375 \text{ F}$	$7.2 \div 360 \times 200 = \text{£}4.0 \text{ F}$ $4.0 \div 1.25 = \text{£}3.20$
360g	$3.5 \div 200 \times 360 = \text{£}6.30$ $6.30 \times 1.25 = \text{£}7.875 \text{ F}$	$7.20 \text{ F}$ $7.20 \div 1.25 = \text{£}5.76$
1g	$\text{£}3.50 \div 200 = \text{£}0.0175$ $\times 1.25 = \text{£}0.021875 \text{ F}$	$7.20 \div 360 = \text{£}0.02 \text{ F}$ $\div 1.25 = \text{£}0.016$
40g	$\text{£}3.50 \div 5 = \text{£}0.70$ $0.7 \times 1.25 = \text{£}0.875 \text{ F}$	$7.20 \div 9 = \text{£}0.8 \text{ F}$ $0.8 \div 1.25 = \text{£}0.64$
By weight	$350 \div 200 = \text{£}1.75 \text{ p/g}$ $350 \times 1.25 = 4.375$ $4.375 \div 200 = \text{£}0.021875 \text{ F/g}$	$720 \div 360 = \text{£}0.02 \text{ F/g}$ $720 \div 1.25 = 576$ $576 \div 360 = \text{£}1.6 \text{ p/g}$
By cost	$200 \div 350 = \text{£}0.571 \text{ g/p}$ $350 \times 1.25 = 437.5$ $200 \div 437.5 = \text{£}45.7 \text{ g/F}$	$360 \div 720 = \text{£}50 \text{ g/F}$ $720 \div 1.25 = 576$ $360 \div 576 = \text{£}0.625 \text{ g/P}$

## **Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 2F**

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles:  $\pm 5^\circ$

Measurements of length:  $\pm 5$  mm

---

PAPER: 1MA1_2F			
Question		Modification	Mark scheme notes
3		Wording added: 'four'	Standard mark scheme
4		Wording 'this polygon' removed and replaced with 'the polygon below'. Diagram enlarged and left aligned.	Standard mark scheme
7	(c)	Wording added: 'Look at the diagram for Question 7(c) in the Diagram Booklet. It shows a probability scale.' Word 'below' removed and replaced with 'in the Diagram Booklet'. Wording removed: 'with a cross (x)'. Diagram enlarged. For Braille: sentence added 'Bumpons are provided if you wish to use them.'	Standard mark scheme
10		Wording changed: 'Look at the diagram for Question 10 in the Diagram Booklet. It shows a square and shape A.' Wording 'the shape below' removed and replaced with 'shape A as shown in the Diagram Booklet.' Wording 'this shape' removed and replaced with 'shape A'. Diagrams enlarged. Wording added to the diagrams 'Diagrams NOT accurately drawn' Shapes labelled 'square' and 'shape A'.	Standard mark scheme
11	(a)	Letter changed: 'x' to 'w'.	B1 for 6wy
	(b)	Letters changed: 'd' to 'p' and 'e' to 'q'.	M1 for $5p$ or $-3q$ A1 for $5p - 3q$

PAPER: 1MA1_2F		
Question	Modification	Mark scheme notes
13	<p>Wording changed: 'Look at the diagram for Question 13 in the Diagram Booklet. It shows triangle ABC'</p> <p>Wording added: 'The reflex angle BAC = <math>310^\circ</math> Angle ACD = <math>115^\circ</math>'</p> <p>Diagram enlarged.</p> <p>Angles moved outside of angle arcs and angle arcs made smaller.</p>	Standard mark scheme
14	<p>Wording added: 'Look at the diagram for Question 14 in the Diagram Booklet. It shows an incomplete travel graph.'</p> <p>Wording 'below' removed and replaced with 'in the Diagram Booklet'.</p> <p>Diagram enlarged. Graph cropped at 7pm on the horizontal axis. Open headed arrows.</p> <p>(b) Wording added: 'in the Diagram Booklet.'</p> <p>For Braille: sentence added 'Bumpons and drawing film are provided if you wish to use them.'</p>	Standard mark scheme
18	<p>Wording added: 'Look at the diagram for Question 18 in the Diagram Booklet. It shows triangle A and triangle B on a grid.'</p> <p>Diagram enlarged. Open headed arrows. Shading changed.</p> <p>Shapes labelled 'triangle A' and 'triangle B'</p>	Standard mark scheme
19	<p>(b) Wording added: Look at the diagram for Question 19(b) in the Diagram Booklet. It shows a number line.</p> <p>Wording 'below' removed and replaced with 'in the Diagram Booklet'.</p> <p>Diagram enlarged. Open headed arrow.</p> <p>For Braille: sentence added 'Bumpons and drawing film are provided if you wish to use them.'</p>	Standard mark scheme

PAPER: 1MA1_2F		
Question	Modification	Mark scheme notes
21	<p>Wording changed: ‘Look at the diagram for Question 21 in the Diagram Booklet. It is a scatter graph showing information about some ships.’  Diagram enlarged. Crosses changed to dots.  Vertical axis cropped so it starts at 15.  Open headed arrows. m changed to metres.</p> <p>(b) Wording added: ‘in the Diagram Booklet’  For Braille: sentence added ‘Drawing film is provided if you wish to use it.’</p> <p>(c) Value ‘194’ changed to ‘190’.</p>	<p>Standard mark scheme</p> <p>Standard mark scheme</p>
22	<p>Information in boxes removed.  g changed to gram.</p>	Standard mark scheme
23	<p>Wording added: ‘Look at the diagram for Question 23 in the Diagram Booklet. It shows a Venn diagram.’  Wording ‘Here is his answer.’ removed and replaced with ‘His answer is shown in the Diagram Booklet.’  Diagram enlarged. Numbers arranged in two rows.</p>	Standard mark scheme
24	<p>(a) Word added ‘below’.  Wording added ‘There are five spaces to fill.’  Table enlarged, turned vertically and left aligned.  For Braille: missing values labelled (i), (ii), (iii), (iv) and (v)</p> <p>(b) Wording added: ‘Look at the diagram for Question 24(b) in the Diagram Booklet. It shows a grid.’  Diagram enlarged. Open headed arrows. Vertical axis cropped at -5.  For Braille: sentence added ‘Bumpers and drawing film are provided if you wish to use them.’</p>	<p>Standard mark scheme</p> <p>Standard mark scheme</p>

PAPER: 1MA1_2F		
Question	Modification	Mark scheme notes
25	p changed to pence.	Standard mark scheme
26	Wording changed: 'Look at the diagram for Question 26 in the Diagram Booklet. It...' Wording added: ' $AC = 2x + 11$ $AB = 2x + 5$ $BC = 4x - 4$ ' Diagram enlarged. Lines on the sides made longer.	Standard mark scheme
28	Wording added: 'Look at Diagram 1, Diagram 2 and Diagram 3 for Question 28 in the Diagram Booklet. You may be provided with a model. They are NOT accurate. Diagram 1 and the model show a solid cylinder with base radius 3 cm and height 10 cm. Diagram 2 shows the base of the cylinder. Diagram 3 shows the side of the cylinder.' g changed to grams. Model provided. Diagram enlarged. 2 additional 2D diagrams added. Open headed arrows.	

