

F

GCSE (9-1) Chemistry A (Gateway Science)

J248/01 Paper 1, C1–C3 and C7 (Foundation Tier)

Thursday 17 May 2018 – Morning

Time allowed: 1 hour 45 minutes

You must have:

- a ruler (cm/mm)
- the Data Sheet (for GCSE Chemistry A (inserted))

You may use:

- · a scientific or graphical calculator
- an HB pencil




First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- The data sheet will be found inside this document.
- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 28 pages.




SECTION A

Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

1	Wh	ich of these pH values shows the pH of a strong acid?	
	Α	1	
	В	5	
	С	7	
	D	10	
	You	ur answer	[1]
2	Wh	ich of these general properties correctly describes a metal?	
	Α	Ductile and good conductor of heat	
	В	High density and forms negative ions	
	С	Malleable and low density	
	D	Shiny and brittle	
	You	ur answer	[1]
3	A n	umber of scientists contributed to the development of the atomic model.	
	Wh	ich of these scientists discovered the electron?	
	Α	Bohr	
	В	Dalton	
	С	Rutherford	
	D	Thomson	
	You	ır answer	[1]

4 This is a section of the Periodic Table.



In which section of the Periodic Table would you find **non-metals**?

Your answer [1]

- 5 What is the typical size of the radius of an atom?
 - **A** 10^{-2} m
 - **B** 10^{-5} m
 - $C 10^{-10} \, \text{m}$
 - **D** 10^{-20} m

Your answer [1]

6 Lead nitrate contains lead ions, Pb²⁺, and nitrate ions, NO₃⁻.

What is the formula for lead nitrate?

- A PbNO₃
- **B** $Pb(NO_3)_2$
- C Pb₂NO₃
- **D** $Pb_2(NO_3)_2$

Your answer [1]

7 Look at the equation.

$$\mathsf{CH_4} \ + \ \mathsf{2O_2} \ \longrightarrow \ \mathsf{CO_2} \ + \ \mathsf{2H_2O}$$

Which substance is oxidised in this reaction?

- A CH₄
- B CO₂
- \mathbf{C} H_2O
- \mathbf{D} O_2

Your answer	[1]
-------------	-----

8 Look at the equation.

$$\mathsf{CH_4} \ + \ \mathsf{2O_2} \ \longrightarrow \ \mathsf{CO_2} \ + \ \mathsf{2H_2O}$$

Which substance is the oxidising agent in this reaction?

- A CH₄
- B CO_2
- **C** H₂O
- \mathbf{D} O_2

Your answer		[1]
-------------	--	-----

- **9** Which statement about **covalent** bonding is true?
 - **A** Electrons are transferred from one atom to another.
 - **B** Electrons are delocalised.
 - **C** Electrons are shared between atoms.
 - **D** lons are formed.

Your answer [1]

10	The	electronic structure of an atom of an element is 2.8.8.2.	
	In w	hich period of the Periodic Table is this element found?	
	Α	1	
	В	2	
	С	4	
	D	8	
	You	r answer	[1]
11	The	electronic structure of an atom of an element is 2.8.8.2.	
	In w	hich group of the Periodic Table is this element found?	
	Α	1	
	В	2	
	С	4	
	D	8	
	You	r answer	[1]
12	Wha	at is the name of the gas made when zinc carbonate reacts with hydrochloric acid?	
	Α	Carbon dioxide	
	В	Chlorine	
	С	Hydrogen	
	D	Oxygen	
	You	r answer	[1]

13	Whi	ich equation represents neutralisation ?	
	Α	$2H^+ \longrightarrow H_2$	
	В	$H_2O \longrightarrow H^+ + OH^-$	
	С	$H^+ + OH^- \longrightarrow H_2O$	
	D	$2OH^- \longrightarrow O_2 + H_2$	
	You	er answer	[1]
14	Whi	ich of these statements about nanoparticulate materials is correct?	
	Α	Nanoparticles are much smaller than atoms.	
	В	Nanoparticulate materials can be used as catalysts.	
	С	Nanoparticulate materials have a very small surface area to volume ratio.	
	D	There are no risks when using nanoparticulate materials.	
	You	er answer	[1]
15	Eth	anol is a liquid at room temperature. It has a low melting point and boiling point.	
	Wh	y?	
	Α	Ethanol is an ionic compound.	
	В	The forces of attraction between ethanol molecules are strong.	
	С	The forces of attraction between ethanol molecules are weak.	
	D	There are no forces of attraction between ethanol molecules.	
	You	r answer	[1]

7 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

SECTION B

Answer all the questions.

16 A student investigates the energy changes during some chemical reactions.

She measures the temperature at the start and end of each reaction.

Look at her results.

Reaction	Temperature at start (°C)	Temperature at end (°C)	Temperature change (°C)	Type of reaction
Α	20	25		Exothermic
В	18	10		
С	21	35		
D	20	20		No reaction


(a) Complete the table.

[3]

(b) Which reaction has the largest energy change?

Answer =[1]

(c) Look at the reaction profile for reaction A.



Progress of reaction

(i)	Calculate the energy change in this reaction.	
(ii)	Calculate the activation energy.	Answer = kJ [1]
		Answer = kJ [1]

17 Look at the diagram. It shows the displayed formula of succinic acid.

(a) Complete the table to show the number of atoms of each element in this displayed formula.

Element	Number of atoms
С	
Н	
0	

	Explain your answer.
	What is the state of succinic acid at 25 °C?
(c)	Succinic acid has a melting point of 184 °C and a boiling point of 235 °C.
	[1]
(b)	What is the empirical formula of succinic acid?

[2]

wate	er. She filters the mixture	€.	
Her	method does not work.		
(a)	Explain why her metho	d does not work and describe	e the method she should use.
			[
(b)	The student wants to s	eparate a mixture of two liqui	ds.
	The liquids are:		
		D. Wowe stat	
	Liquid	Boiling point (°C)	
	Water	100	
	Ethanol	78	
	Which separation techn	nique should she use?	
	Explain how the metho		
	Explain now the metho	u works.	
			[

(c)	The	student separates two solid substances ${f A}$ and ${f B}$. She wants to check that they are ${f pure}$				
	(i)	What is meant by a	pure solid?			
				[1]		
	(ii)	The student measur	es the melting points of four s	amples of solid A .		
		Look at her results.				
		Sample	Melting point (°C)			
		1	115			
		2	119			
		3	114–118			
		4	120–122			
		She knows that a nu	ire sample of solid A has a me	alting point of 120°C		
		•	•	-		
		She concludes that	sample 4 is the purest sample	of solid A .		
		Do the results support	ort her conclusion?			
		Explain your answer	using evidence from the table) .		

.....[3]

19	Two students	heat some	calcium	carbonate,	CaCO ₃ .
----	--------------	-----------	---------	------------	---------------------

Look at the equation for the reaction.

$$CaCO_3(s)$$
 — $CaO(s)$ + $CO_2(g)$

(a)	What is the	meaning	of (s)	in the	equation?
-----	-------------	---------	--------	--------	-----------

_	4.5
	11

(b) Look at their results.

Mass of calcium carbonate (g)	Mass of calcium oxide (g)	Mass of carbon dioxide (g)
1.00	0.56	0.44
2.00	1.12	0.88
3.00	1.68	1.32
4.00	2.24	

Complete the table.	[1]
---------------------	-----

(c) Student A states:

'If I heat 20 g of calcium carbonate, I will make 8.8 g of calcium oxide and 11.2 g of carbon dioxide.'

Is student A correct?


	answer	

(d)	Stu	dent B investigates another reaction.
	Loo	ok at the equations.
	2M($g(s)$ + $O_2(g)$ \longrightarrow 2MgO(s)
	mag	gnesium + oxygen —→ magnesium oxide
	(i)	Calculate the relative formula mass of magnesium oxide.
		Answer =[1]
	(ii)	Use the relative formula mass of magnesium oxide and the relative atomic masses of magnesium and oxygen to show if mass is conserved during this reaction.
		[2]

15 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

20 A student electrolyses dilute sulfuric acid.



Hydrogen gas is made at the cathode.

The student measures the volume of hydrogen made at the cathode every 2 minutes for 10 minutes.


Look at his results.

Time (minutes)	Volume of hydrogen (cm ³)
0	0.0
2	4.0
4	8.0
6	14.0
8	16.0
10	20.0

(a) Plot the results on the grid. The first 3 points have been done for you.

Draw a line of best fit.

[2]



(b) One of the results is anomalous.

Circle the anomalous result on the graph.

(cm³)

[1]

(c) Sulfuric acid contains these particles.

H⁺

OH⁻

 H_2O

Which particles are attracted to the anode?


(d) The student also investigates the electrolysis of some molten (liquid) salts.

Complete the table.

Molten salt	Formula	Product at cathode	Product at anode
Potassium chloride	KC1	Potassium	
Lead iodide	PbI ₂		lodine

[2]


21 The diagrams show the structures of diamond and graphite.



One property of diamond is that it is very hard. One property of graphite is that it is slippery.

a)	Write about the other properties of diamond and graphite.	
	Diamond	
	Graphite	
		[4]
b)	Describe the type of bonding between the carbon atoms in diamond.	
		[1]
c)	Graphite is slippery.	
Ο,		
	Use the structure of graphite to explain why.	
		LO.

22 Look at the diagram of an atom.



(a)	Which particles are present in the charge cloud?	
	[1]
(b)	Which two particles make up the nucleus?	
	[1]
(c)	Most of the mass of an atom is in the nucleus.	
	Explain why.	
	[
		رے

(d) Look at these two atoms of chlorine.

 $^{35}_{17}$ Cl $^{37}_{17}$ Cl


What is the relationship between these two atoms of chlorine?

Explain your answer.

23 A forensic scientist is investigating the ink that has been used to forge the signature on a cheque.

She separates the colours in some inks using paper chromatography.


Look at the diagram of her apparatus.



(a) What is the mobile phase in this experiment?

n how paper chromatogra	phy separates the colours	s in ink.	
			n how paper chromatography separates the colours in ink.

(c) Look at the results of the scientist's experiment.



(i) Look at the green spot for ink A.

	Calculate the R _f value for the green spot.
	Answer =[2]
(ii)	Which ink was used to forge the signature on the cheque?
	Explain how you can tell.
	[2]
	[4]

24* Look at the data about some substances.

Substance	Melting point (°C)	Boiling point (°C)	Does it conduct Electricity?	Density (g/cm³)
Α	0	100	No	1.0
В	1085	2562	Good conductor	9.0
С	801	1413	Solid does not conduct but conducts when melted or when dissolved in water	2.2

What is the type of bonding present in each of substances A , B and C ?
Explain how you can tell.
31

23 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

25	Mag	gnesium is an element. It is solid at room temperature.			
	(a)	(i)	Solid magnesium cannot be compressed.		
			Why?		
			[1]		
		(ii)	Solid magnesium cannot flow, but liquid magnesium can flow.		
			Explain why.		
			[3]		
		(iii)	Magnesium gas completely fills any container it is put in.		
			Explain why.		
			[2]		
	(b)	Ма	gnesium reacts with water. Magnesium hydroxide, $\mathrm{Mg(OH)}_2$, and hydrogen, H_2 , are made		
		Wri	te a balanced symbol equation for this reaction.		
			[2]		
	(c)	Ma	gnesium nitrate has the formula $Mg(NO_3)_2$.		
		Cal	culate the relative formula mass of magnesium nitrate.		
			Answer =[1]		

He wants to make a pure, dry sample of sodium chloride. (a) Describe how he can do this. Include the apparatus he should use and his method. (b) Write a balanced symbol equation for the reaction. (c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride (d) What type of reaction happens when sulfuric acid reacts with copper oxide?	A st	udent has a solution of l	hydrochloric acid, HC <i>l</i> , and a s	solution of sodium hydroxide, N	NaOH.	
Include the apparatus he should use and his method. (b) Write a balanced symbol equation for the reaction. (c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride	Не	wants to make a pure, d	lry sample of sodium chloride.			
(b) Write a balanced symbol equation for the reaction. (c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride	(a)	Describe how he can d	lo this.			
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride		Include the apparatus I	ne should use and his method			
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride	(b)	Write a balanced sym	bol equation for the reaction.			
(c) The student also investigates other reactions. The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
The table shows the salts he can make from different starting materials. Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride	(c)	The student also investigates other reactions.				
Complete the table. Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
Acid used Other starting material Salt made Sulfuric acid Copper oxide Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride						
Sulfuric acid Copper oxide		·				
Zinc carbonate Zinc nitrate Hydrochloric acid Magnesium chloride		Acid used	Other starting material	Salt made		
Hydrochloric acid Magnesium chloride		Sulfuric acid	Copper oxide			
			Zinc carbonate	Zinc nitrate		
(d) What type of reaction happens when sulfuric acid reacts with copper oxide?		Hydrochloric acid		Magnesium chloride		
(d) What type of reaction happens when sulfuric acid reacts with copper oxide?						
(-)	(d)	What type of reaction by	nappens when sulfuric acid re	acts with copper oxide?		
	()			ассо тако соррог сладо г		

26

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				
	<u></u>			



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.