



Friday 10 June 2016 - Morning

GCSE GATEWAY SCIENCE CHEMISTRY B

B741/02 Chemistry modules C1, C2, C3 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour 15 minutes




Candidate forename				Candidate surname						
Centre numbe	er						Candidate nu	ımber		

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the bar codes.

INFORMATION FOR CANDIDATES


- The quality of written communication is assessed in questions marked with a pencil ().
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 75.
- This document consists of 28 pages. Any blank pages are indicated.





SECTION A – Module C1


1 This question is about carbon compounds.


Look at the displayed formulas of some compounds.











(a) Which compound is an alkene?

Choose from A, B, C, D, E or F.

[1]

(b) Which two compounds have the same molecular formula?

Choose from A, B, C, D, E and F.

..... and [1]

(c) A molecule of dodecane, $C_{10}H_{22}$, can be cracked to give compound **E** and one other hydrocarbon, X.

Deduce the molecular formula for X.

.....[1]

(d) Compound **D** is a monomer and makes an addition polymer.

Draw the **displayed** formula for this polymer.

[1]

[Total: 4]

2 Esters can be used in nail varnish remover.

Look at the table of information about some esters.

Ester	Molecular formula of ester	Melting point in °C	Boiling point in °C	How well it dissolves in water (1 = poor 10 = good)
methyl ethanoate	C ₃ H ₆ O ₂	– 98	57	1
ethyl ethanoate	C ₄ H ₈ O ₂	-84	77	8
propyl ethanoate	C ₅ H ₁₀ O ₂	- 95	102	2
butyl ethanoate	$C_6H_{12}O_2$	–77	127	1
pentyl ethanoate	C ₇ H ₁₄ O ₂	–71		

(a)	Este	ers are not hydrocarbons.
	Ехр	lain why using information from the molecular formulas.
		[1]
(b)	The	solvent in a nail varnish remover needs to have these properties
		• liquid at room temperature, 25 °C
		evaporates easily
		fairly soluble in water.
	(i)	Predict the boiling point for pentyl ethanoate.
		°C [1]
	(ii)	Use the information in the table to predict if pentyl ethanoate is suitable as a solvent in nail varnish remover.
		Explain your answer.
		[2]

© OCR 2016 Turn over

[Total: 4]

3 Air contains a mixture of gases.

The table shows the percentage by volume of different gases in air.

Gas	Percentage (%)
carbon dioxide	0.04
nitrogen	78
oxygen	21

The percentage by volume of these gases in air hardly changes because of the carbon cycle. Explain why the percentage by volume of the gases in the table hardly changes.

Predict the effect that an increase in the world's population may have on these percentages.
The quality of written communication will be assessed in your answer to this question.

.....[6]

[Total: 6]

4 The Olympic flame for the London Olympics burned natural gas.



Natural gas is mostly methane, CH₄.

The Olympic flame was yellow because there was some incomplete combustion.

Construct a **balanced symbol** equation to show the incomplete combustion of methane to make carbon.

.....[2]

[Total: 2]

5 This question is about different paints.

Look at the table. It shows the percentage by mass of each ingredient in four paints.

Ingradient	Percentage by mass in each paint					
Ingredient	Paint A	Paint B	Paint C	Paint D		
solvent	32	25	55	20		
oil	0	25	0	25		
pigment	24	10	5	30		
bonding medium	30	30	28	23		
other additives	14	10	12	2		

(a) Look at the column for paint

Parminder wants to present the data about the ingredients in paint **D**.

Which will be the **best** way for her to present this data?

Choose from

bar chart

line graph

pie chart

scatter graph

	answer[1]
(b)	Parminder wants to show the percentage of solvent in each of the four paints.
	Which will be the best way for her to present this data?
	Choose from
	bar chart
	line graph
	pie chart
	scatter graph

answer[1]

(c)	Paint D is an oil paint.
	Explain how an oil paint dries.
	[2]
(d)	Paint is a mixture called a colloid .
	Explain why the ingredients of a paint will not separate.
	[2]
	[Total: 6]

Question 6 begins on page 8

6 This Gore-Tex[®] jacket is both waterproof and breathable.



brane.	pre-Tex® is made from a layer of nylon that is laminated with a PTFE polymer memb	Go
d breathable.	Use ideas about the structure of Gore-Tex® to explain why it is both waterproof and	(a)
[2]		
	Suggest one advantage of a Gore-Tex [®] jacket over one made from only nylon.	(b)
[1]		
[Total: 3]		

9

BLANK PAGE

Question 7 begins on page 10

PLEASE DO NOT WRITE ON THIS PAGE

SECTION B – Module C2

- 7 This question is about metals and alloys.
 - (a) Look at the table. It shows some alloys and the metals they contain.

Complete the table.

Alloy	Metal(s) in the alloy
amalgam	
	copper and zinc
solder	and

		solder	and	
				[2]
(b)	The alloy du	ıralumin contains alu	minium.	
	Aluminium r	eacts with oxygen, C) ₂ .	
	Aluminium c	oxide, Al_2O_3 , is made	9.	
	Write a bala	anced symbol equat	tion for this reaction.	
				[2]

(c) Look at the table. It shows the properties of some alloys.

Alloy	Density in g/cm ³	Relative strength	Relative cost
Α	2.8	high	high
В	8.4	high	medium
С	7.8	high	low
D	2.6	low	low



(i) Evaluate the advantages and disadvantages of these alloys for making aeroplane wings.Put your answers in the table below.

Alloy	Advantages	Disadvantages
_		
Α		
В		
С		
D		

L	•	,	

(ii) Which alloy would you choose?

.....[1]

[Total: 8]


The structure of the Earth is explained using the theory of plate tectonics.

	[Total: 2]
	[2]
	•••••
Explain why the theory of plate tectonics is widely accepted by scientists.	
it has developed into the theory of plate testernes.	
It has developed into the theory of plate tectonics.	
The continental drift theory was put forward by a scientist called Wegener in 1914.	

8

9 This question is about the conditions used in the Haber process to make ammonia.
Look at the graph.

It shows the yield of ammonia under different conditions of temperature and pressure.



In the manufacture of ammonia, the conditions used are:

- a pressure of 200 atmospheres
- a temperature of 450 °C.

Use the graph to decide the conditions of temperature and pressure that give the **highest** yield of ammonia.

Explain why the conditions that give the highest yield are **not** used in the Haber process.

The quality of written communication will be assessed in your answer to this question.
[6]

[Total: 6]

Turn over

10 In 2012 bad weather destroyed farmers' crops in Burma.



The charity called Oxfam helped farmers after the disaster.

Oxfam gave the farmers

• seeds to plant new crops

(a) The fertilisers must be dissolved in water.

• fertilisers.


	Explain why.
	[1]
(b)	If too much fertiliser is used, it can run off into streams and lakes.
	This can cause eutrophication.
	Explain what happens during eutrophication.
	[3]

(c) Fertilisers are made by reacting an acid with an alkali.

This is a neutralisation reaction.

Potassium hydroxide reacts with nitric acid.

Write a word equation for this reaction.



[2]

[Total: 6]

Question 11 begins on page 16

11 This question is about the corrosion of metals.

Look at the table. It shows how four metals corrode in different conditions.

Motol	Do	le in	
Metal	damp air?	damp acidic air?	dry air?
Α	no	quickly	no
В	slowly	quickly	no
С	very slowly	very slowly	no
D	very quickly	very quickly	quickly

(a)	Met	etal A is aluminium.		
	Exp	plain how you can tell from the information in the table.		
		[1]		
(b)	(i)	Iron rusts in damp air.		
		Rust is hydrated iron(III) oxide.		
		Write the word equation for the rusting of iron.		
		[1]		
	(ii)	The rusting of iron is an oxidation reaction.		
		Explain why.		
		[1]		
		[Total: 3]		

17 BLANK PAGE

Question 12 begins on page 18

PLEASE DO NOT WRITE ON THIS PAGE

SECTION C – Module C3

12 Sodium hydrogencarbonate decomposes when it is heated.

sodium hydrogencarbonate
$$\rightarrow$$
 sodium carbonate + carbon dioxide + water
 $2 \text{NaHCO}_3 \rightarrow \text{Na}_2 \text{CO}_3 + \text{CO}_2 + \text{H}_2 \text{O}$

The table shows the relative formula masses, $M_{\rm r}$, of the substances in the equation.


Substance	Relative formula mass
NaHCO ₃	84
Na ₂ CO ₃	106
CO ₂	44
H ₂ O	18

(a) Use the relative formula masses in the table to show that mass is conserved during this reaction.

......[2]

(b) Zakia heats some sodium hydrogencarbonate.

Look at the apparatus she uses.



Zakia heats 1.000 g of solid sodium hydrogencarbonate.

After heating for ten minutes the test tube contains 0.631 g of solid sodium carbonate.

Zakia does the experiment again.

This time she uses 2.500 g of solid sodium hydrogencarbonate.

(i)	Show that the predicted mass of solid sodium carbonate that she should make is 1.578	8 g.
(ii)	Zakia actually makes 1.124g of solid sodium carbonate.	
	Calculate the percentage yield.	
	Give your answer to three significant figures.	
	percentage yield = %	[2]
	[Total:	: 5]

13 Phil is a research chemist.

He investigates a new pharmaceutical drug.

Phil extracts the drug from the leaves of a plant.

He purifies the drug and then checks to see if he has made a pure sample.

Phil uses two tests to check the purity of the drug


- melting point
- thin layer chromatography.

Look at the results of his tests.

Melting point

Substance	Melting point in °C
pure drug	175
sample of the drug obtained from plant	171 – 173

Thin layer chromatogram of sample of the drug obtained from the plant.



(a)	write about now a sample of the drug is obtained from the leaves of a plant.
	What do the results of his tests show about the purity of the sample?
	The quality of written communication will be assessed in your answer to this question
	[6
(b)	It is difficult to test and develop new pharmaceutical drugs that are safe to use.
	Explain why.
	[2


© OCR 2016

Turn over

[Total: 8]

14 Zak heats 100 g of water using a liquid fuel.

Look at the apparatus he uses.



Zak burns 2.0 g of the liquid fuel.

The energy output of the fuel is 16000 J/g.

(a) Calculate the energy released when 2.0 g of the liquid fuel is burned.

energy released = J [1]

(b) The energy released by the liquid fuel is related to the rise in temperature of the water, ΔT .

This relationship is shown by the equation

energy released = mass
$$\times$$
 4.2 \times Δ T

Calculate the rise in temperature of the water in Zak's experiment.

rise in temperature =°C

(c)	The burning of a liquid fuel is an example of an exothermic reaction.
	Explain, using ideas about bond breaking and bond making, why this reaction is exothermic.
	[3]
	[Total: 7]

Question 15 begins on page 24

15 Zinc, Zn, reacts with hydrochloric acid, HC*l*.

Hydrogen gas, H_2 , and zinc chloride, $ZnCl_2$, are made.


(a) Construct the balanced symbol equation for this reaction.

FA.	1
 . [Т,	ı

(b) Fatimah and Sam investigate the reaction between acid and metals.

They react dilute hydrochloric acid with zinc powder and with iron powder.

Look at the apparatus they use.




Every 10 seconds they measure the volume of gas in the gas syringe.

Fatimah and Sam do three different experiments.

- 50 cm³ hydrochloric acid and 0.15 g of zinc
- 50 cm³ hydrochloric acid and 0.15 g of iron
- 50 cm³ hydrochloric acid and 0.075 g of iron mixed with 0.075 g of zinc.

Look at the graph of the results for the first two experiments.



		rate of reaction = cm ³ /s	[1]
	(ii)	Predict the total volume of hydrogen formed when the mixture of zinc and iron powd used.	
		cm ³	[1]
(c)	Incr	reasing the concentration of a reactant in solution will increase the rate of reaction.	
	Use	e the reacting particle model to explain why.	
			[2]

[Total: 5]

26

ADDITIONAL ANSWER SPACE

If additiona must be cle	al space is required, you should use the followerly shown in the margins.	wing lined page(s). The question number(s)
	.,	
• • • • • • • • • • • • • • • • • • • •		
•••••		
•••••		
•••••		



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

0 4 He helium 2	20 Ne	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	t fully
7	19 F fluorine 9	35.5 C t chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	orted but no
9	16 0 oxygen 8	32 \$ sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	Elements with atomic numbers 112-116 have been reported but not fully authenticated
5	14 N nitrogen 7	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	rs 112-116 hav authenticated
4	12 C carbon 6	28 Si silicon 14	73 Ge germanium 32	119 Sn tin 50	207 Pb lead 82	omic number
က	11 B boron 5	27 At aluminium 13	70 Ga gallium 31	115 In indium 49	204 T t thallium 81	ents with atc
			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Eleme
			63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium
			59 Ni nickel 28	106 Pd palladium 46	195 Pt platinum 78	[271] Ds damstadtium 110
			59 Co cobalt 27	103 Rh rhodium 45	192 Ir iridium 77	[268] Mt meitnerium 109
1 H hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
			55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
	bol bol number		52 Cr chromium 24	96 Mo molybdenum 42	184 W tungsten 74	Sg seaborgium 106
Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
	relat at atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafnium 72	[261] Rf rutherfordium 104
			45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
2	9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
-	7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.