

Biology

Advanced GCE A2 H421

Advanced Subsidiary GCE AS H021

Mark Scheme for the Units

January 2010

HX21/MS/R/10J

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2010

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 770 6622
Facsimile: 01223 552610
E-mail: publications@ocr.org.uk

CONTENTS

Advanced GCE Biology (H421)

Advanced Subsidiary GCE Biology (H021)

MARK SCHEMES FOR THE UNITS

Unit/Content	Page
F211 Cells, Exchange and Transport	1
F212 Molecules, Biodiversity, Food and Health	18
F214 Communication, Homeostasis & Energy	37
Grade Thresholds	54

F211 Cells, Exchange and Transport

Question			Expected Answers	Marks	Additional Guidance
1	(a)		<u>1500</u> ;	2	ACCEPT 1400 and 300,000 for 1 max only
			<u>500 000</u> ;		
1	(b)		ability to see (two) objects (that are close together) as separate objects / AW ; see detail ;	2	ACCEPT ability to distinguish two objects IGNORE clarity / clear
1	(c)	(i)	transports water (up plant) ;	1 max	ACCEPT alternative wording for transport e.g. movement DO NOT ACCEPT up and down DO NOT ACCEPT water and sugars
		transports, minerals / ions, (up plant) ;	ACCEPT alternative wording for transport IGNORE ref nutrients / solutes DO NOT ACCEPT sugars		
		support (plant / stem / shoot) ;	ACCEPT keeps plant upright		

Question			Expected Answers	Marks	Additional Guidance
1	(c)	(ii)	<p><i>Functions:</i></p> <p>F1 (lignin), strengthens / thickens, the (xylem) <u>wall</u> ;</p> <p>F2 waterproofing (wall) / AW ;</p> <p>F3 (improving) adhesion of water (molecules) ;</p> <p>F4 (spiral) pattern allows flexibility / stretching / movement;</p> <p style="text-align: right;">2 max</p>		<p>ACCEPT support only if in specific context of supporting the xylem <u>wall</u></p> <p>ACCEPT waterproofs cell</p> <p>DO NOT ACCEPT adhesion and cohesion when used together</p> <p>Flexibility / stretching must ref, <i>pattern</i> of lignin laid down i.e. spirals</p>
			<p><i>Explanation:</i></p> <p>E1 prevents collapse of xylem ;</p> <p>E2 (water) under tension / at low pressure / negative pressure;</p> <p>E3 reduces (lateral) loss of water, through wall ;</p> <p>E4 increases capillarity / AW ;</p> <p>E5 prevents stem breaking / AW ;</p> <p style="text-align: right;">2 max</p>	3 max	<p><i>Award mark(s) for function and explanation independently</i></p> <p>DO NOT CREDIT loss of water unqualified</p>

Question			Expected Answers	Marks	Additional Guidance
1	(c)	(iii)	(pits) allow water to move, in / out / between, <u>vessel(s)</u> ; to bypass blockage ; supply water to other, tissues / (other types) cells / parts of plant ;	2 max	ACCEPT lateral movement for 'out' ACCEPT bypass air lock ACCEPT any named, tissue / cells e.g. to allow water to other tissues 1 mark to allow water out to other tissues 1 mark to allow water out of vessel to other tissues 2 marks
			Total	10	

Question			Expected Answers	Marks	Additional Guidance
2	(a)	(i)	collection / group, of cells (of one or more types) ;	2 max	IGNORE ref similar cells
			(cells), working together OR with, common / same, function ;		ACCEPT a group of cells with a function = 2 marks
			specialised (cells) ;		DO NOT CREDIT differentiated
2	(a)	(ii)	squamous / ciliated ;	1	ACCEPT endothelium / columnar DO NOT ACCEPT cilia, goblet cell, ciliated <i>cells</i>
2	(b)		(organ is) a collection of tissues / named tissues ;	2	Look for idea of more than one tissue ACCEPT two or more correctly named tissues from: epithelium, elastic, glandular, smooth muscle, blood, nervous, cartilage, connective
			(working together) to enable gas exchange / AW ;		DO NOT ACCEPT perform a function unqualified – we want to know <i>what</i> function (can be named or described) DO NOT ACCEPT respiration IGNORE breathing

Question			Expected Answers	Marks	Additional Guidance
2	(c)	(i)	<i>(release of energy)</i> mitochondria ;	1	
		(ii)	<i>(movement of cilia)</i> cytoskeleton ;	1	ACCEPT mitochondria if not used in (i)
		(iii)	<i>(secretion of mucus)</i> Golgi (vesicle) ;	1	ACCEPT cytoskeleton if not used in (ii) ACCEPT Golgi body / apparatus DO NOT ACCEPT Golgi vessel
			Total	8	


Question		Expected Answers	Marks	Additional Guidance
3	(a)	partially / selectively ; (facilitated) diffusion OR osmosis ; plasma ; phospholipids ; cholesterol ;	5	DO NOT ACCEPT semi ACCEPT differentially ACCEPT plasma cell

Question		Expected Answers	Marks	Additional Guidance
3	(b)	<p>1 (acting as) antigens ;</p> <p>2 identification / recognition, (of cells) as, self / non-self / AW ;</p> <p>3 cell signalling / described ;</p> <p>4 receptor / binding site, for, hormone / (chemical) signal / (medicinal / named) drugs ;</p> <p>5 ref. to receptor / binding site / trigger, on transport proteins / AW ;</p> <p>6 cell adhesion / to hold cells together (in a tissue) ;</p> <p>7 attach to water molecules (to stabilise membrane / cell) ;</p> <p>4 max for description</p>		<p>Look for <u>description</u> not list of functions</p> <p><i>Do not credit repetition of same point</i></p> <p>ACCEPT foreign for non-self</p> <p>ACCEPT description e.g. communication <i>between</i> cells / cell responds to, chemical / signal, <i>from another cell</i></p> <p>ACCEPT description of <i>attachment process</i> for receptor / binding site</p> <p>DO NOT ACCEPT molecule unqualified</p> <p>ACCEPT binding site for foreign antigen</p> <p>ACCEPT ref to receptors on ion channels</p> <p>ACCEPT bind to other cells for cell adhesion</p>
		<p>QWC:</p> <p>three technical terms used and spelt correctly ;</p>	5 max	<p>Any three from:</p> <p>receptor, antigen, hormone, <u>cell</u> signal(ling), adhesion, recognition, <u>facilitated</u> diffusion, <u>active</u> transport</p>
		Total	10	

Question		Expected Answers	Mark	Additional Guidance
4	(a)	timer OR scale / ruler ;	1	
4	(b)			<i>Mark the first three suggestions irrespective of numbered points</i> <i>IGNORE reasons – just mark steps in the process</i>
		shoot is healthy ;		ACCEPT shoot not wilted
		assemble apparatus / cut shoot, under water ;		
		cut last 2-3 cm off cut end / cut at an angle ;		ACCEPT cut end off shoot
		check there are no air bubbles in apparatus ;		ACCEPT make sure cut end of shoot is in contact with water once apparatus assembled
		apparatus, water tight / air tight / has no leaks ;		ACCEPT screw clip tight DO NOT ACCEPT use Vaseline unqualified
		leaves dry ;		
			3 max	DO NOT CREDIT allow time for acclimatisation, equilibration

Question			Expected Answers	Mark	Additional Guidance
4	(c)	(i)	<u>25.3</u> ;	1	IGNORE any units
4	(c)	(ii)	to make results (more) <u>reliable</u> ;	2	<p>DO NOT ACCEPT accurate and reliable (use of both terms) anywhere in the answer</p> <p>Look for idea of spotting the anomaly e.g. spot, notice, recognise, show, detect.</p> <p>DO NOT CREDIT prevents / take out / remove / accounts for, anomalies</p> <p>DO NOT CREDIT 'ensure there is no anomaly' unless qualified</p> <p>ACCEPT outliers for anomalies</p> <p>ACCEPT to identify other factors / (uncontrolled) variables that may be having an effect</p>
			to help identify anomalies ;		
4	(c)	(iii)	<p><i>in afternoon:</i></p> <p>plant dying / less healthy / wilting ;</p> <p>ref to stomatal closure ;</p> <p>more humid / <u>higher</u> water (vapour) potential in air ;</p> <p>less air movement / wind / draughts ;</p>	2 max	<p><i>Mark first response in each numbered section (1-2). If not all sections are used, return to the first section and mark further suggestions</i></p> <p>Assume answer is for different conditions in the afternoon</p> <p>ACCEPT ORA if stated 'in morning...'</p> <p>IGNORE ref to light / dark</p> <p>Look for comparative statements – <u>higher</u>, <u>greater</u> etc</p> <p>DO NOT CREDIT more moisture in air</p>

Question			Expected Answers	Mark	Additional Guidance
4	(c)	(iv)	(potometer) measures (water) uptake ;	2 max	
			not all water (taken up) is lost ;		ACCEPT ref to figs e.g. 99% water <i>taken up</i> is lost ACCEPT the assumption that water loss is equal to water uptake is incorrect
			some water used (in photosynthesis / making cells turgid) ;		
			Total	11	

Question			Expected Answers	Marks	Additional Guidance
5	(a)	(i)	vein with thinner wall than artery ;	1	<p>CREDIT: Correct position of endothelium as indicated by circle or label line Must be clearly thinner than shown on artery</p>  <p>DO NOT CREDIT:</p>

Question			Expected Answers	Mark	Additional Guidance
5	(a)	(ii)	<p><i>Arteries have:</i></p> <p>no valves ;</p> <p>endothelium / tunica intima, folded / AW ;</p> <p>more / thicker, muscle / elastic tissue / tunica media ;</p> <p>more / thicker, collagen / tunica externa ;</p>	2 max	<p><i>Assume answer refers to wall of artery.</i></p> <p>IGNORE any ref to artery wall being thicker, unqualified, as this has already been stated in the question</p> <p>IGNORE reasons for differences</p> <p>ACCEPT ORA if stated - 'vein is.....'</p> <p>Look for comparative statements</p> <p>ACCEPT tunica adventitia for tunica externa</p>
5	(b)	(i)	contraction of <u>ventricle</u> , wall / muscle ;	1	<p>ACCEPT ventricular systole</p> <p>DO NOT CREDIT heart muscle unqualified</p> <p>DO NOT CREDIT contraction of atria and ventricles</p> <p>DO NOT CREDIT pump / squeeze / push / beat without ref to contraction</p>

Marks			Expected Answers	Mark	Additional Guidance
5	(b)	(ii)	<p>more, (smaller) vessels / named vessels ;</p> <p>(vessels) have larger, total lumen / cross sectional area ;</p> <p>reduced resistance to blood flow ;</p> <p>arteries, stretch / expand ;</p> <p>loss of, fluid / plasma, from capillaries ;</p>	2 max	<p>ACCEPT <i>divides</i> into smaller vessels (implies more of them)</p> <p>ACCEPT larger total surface area</p> <p>DO NOT CREDIT further from the heart</p> <p>DO NOT CREDIT loss of, blood / water</p> <p>DO NOT CREDIT loss of fluid / plasma, unqualified or from other vessels</p>
5	(b)	(iii)	<p>plasma / fluid, moves out of, capillary / blood ;</p> <p>enters / forms, tissue fluid ;</p> <p>(plasma) proteins, remain in capillary / too large to pass through capillary wall / AW ;</p> <p>(fluid moves) down pressure gradient ;</p> <p>hydrostatic pressure greater than, water potential / Ψ;</p>	3 max	<p><i>Assume 'it' refers to plasma:</i></p> <p>DO NOT CREDIT water / diffuses out</p> <p>ACCEPT filters out</p> <p>DO NOT CREDIT ref to osmosis</p>

Marks		Expected Answers	Marks	Additional Guidance
5	(c)	X = carbonic anhydrase ;	3	ACCEPT correct phonetic spelling DO NOT ACCEPT anhydrase
		Y = carbonic acid / H ₂ CO ₃ ;		If formula <u>only</u> given, it must be correct. Incorrect formula can be ignored if correct name given.
		Z = hydrogen (ion) / H ⁺ ;		DO NOT CREDIT H alone
		Total	12	