



# Mark Scheme (Results)

January 2018

Pearson Edexcel International Adavance Level  
In Biology (WBI03) Paper 01 Practical Biology  
and Investigative Skills

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2018

Publications Code WBI03\_01\_1801\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018


## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(i)</b>	<p>1. to remove any {betalain / pigment / stain / dye / juice / colour / redness} ;</p> <p>2. which would affect the results / so the {results / investigation / experiment} are valid / make sure any reading is due to the effect of alcohol / to avoid anomalies ;</p>	<b>Mp2 Ignore</b> references to precision/reliable/accurate etc	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(ii)</b>	<p>1. temperature ;</p> <p>2. use a water bath which is {thermostatically controlled / (set) at {constant / fixed} temperature / (set) at quoted temperature (10-50 C)} / incubator ;</p> <p>3. volume of the alcohol / volume stated (in the test tube) ;</p> <p>4. suitable volumetric device used ;</p> <p>5. any aspect of beetroot sample ;</p> <p>6. suitable method described ;</p> <p>7. pH ;</p> <p>8. by using a buffer ;</p>	<p><b>Mp2 Ignore</b> any references to room</p> <p><b>Allow</b> a description of how temperature is controlled</p> <p><b>Mp4</b> e.g. measuring {cylinder / beaker} / pipette / burette / volumetric flask</p> <p><b>Mp5</b> e.g. diameter / length / size / volume / mass / age / type</p> <p><b>Mp6</b> (diameter) cork borer / (length) ruler / (condition/age) same beetroot / (mass) balance ;</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(iii)</b>	<ol style="list-style-type: none"> <li>1. idea of taking account of a {possible variable / alcohol absorbance} ;</li> <li>2. to ensure that the absorbance (measured) is due to {betalain / eq} (only) / make results valid / avoid zero error / avoid offset error / for a (valid) comparison ;</li> </ol>	<p><b>Mp1 ignore</b> ref to alcohol being colourless</p> <p><b>Mp2 Ignore</b> reference to calibration of colorimeter</p> <p><b>Ignore</b> reference to control</p> <p><b>Accept</b> as eq. betalain pigment / stain / dye / juice / colour / redness</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark																		
1(b)(i)	<p>L line graph with points joined with ruled line ;</p> <p>A axes correctly orientated and labelled as x – alcohol conc. and %, y – absorbance and a.u. ;</p> <p>P correct plotting ;</p> <p>S suitable linear scale with figures on the axes with at least one zero at the origin ;</p> <p>K key or lines correctly labelled ;</p>	<p><b>Note</b> Bar chart will lose mp L and mp P if 0,0 not clear  Judge L on plots present (e.g if 0,0 is missing as a plot can still get L for joining the rest)</p> <p><b>S</b> graph must occupy at least half of the grid  <b>sample graph</b></p>  <table border="1" data-bbox="1120 734 1926 1292"> <caption>Data points from the sample graph</caption> <thead> <tr> <th>Concentration of alcohol / %</th> <th>Absorbance / a.u. (Solid Line)</th> <th>Absorbance / a.u. (Dashed Line)</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>10</td> <td>0.10</td> <td>0.10</td> </tr> <tr> <td>20</td> <td>0.28</td> <td>0.18</td> </tr> <tr> <td>30</td> <td>1.00</td> <td>0.18</td> </tr> <tr> <td>40</td> <td>1.56</td> <td>0.38</td> </tr> </tbody> </table>	Concentration of alcohol / %	Absorbance / a.u. (Solid Line)	Absorbance / a.u. (Dashed Line)	0	0.00	0.00	10	0.10	0.10	20	0.28	0.18	30	1.00	0.18	40	1.56	0.38	<b>(5)</b>
Concentration of alcohol / %	Absorbance / a.u. (Solid Line)	Absorbance / a.u. (Dashed Line)																			
0	0.00	0.00																			
10	0.10	0.10																			
20	0.28	0.18																			
30	1.00	0.18																			
40	1.56	0.38																			

Question Number	Answer	Additional Guidance	Mark
<b>1(b)(ii)</b>	<p>1. {both (alcohols) / methanol and ethanol} cause {betalain to leak out / increased permeability} ;</p> <p><b>Or</b></p> <p>(increase in) absorbance shows that betalain has leaked out eq ;</p> <p>2. methanol has more effect / ethanol has less effect (on permeability) ;</p> <p>3. from 20% methanol shows big increase (in permeability) but ethanol shows little / eq ;</p> <p><b>Or</b></p> <p>there is no difference (in permeability) between 0 and 10% / at 10% they have same effect (on permeability) ;</p>	<p><b>Accept</b> as eq. betalain pigment / stain / dye / juice / colour / redness</p> <p><b>Mp1</b>, both increased permeability, can be awarded if methanol increases more than ethanol is implied</p> <p><b>Ignore</b> ref to 20-30% flat for ethanol</p>	<b>(3)</b>
Question Number	Answer	Additional Guidance	Mark
<b>1(b)(iii)</b>	<p>1. (experiment / investigation) should be repeated ;</p> <p>2. under same conditions / at each concentration ;</p>		<b>(2)</b>
Question Number	Answer	Additional Guidance	Mark
<b>1(b)(iv)</b>	{calculate / plot / use / check overlap} in {SD / error bars / range bars / standard error} ;		<b>(1)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(c)</b>	1. idea that data support suggestion ; 2. (both / detergent) cause {pigment leakage / increase in absorbance / decrease in transmission} ; 3. idea that {both / detergent} {damage / cause increase in permeability of} membrane ; 4. idea that detergent bigger / eq effect ;	<b>Mp2</b> accept positive or negative correlation in correct context	<b>(3)</b>



Question Number	Answer	Additional Guidance	Mark
<b>2(a)</b>	coronary heart disease / atherosclerosis / stroke / CHD / CVD / vascular diseases of the brain / vascular diseases of the kidney / peripheral arterial disease ;	<b>Do not accept</b> answers that include references to aspects of CVD such as cost / treatments/side effects/prevention etc	<b>(1)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(b)(i)</b>	<ol style="list-style-type: none"> <li>idea of converting numbers to percentages ;</li> <li>correct description of how this is done / correct percentages calculated of those with serious vascular events {10.7 / 10.71 and 13.2 / 13.17} / correct formula shown ;</li> </ol>	<p><b>Mp1</b> If a percentage is calculated then mp1 is awarded</p> <p><b>Accept</b> percentage without serious vascular events 89.28 / 89.3 and 86.82 / 86.8</p> <p><b>Mp2</b> If both percentages are calculated correctly then mp1 and 2 are awarded</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(b)(ii)</b>	<ol style="list-style-type: none"> <li>bar chart / table / pie chart ;</li> <li>suitable labelled visual with proportions / manipulated numbers (correct or consistent with bi) ;</li> </ol>	If percentages NOT shown in bi but are clearly correct in bii then can be awarded in bi.	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(c)</b>	<ol style="list-style-type: none"> <li>1. idea that the incidence of both conditions increases over time ;</li> <li>2. there is a greater incidence of stroke than of heart attack / eq ;</li> <li>3. aspirin has {no effect / same effect as placebo} on incidence of heart attack ;</li> <li>4. aspirin decreases incidence of strokes / eq ;</li> <li>5. aspirin has no effect on strokes for the first two years / eq ;</li> </ol>	<b>Mp1</b> can be pieced together	<b>(4)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(d)</b>	<p>1. 32 tablets cost 0.75 USD, so 1 is <math>0.75 \div 32</math> ;</p> <p>2. 183 tablets cost (ans to mp1) x 183 ;</p> <p>3. (difference is <math>228.78 - \text{ans to mp2} =</math>) {224.49 /224.491 / 224.5 / 225} USD ;</p> <p><b>Or</b></p> <p>4. 32 tablets cost 0.75 USD, so 183 cost <math>183 \div 32</math> ;</p> <p>5. (ans to mp 4) x 0.75 ;</p> <p>6. (<math>228.78 - \text{ans to mp 5} =</math>) {224.49 /224.491 / 224.5 / 225} USD ;</p>	<p>e.g. allow 1 aspirin costs <math>0.75 \times 183 = 137.25</math> USD ;</p> <p>difference is <math>228.78 - 137.25 = 91.53</math> USD</p> <p>Other answers are possible depending on rounding. All 3 marks can be awarded for the correct answer on the line. 2 marks can be awarded for a correct consequential answer (e.g 91.53)</p>	<b>(3)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(e)</b>	<ol style="list-style-type: none"> <li>1. blood in the urine / constipation / dizziness ;</li> <li>2. muscle pain / muscle damage / muscle inflammation / liver damage / liver inflammation / increased blood sugar/ type 2 diabetes ;</li> </ol>		<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(f)</b>	<ol style="list-style-type: none"> <li>1. use of animals in research because animals cannot give consent / have rights ;</li> <li>2. animals can feel pain / because of the side effects ;</li> <li>3. (it may be unethical) to administer drugs to people because of side effects / (it may be ethical) to administer drugs to people because they can give consent ;</li> <li>4. placing women on a placebo for ten years because they could be receiving treatment ;</li> </ol>		<b>(3)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(g)</b>	<ol style="list-style-type: none"> <li>1. all 6 elements present with no extras i.e. names, date, article title, journal, volume number and pages do not award if "volume", "pages", "pp" are included ;</li> <li>2. order correct ;</li> <li>3. reference has name followed by initial(s) <b>and</b> {et al / (and) others} ;</li> </ol>	<p>Ridker, P.M. et al (2005). A Randomized Trial of Low-Dose Aspirin in the Primary Prevention of Cardiovascular Disease in Women The New England Journal of Medicine. 352, 1293-1304.</p> <p><b>Mp2</b> there must be a minimum of 4 elements to judge this</p> <p><b>Mp3</b> allow Paul, M. R. et al for author</p>	<b>(3)</b>