




3.1 Geometry Toolkit

Mark Schemes



Course	DP IB Maths
Section	3. Geometry & Trigonometry
Topic	3.1 Geometry Toolkit
Difficulty	Medium

Exam Papers Practice

To be used by all students preparing for DP IB Maths AA SL
Students of other boards may also find this useful

Question 1

a) Notice the right-angled triangle.



We have

$$\theta = 64^\circ \quad \text{opp} = h \quad \text{hyp} = 25 \text{ m}$$

$$\sin \theta = \frac{\text{opp}}{\text{hyp}} \quad \text{from SOH CAH TOA}$$

$$\therefore \sin 64^\circ = \frac{h}{25}$$

$$h = \sin 64^\circ \times 25$$

$$h = 22.5 \text{ m}$$

b) Base of trapezoid, DC, is equal to AB + 2 (base of right-angled triangle).

$$DC = 17 + 2\sqrt{25^2 - 22.5^2} \quad (\text{pythagoras})$$

Area of a trapezoid formula

$$A = \frac{1}{2}(a+b)h \quad (\text{in formula booklet})$$

a and b are parallel sides, h is the height

$$a = AB = 17 \quad b = DC = 17 + 2\sqrt{25^2 - 22.5^2} \quad h = 22.5$$


Sub a, b and h into formula.

$$A = \frac{1}{2}(17 + 17 + 2\sqrt{25^2 - 22.5^2}) \times 22.5$$

$$A \approx 628 \text{ m}^2$$

Question 2

Draw a diagram



The three cities form a right-angled triangle.

$$\text{distance} = \sqrt{(1500)^2 + (6500)^2}$$

$$\text{distance} = \sqrt{44\,500\,000}$$

$$\text{distance} = 6670 \text{ km (3sf)}$$

Question 3

a) Distance between two points formula

$$d = \sqrt{(x_1 - x_2)^2 + (y_1 - y_2)^2} \quad (\text{in formula booklet})$$

$$A(4, -6) \quad B(8, 6)$$

Sub A and B into formula.

$$d = \sqrt{(4-8)^2 + (-6-6)^2}$$

$$d \approx 12.6 \text{ units}$$



b) Gradient formula

$$m = \frac{y_2 - y_1}{x_2 - x_1} \quad (\text{in formula booklet})$$

$$A(4, -6) \quad B(8, 6)$$

Sub A and B into formula.

$$m = \frac{6 - (-6)}{8 - 4} \quad \therefore m = 3$$

Sub A and m into $y - y_1 = m(x - x_1)$

$$y - (-6) = 3(x - 4)$$

expand both sides

$$y + 6 = 3x - 12$$

$$y = 3x - 18$$

Exam Papers Practice

c) i) Midpoint formula

$$\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right) \quad (\text{in formula booklet})$$

$$A(4, -6) \quad B(8, 6)$$

Sub A and B into formula.

$$\text{Midpoint} = \left(\frac{4+8}{2}, \frac{-6+6}{2} \right)$$

$$\text{Midpoint} = (6, 0)$$

ii) Perpendicular gradients

$$m_{\perp AB} = -\frac{1}{m_{AB}}$$

$$m_{AB} = 3 \quad \therefore m_{\perp AB} = -\frac{1}{3}$$

Sub the midpoint and $m_{\perp AB}$ into $y - y_1 = m(x - x_1)$.

$$y - 0 = -\frac{1}{3}(x - 6)$$

expand RHS

$$y = -\frac{1}{3}x + 2$$

Question 4

a) Arc length formula

$$l = \frac{\theta}{360} \times 2\pi r$$

(in formula booklet)

i) Minor arc AB

$$\theta = 68 \quad r = 5$$

Sub θ and r into formula.

$$l = \frac{68}{360} \times 2\pi(5)$$

$$l = 5.93 \text{ cm}$$

ii) Major arc AB

$$\theta = 360 - 68 \quad r = 5 \\ = 292$$

Sub θ and r into formula.

$$l = \frac{292}{360} \times 2\pi(5)$$

$$l = 25.5 \text{ cm}$$

b) Sector area formula

$$A = \frac{\theta}{360} \times \pi r^2$$

(in formula booklet)

$$\theta = 292 \quad r = 5$$

Sub θ and r into formula.

$$A = \frac{292}{360} \times \pi(5)^2$$

$$A \approx 63.7 \text{ cm}^2$$

Question 5

a) Sector area formula

$$A = \frac{\theta}{360} \times \pi r^2 \quad (\text{in formula booklet})$$

$$A = 20 \quad \theta = 292 \quad r = x$$

Sub A and θ into formula and rearrange for x .

$$20 = \frac{292}{360} \times \pi x^2$$

$$x \approx 3.78 \text{ m}$$

b) Arc length formula

$$L = \frac{\theta}{360} \times 2\pi r \quad (\text{in formula booklet})$$

$$\theta = 160 \quad r = 3.78$$

Sub θ and r into formula.

$$L = \frac{160}{360} \times 2\pi(3.78)$$

$$L \approx 10.6 \text{ m}$$

Question 6

a) Sector area formula

$$A = \frac{\theta}{360} \times \pi r^2 \quad (\text{in formula booklet})$$

$$A = \frac{4}{15} \pi \quad r = 0.8$$

Sub A and r into formula and rearrange for θ .

$$\frac{4}{15} \pi = \frac{\theta}{360} \times \pi (0.8)^2$$

$$\theta = 150^\circ$$

b) Arc length formula

$$L = \frac{\theta}{360} \times 2\pi r \quad (\text{in formula booklet})$$

$$\theta = 150 \quad r = 0.8$$

Sub θ and r into formula.

$$L = \frac{150}{360} \times 2\pi(0.8)$$

$$L \approx 2.09 \text{ m}$$

Question 7

a) Circle circumference formula

$$C = 2\pi r \quad (\text{in formula booklet})$$

Radius of semicircles

$$r = \frac{554 - 426}{2} \quad \therefore r = 64 \text{ m}$$

Total distance

$$d = 2(426) + 2\pi(64)^*$$

$$d \approx 1250 \text{ m}$$

*N.B 2 semicircles = make a full circle.

b) Total area = rectangle + 2 semicircles

The height of the rectangle is equal to the diameter of the semicircles.

$$r = 64 \quad \therefore \text{height} = 2(64) = 128 \text{ m}$$

Circle area formula

$$A = \pi r^2 \quad (\text{in formula booklet})$$

$$\text{Total area} = (426)(128) + \pi(64)^2$$

$$\text{Total area} \approx 67\,400 \text{ m}^2$$


Question 8

a) Notice the right-angled triangle.

$$\text{triangle base} = \frac{AB}{2}$$

$$\text{triangle base} = \frac{13.34}{2}$$

$$\text{triangle base} = 6.67$$



$$\therefore AC = \sqrt{8^2 + 6.67^2}$$

$$AC \approx 10.4 \text{ cm}$$

b) Total area (A) = triangle + 2 semicircles*

$$\therefore A = \frac{1}{2}bh + \pi r^2$$

$$\text{Semicircle radius } (r) = \frac{AB}{4}$$

$$r = \frac{13.34}{4}$$

$$b = 13.34 \quad h = 8 \quad r = 3.335$$

Sub b, h and r into formula

$$A = \frac{1}{2}(13.34)(8) + \pi(3.335)^2$$

$$A \approx 88.3 \text{ cm}^2$$

*N.B 2 semicircles make a full circle.



$$c) \text{ Number of cookies} = \frac{\text{dough area}}{\text{heart area}}$$

$$\text{Number of cookies} = \frac{1314}{88.3}$$

$$\text{Number of cookies} = 14.9$$

$\therefore 14$ full cookies

N.B Cookie dough can be reformed so no need to account for the irregular shape.

Question 9

$$a) \text{ Perimeter} = \text{arc} + 2(\text{radius})$$

Arc length formula

$$l = \frac{\theta}{360} \times 2\pi r \quad (\text{in formula booklet})$$

$$\theta = 60 \quad r = 15$$

Sub θ and r into formula.

$$l = \frac{60}{360} \times 2\pi(15)$$

$$\text{Perimeter} = \frac{60}{360} \times 2\pi(15) + 2(15)$$

Perimeter ≈ 45.7 cm



$$b) \text{ Crust area } (A_c) = \text{Pizza area } (A_p) - \text{Toppings area } (A_t)$$

$$\text{Toppings radius } (r_t) = \text{Pizza radius } (r_p) - \text{crust width}$$

$$\therefore r_t = 15 - 2.2 \\ = 12.8 \text{ cm}$$

Sector area formula

$$A = \frac{\theta}{360} \times \pi r^2 \quad (\text{in formula booklet})$$

$$\theta = 60 \quad r_p = 15 \quad r_t = 12.8$$

Sub θ , r_p and r_t into formula to find A_c .

$$A_c = \frac{60}{360} \times \pi (15)^2 - \frac{60}{360} \times \pi (12.8)^2$$


$$A_c \approx 32 \text{ cm}^2$$

Exam Papers Practice

Question 10

a) Notice the right-angled triangles

i)




$$\therefore \tan 37^\circ = \frac{EG}{4}$$

$$EG = \tan 37^\circ \times 4$$

$$EG \approx 3.01 \text{ m}$$

ii) Base angles of an isosceles right-angled triangle equal 45°.



$$\sin 45^\circ = \frac{BC}{12.2}$$

$$BC = \sin 45^\circ \times 12.2$$

$$BC \approx 8.63 \text{ m}$$

Exam Papers Practice



b) Total area (A) = House + Roof + Garage

House area = rectangle

$$= \text{height} \times \text{base}$$

$$\text{Height} = 10.8 \quad \text{base} = 13.8 - 4 \\ = 9.8$$

Roof area = triangle

$$= \frac{1}{2}(BC)(CD)$$

$$BC = CD \approx 8.63$$

Garage area = trapezoid.

$$= \frac{1}{2}(FH + (EG + FH))(GF)$$

$$FH = 3.6 \quad EG \approx 3.01 \quad GF = 4$$

$$\therefore A = (10.8)(9.8) + \frac{1}{2}(8.63)^2 + \frac{1}{2}(3.6 + (3.6 + 3.01))(4)$$

$$A \approx 163.5 \text{ m}^2$$