

Refraction TOPIC QUESTIONS





 A progressive wave in a stretched string has a speed of 20 m s⁻¹ and a frequency of 100 Hz. What is the phase difference between two points 25 mm apart?



- 2. Which one of the following statements about stationary waves is true?
 - A Particles between adjacent nodes all have the same amplitude.
 - **B** Particles between adjacent nodes are out of phase with each other.
 - **C** Particles immediately on either side of a node are moving in opposite directions.
 - **D** There is a minimum disturbance of the medium at an antinode.
- 3. Which one of the following types of wave cannot be polarised?
 - A radio
 - B ultrasonic
 - **C** microwave
 - D ultraviolet



- 4. The least distance between two points of a progressive transverse wave which have a phase difference of $\frac{\pi}{3}$ rad is 0.050 m. If the frequency of the wave is 500 Hz, what is the speed of thewave?
 - **A** 25 m s⁻¹
 - **B** 75 m s⁻¹
 - C 150 m s⁻¹
 - **D** 1666 m s¹





- 5. Which one of the following statements about stationary waves is true?
 - A Particles between adjacent nodes all have the same amplitude.
 - **B** Particles between adjacent nodes are out of phase with each other.
 - **C** Particles immediately on either side of a node are moving in opposite directions.
 - **D** There is minimum disturbance of the medium at an antinode.
- 6. In a Young's double slits interference arrangement the fringe separation is s when the wavelength of the radiation is λ , the slit separation W and the distance between the slits and the plane of the observed fringes D. In which one of the following cases would the fringe separation also be s?

		wavelengt h	slit separation	distance betweenslits and fringes
	A	2λ	2 <i>w</i>	2 <i>D</i>
	В	2λ	4 <i>w</i>	2 <i>D</i>
	С	2λ	2 <i>w</i>	4 <i>D</i>
EXA	D	4λ	2 <i>w</i>	2 <i>D</i>



7. Figures 1 and 2 each show a ray of light incident on a water-air boundary. A, B, C and D showray directions at the interface.



(a) Circle the letter below that corresponds to a direction in which a ray **cannot** occur.



(b) Circle the letter below that corresponds to the direction of the faintest ray.



EXAM PAPERS PRACTICE



8. Young's two slit interference pattern with red light of wavelength 7.0 × 10⁻⁷ m gives a fringe separation of 2.0 mm.

What separation, in mm, would be observed at the same place using blue light of wavelength 45×10^{-7} m?

- **A** 0.65
- **B** 1.3
- **C** 2.6
- **D** 3.1
- 9. The diagram represents the experimental arrangement used to produce interference fringes in Young's double slit experiment.



The spacing of the fringes on the screen will increase if

- A the width of the single slit is increased
- **B** the distance **XY** between the two slits is increased
- **C** a light source of lower frequency is used
- **D** the distance between the single and double slits is decreased
- 10. The audible range of a girl's hearing is 30 Hz to 16 500 Hz. If the speed of sound in air is 330 m s^{-1} , what is the shortest wavelength of sound in air which the girl can hear?

Α	30 330 m	l
в	<u>16500</u> 330	m
	330	
С	16500	m



 $D = \frac{330}{30} m$

EXAM PAPERS PRACTICE

For more help, please visit www.exampaperspractice.co.uk



- 11. Which one of the following types of wave cannot be polarised?
 - A radio
 - B ultraviolet
 - **C** microwave
 - D ultrasonic
- 12. A uniform wire fixed at both ends is vibrating in its fundamental mode. Which one of the followingstatements is **not** correct for all the vibrating particles?
 - **A** They vibrate in phase.
 - **B** They vibrate with the same amplitude.
 - **C** They vibrate with the same frequency.
 - **D** They vibrate at right angles to the wire.
- 13. A wave motion has period T, frequency f, wavelength λ and speed v. Which one of the following equations is **incorrect**?

A 1 = Tf
B
$$T = \frac{v}{\lambda}$$

C $\lambda = \frac{v}{f}$



D $T \upsilon = \lambda$

14.



The diagram above shows a stationary wave on a stretched string at a time t = 0. Which one of the diagrams, **A** to **D**, correctly shows the position of the string at a time t = 0.010 s?







15. Light passing from a vacuum into air undergoes negligible refraction. Which response explaining this statement is not correct?

- A. Air has a refractive index very close to 1
- B. The optical density of air and a vacuum are almost identical
- C. Refraction occurs at the boundaries of media with different densities
- D. Refraction does not happen when light passes into air
- 16. A ray of light is incident on a triangular glass block as shown in the diagram below:



What is the refractive

index of the glass?

- A. 1.8
- B. 0.55
- C. 0.45 D. 1.4

M PAPERS PRACTICE

17. The following are statements about total internal remection.

- 1. The critical angle is the angle of incidence when the angle of refraction is 90⁰
- 2. Total internal reflection happens when light passes from a less dense medium into a more dense one
- 3. For total internal reflection to occur, the angle of incidence must be greater than the critical angle\
- 4. In total internal reflection the angle of incidence equals the

angle of reflection Which of the statements 1, 2, 3 and 4 are

correct?

- A. 1, 2 and 3
- B. 1, 2 and 4



- C. $\boldsymbol{1}, \boldsymbol{3} \text{ and } \boldsymbol{4}$
- D. 2, 3 and 4
- 18. A ray of light is incident on the inside of a glass block at an angle of 65^o and reflects internally. Which statement is correct?
 - A. The critical angle for the glass is less than 65⁰
 - B. The angle of incidence is less than the critical angle
 - C. The angle of reflection is 25⁰
 - D. The glass block has a refractive index of 1.06





- 20. What materials are the core of fibre optic cables made from?
 - A. Copper wires
 - B. Glass or plastic
 - C. Very thin aluminium wire Tungsten

