


## 8.1 Theories & Reactions of Acids & Bases

## **Mark Schemes**



## **Exam Papers Practice**

To be used by all students preparing for DP IB Chemistry HL Students of other boards may also find this useful



The correct answer is A because:

- Acids react with hydrogen carbonates to form a salt, water and carbon dioxide
- Acids react with magnesium to form a salt and hydrogen
- · Copper is too low in the reactivity series to react with dilute acids

## Extra info:

Although metals generally react with most acids, copper is an exception. Other familiar metals that would also **not** react with acids are silver, mercury and gold

2

The correct answer is **D** because:

- A Brønsted-Lowry base is defined as a proton (H<sup>+</sup>) acceptor
- The HNO<sub>3</sub> gains a proton to become H<sub>2</sub>NO<sub>3</sub><sup>+</sup> so it must be acting as a
  - base
- In the reverse reaction, the HSO<sub>4</sub><sup>-</sup> gains a proton to become H<sub>2</sub>SO<sub>4</sub> so it must also be acting as a base

A is incorrect as  $H_2NO_3^+$  acts as Brønsted-Lowry acid because it is donating a proton to  $HSO_4^-$ 

**B** is incorrect as H<sub>2</sub>NO<sub>3</sub><sup>+</sup> acts as Brønsted-Lowry acid because it is donating a proton to HSO<sub>4</sub><sup>-</sup>

**C** is incorrect as H<sub>2</sub>SO<sub>4</sub> acts as Brønsted-Lowry acid because it is donating a proton to HNO<sub>3</sub>



5

The correct answer is **D** because:

- A proton is transferred from the HCl to CH<sub>3</sub>COOH making the HCl an acid and CH<sub>3</sub>COOH a base
- In the back reaction, a proton is transferred from CH<sub>3</sub>COOH<sub>2</sub><sup>+</sup> to Cl<sup>-</sup> making the CH<sub>3</sub>COOH<sub>2</sub><sup>+</sup> an acid and Cl<sup>-</sup> a base

A is incorrect as both the acid and base in the reactants and products are the wrong way around

B is incorrect as the acid and base in the reactants are the wrong way around

C is incorrect as the acid and base in the products are the wrong way around

4

The correct answer is C because:

- · You are told that perbromic acid is a strong acid, so by definition it
- must be fully dissociated in solution

A is incorrect as this would be a feature of weak acids, not strong ones

B is incorrect as a strong acid would react with weak or strong bases

D is incorrect as a strong or weak acid would have a pH below 7



The correct answer is **C** because:

- To form a conjugate base, a species must lose a proton
- When K<sub>2</sub>HPO<sub>4</sub> loses a proton it forms K<sub>2</sub>PO<sub>4</sub><sup>-</sup>
- However, this does not seem to be one of the answers
  - **Remember:** The potassium ion is a spectator ion and positively charged so the anion corresponds to  $PO_4^{3-}$  (K<sub>2</sub>PO<sub>4</sub><sup>-</sup> = 2K<sup>+</sup> +  $PO_4^{3-}$ )

A is incorrect as this is the conjugate acid of the hydrogen phosphate ion  $K_2HPO_4 + H^+ \rightarrow KH_2PO_4$  ( $H_2PO_4^-$  is the anion)

B is incorrect as this ion does not make sense

D is incorrect as this is the full formula of the conjugate acid of the hydrogen phosphate ion

6

The correct answer is **D** because:

- To be a Brønsted-Lowry acid, a species must lose a proton
- In the forward reaction, H<sub>3</sub>NSO<sub>3</sub>, loses protons and in the backward reaction each NH<sub>4</sub><sup>+</sup> loses a proton

A is incorrect as this is a Brønsted-Lowry acid-base pair

**B** is incorrect as this is a Brønsted-Lowry acid and a Brønsted-Lowry base, respectively

C is incorrect as this is a Brønsted-Lowry acid-base pair



The correct answer is **D** because:

- · Calcium oxide is classified as a base
- · When an acid reacts with a base a salt and water are formed
- Salts of hydrochloric acid are chlorides

A is incorrect as there is no gas given off in the reaction and water is a missing product

B is incorrect as there is no gas given off in the reaction

C is incorrect as calcium and hydrogen are incorrect products

8

The correct answer is D because:

- The correctly balanced equation is: 2HNO<sub>3</sub> (aq) + Mg(HCO<sub>3</sub>)<sub>2</sub> (s) → Mg(NO<sub>3</sub>)<sub>2</sub> (aq) + 2H<sub>2</sub>O(l) + 2CO<sub>2</sub> (g)
- The sum of the coefficients = 2+1+1+2+2=8

A, B & C are incorrect as as they do not have the right sum of coefficients

It is a favourite examiner's trick to ask for the sum of the coefficients knowing that some candidates will forget that the absence of a number in front of a formula means the coefficient is 1. Don't get caught out!



Page 5

The correct answer is A because:

- · Calcium oxide is classified as a base
- · Only oxides that are acidic can react with calcium oxide
- Sulfur dioxide and nitrogen dioxide are acidic oxides

B is incorrect as nitrogen dioxide reacts with calcium oxide, but potassium oxide does not

**C** is incorrect as sulfur dioxide and nitrogen dioxide react with calcium oxide, but potassium oxide does not

D is incorrect as potassium oxide does not react with calcium oxide

10

water:

The correct answer is **B** because:

• Neutralisation reactions are always exothermic as there is net bond formation when hydrogen ions react with hydroxide ions to form

 $H^+(aq) + OH^-(aq) \rightarrow H_2O(I)$ 

· Bond formation is always an exothermic process

A is incorrect as metal displacement reactions are generally exothermic, but they can be either

C is incorrect as combustion is always an exothermic reaction

D is incorrect as melting is an endothermic process as it is a bond breaking process