


9.1 Simple Harmonic Motion

Question Paper




Exam Papers Practice

To be used by all students preparing for DP IB Physics HL Students of other boards may also find this useful



A point on a guitar string S oscillates about its equilibrium position Z in simple harmonic motion.



The amplitude of the oscillation is YZ.

Which positions show when the acceleration of point S is at a maximum and the velocity of point S is at zero?

	Acceleration	Velocity	
A.	Z	Y	
В.	Y	Y	
C.	Z	Z	
D.	Υ	Z	

[1 mark]

Question 2

A simple pendulum and a mass-spring system oscillate about their equilibrium positions with simple harmonic motion. On Earth, the period of the oscillations is *T*. The pendulum and the mass-spring system are taken to Mars where the acceleration of free fall is smaller than on Earth.

Which answer best describes the period of the pendulum and the mass-spring system on Mars?

	Simple Pendulum	Mass-spring System	
Α.	Т	Greater than T	
В.	Т	Т	
C.	Greater than T	Greater than T	
D.	Greater than T	Т	

[1 mark]



Choose the correct statement describing the quantities that remain constant for an object in SHM.

- A. Frequency, f.
- B. Frequency, f, & period, T.
- C. Period, T, & the spring constant, k.
- D. Period, T, frequency, f, spring constant, k, & acceleration of freefall, g.

[1 mark]

Question 4

A mass-spring system oscillates with simple harmonic motion. The mass *m* has an amplitude *A* and the spring has a total energy *E*. The mass is increased by half and the amplitude increased to 4*A*.

What is the total energy in the spring?

- A. 24E
- B.12*E*
- C.8E
- D. 6E

[1 mark]

Question 5 am Papers Practice

A pendulum oscillating with simple harmonic motion has an amplitude x_0 and a maximum kinetic energy E_k .

What is the potential energy of the system when the pendulum bob is at a distance $0.4x_0$ from its maximum displacement?

- A. 0.36E_k
- $B.0.4E_k$
- C. 0.6Ek
- D. 0.64E_k

[1 mark]



Which of the following is a correct arrangement for the maximum displacement of a particle performing simple harmonic motion?

A.
$$x_0 = -\frac{a_{max} f^2}{4\pi^2}$$

B.
$$x_0 = -\frac{a_{max}}{2\pi f^2}$$

C.
$$x_0 = -\frac{a_{max}}{4\pi^2 T^2}$$

D.
$$x_0 = -\frac{a_{max}T^2}{4\pi^2}$$


[1 mark]


Question 7


An ion in a crystal lattice structure oscillates with simple harmonic motion. The period of the oscillation is *T. T* is measured from equilibrium.


Which graph shows the change in kinetic energy of the ion from time t = 0 to $t = \frac{T}{2}$?

Exam











[1 mark]

Question 8

A simple pendulum performs simple harmonic motion. The pendulum bob has a mass m, the string has a length l, and the pendulum has a period T.


Which is the correct value for the period T if the mass of the pendulum bob is doubled and the length of the string is halved?

- A. 1.4 T
- B. 0.7T
- C. 0.5 T
- D. 0.25 T

[1 mark]

Question 9

A mass-spring system oscillates about its equilibrium position in simple harmonic motion. A bulb on the motion sensor lights up each time the block passes the equilibrium position.



The block has a mass m and oscillates with a period T.


Select the new mass that would cause the period to double.

- A. 0.5m
- B.1.4m
- C.2m
- D. 4m

[1 mark]



A simple pendulum oscillates with simple harmonic motion as shown.



At which positions are the acceleration at zero, the displacement at a negative maximum, and velocity at a maximum?

	Acceleration	Displacement	Velocity
Α.	Z	Y	X
В.	Y	X	Y
C.	X	Z	Z
D.	Y	X	Z

[1 mark]

Exam Papers Practice