

---

**GCSE  
BIOLOGY  
8461/1F**

**Paper 1 Foundation Tier**

---

**Mark scheme**

**June 2025**

---

**Version: 1.0 Final**



Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

No student should be disadvantaged on the basis of their gender identity and/or how they refer to the gender identity of others in their exam responses.

A consistent use of 'they/them' as a singular and pronouns beyond 'she/her' or 'he/him' will be credited in exam responses in line with existing mark scheme criteria.

Further copies of this mark scheme are available from [aqa.org.uk](https://www.aqa.org.uk)

#### **Copyright information**

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

## Information to Examiners

### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the examiner make their judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent (for example, a scientifically correct answer that could not reasonably be expected from a student's knowledge of the specification).

### 2. Emboldening and underlining

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of **or**.  
Alternative words in the mark scheme are shown by a solidus eg allow smooth / free movement.
- 2.4 Any wording that is underlined is essential for the marking point to be awarded.

### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of errors / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name **two** magnetic materials.

[2 marks]

Student	Response	Marks awarded
1	iron, steel, tin	1
2	cobalt, nickel, nail*	2

#### 3.2 Use of symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, or uses symbols to denote quantities in a physics equation, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

#### 3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. At any point in a calculation students may omit steps from their working. If a subsequent step is given correctly, the relevant marks may be awarded.

Full marks should be awarded for a correct numerical answer, without any working shown. Full marks are **not** awarded for a correct final answer from incorrect working.

#### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

### 3.5 Errors carried forward

An error can be carried forward from one question part to the next and is shown by the abbreviation 'ecf'.

Within an individual question part, an incorrect value in one step of a calculation does not prevent all of the subsequent marks being awarded.

### 3.6 Phonetic spelling

Marks should be awarded if spelling is not correct but the intention is clear, **unless** there is a possible confusion with another technical term.

### 3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

### 3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

### 3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

### 3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

### 3.11 Numbered answer lines

Numbered lines on the question paper are intended to support the student to give the correct number of responses. The answer should still be marked as a whole.

## 4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and, if necessary, annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

### Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level.

The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer. With practice and familiarity you will find that for better answers you will be able to quickly skip through the lower levels of the mark scheme.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

### Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this. The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

**Question 1**

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.1	cytoplasm		1	AO1 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.2	any <b>one</b> from: • chromosome(s) • gene(s)	allow DNA / allele allow genetic material ignore genetic information	1	AO1 4.1.1.1 4.1.1.2 4.1.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.3	any <b>one</b> from: • (cell) wall • (permanent / large) vacuole • chloroplast	ignore cellulose ignore chlorophyll	1	AO1 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.4	water		1	AO1 4.1.3.3 4.2.3.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.5	any <b>one</b> from:  • fertilisation  • to swim to the egg  • to provide chromosomes / DNA for the egg  • to carry chromosomes / DNA from the male	allow to fuse / join with an egg allow to penetrate the egg allow to reach the egg ignore swim unqualified  allow to provide genetic material / information for the egg	1	AO1 4.1.1.3

Question	Answers		Mark	AO / Spec Ref.
01.6	<b>Specialised cell</b> <p>do not accept more than one line from a box on the left</p>	<b>Type of organism</b> Animals Bacteria Fungi Plants	1 1	AO1 4.1.1.3 4.2.3.1 4.2.3.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
01.7	active transport diffusion		1 1	AO1 4.1.3.1 4.1.3.3 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.																
01.8	<p>do not accept more than one tick in any row</p>	<b>Direction of movement of substance</b> <table border="1"> <thead> <tr> <th>Substance</th> <th>ONLY from blood to muscle cells</th> <th>ONLY from muscle cells to blood</th> <th>From blood to muscle cells AND from muscle cells to blood</th> </tr> </thead> <tbody> <tr> <td>Carbon dioxide</td> <td></td> <td>✓</td> <td></td> </tr> <tr> <td>Oxygen</td> <td>✓</td> <td></td> <td></td> </tr> <tr> <td>Water</td> <td></td> <td></td> <td>✓</td> </tr> </tbody> </table>	Substance	ONLY from blood to muscle cells	ONLY from muscle cells to blood	From blood to muscle cells AND from muscle cells to blood	Carbon dioxide		✓		Oxygen	✓			Water			✓	1 1 1	AO2 4.1.3.1 4.1.3.2 4.4.2.1
Substance	ONLY from blood to muscle cells	ONLY from muscle cells to blood	From blood to muscle cells AND from muscle cells to blood																	
Carbon dioxide		✓																		
Oxygen	✓																			
Water			✓																	

Total Question 1

12

**Question 2**

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.1	temperature of pondweed		1	AO1 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.2	oxygen chlorophyll	in this order only	1 1	AO1 4.4.1.1 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.3	(time) decreases then (time) increases	ignore use of data allow rate / speed increases allow then rate / speed decreases	1 1	AO3 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.4	$\frac{10}{33}$ 0.3030... 0.3	do not accept 0.30 allow correct rounding to 1 dp from a calculation using an incorrect value for time from <b>Table 2</b>	1 1 1	AO2 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.5	40 °C		1	AO3 4.4.1.2 RPA6

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.6	more than 77 seconds		1	AO3 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
02.7	concentration of carbon dioxide light intensity		1 1	AO1 4.4.1.2 RPA6
<b>Total Question 2</b>			<b>12</b>	

**Question 3**

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.1	pathogens antitoxins	in this order only	1 1	AO1 4.3.1.1 AO1 4.3.1.6 4.2.2.3

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.2	<p><i>measurement</i> 60 (mm)</p> <p><i>conversion</i> 60 000 (<math>\mu\text{m}</math>)</p> <p><i>substitution</i> <math display="block">= \frac{60\,000}{4\,000}</math></p> <p><i>real width</i> 15 (<math>\mu\text{m}</math>)</p>	<p>allow measurement in the range 59 (mm) to 61 (mm)</p> <p>allow correct conversion from incorrect measurement</p> <p>allow correct substitution using incorrect conversion</p> <p>allow correct calculation using incorrectly converted value</p>	1 1 1 1	AO2 4.1.1.5

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.3	capillary		1	AO3 4.2.2.2 4.2.2.3

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.4	<p>(blood in arteries) has high pressure</p> <p>(so need thick walls) to withstand / maintain the pressure <b>or</b> (so need thick walls) to prevent bursting</p>	<p>ignore to increase the pressure</p> <p>allow 2 marks for to withstand / maintain high pressure</p>	1 1	AO3 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.5	deposits / build-up / increase of fat(ty material)	allow deposits / build-up / increase of cholesterol allow deposits / build-up / increase of plaque	1	AO1 4.2.2.4

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.6	less / no blood flow  (so) less / no oxygen / glucose transported (to heart / body)	allow 2 marks for less oxygenated blood flows  if no other marks awarded allow 1 mark for idea that it will lead to a heart attack	1 1	AO1 4.2.2.4

Question	Answers	Mark	AO / Spec Ref.										
03.7	<p><b>Cardiovascular disease</b></p> <table> <thead> <tr> <th colspan="2">Treatment</th> </tr> </thead> <tbody> <tr> <td>A blocked coronary artery</td> <td>Antibiotics</td> </tr> <tr> <td>Heart failure</td> <td>Heart transplant</td> </tr> <tr> <td>High blood cholesterol</td> <td>Statins</td> </tr> <tr> <td></td> <td>Stent</td> </tr> </tbody> </table> <p>do not accept more than one line from a box on the left</p>	Treatment		A blocked coronary artery	Antibiotics	Heart failure	Heart transplant	High blood cholesterol	Statins		Stent	1 1 1	AO1 4.2.2.4
Treatment													
A blocked coronary artery	Antibiotics												
Heart failure	Heart transplant												
High blood cholesterol	Statins												
	Stent												

Question	Answers	Extra information	Mark	AO / Spec Ref.
03.8	<p>because it cannot be spread / passed on (from one person to another) <b>or</b> because it is not caused by a pathogen / bacterium / virus / fungus / protist / microorganism / microbe</p>	allow not contagious / infectious ignore because it is a lifestyle disease	1	AO2 4.2.2.4

**Question 4**

Question	Answers	Mark	AO / Spec Ref.
04.1	<b>Level 3:</b> The method would lead to the production of a valid outcome. The key steps are identified and logically sequenced.	5-6	AO2 AO1 AO1 4.1.1.6 RPA2
	<b>Level 2:</b> The method would not necessarily lead to a valid outcome. Most steps are identified, but the method is not fully logically sequenced.	3-4	
	<b>Level 1:</b> The method would not lead to a valid outcome. Some relevant steps are identified, but links are not made clear.	1-2	
	<b>No relevant content.</b>	0	

	<p><b>Indicative content:</b></p> <p><i>preparation of agar plate</i></p> <ul style="list-style-type: none"><li>• melt agar</li><li>• pour agar into Petri dish</li><li>• allow agar to cool / set</li></ul> <p><i>transfer of bacteria</i></p> <ul style="list-style-type: none"><li>• transfer bacteria to agar / Petri dish <b>or</b> spread bacteria on agar / Petri dish</li><li>• transfer bacteria using (inoculating) loop <b>or</b> by pouring (liquid) bacterial culture</li></ul> <p><i>techniques to ensure sterile conditions (aseptic technique)</i></p> <ul style="list-style-type: none"><li>• wipe table with a disinfectant / antibacterial solution <b>or</b> sanitise hands using sanitiser gel</li><li>• sterilise agar by heating <b>or</b> using autoclave / UV <b>or</b> pressure cooker</li><li>• sterilise Petri dish by heating <b>or</b> using autoclave / UV <b>or</b> pressure cooker <b>or</b> ethanol</li><li>• sterilise neck of agar / bacteria bottle by passing through a flame</li><li>• only open lid of agar bottle minimally <b>or</b> only lift lid of Petri dish minimally</li><li>• work next to a Bunsen flame</li><li>• sterilise inoculating loop before use by dipping in alcohol / ethanol</li><li>• sterilise inoculating loop before use by passing through a flame</li></ul> <p><i>growth of bacteria</i></p> <ul style="list-style-type: none"><li>• incubate Petri dish upside down</li><li>• tape lid (correctly)</li><li>• incubate at 25 °C <b>or</b> leave bacteria to grow</li></ul> <p>For <b>Level 3</b>, a valid method must include preparation of the agar plate and transfer of the bacteria using sterile techniques.</p> <p>For <b>Level 2</b>, a method must include preparation of the agar plate and transfer of the bacteria.</p>		
--	---	--	--

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.2	to prevent growth of pathogens	allow to prevent growth of harmful bacteria / fungi / microorganisms	1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.3	to show the effect of no antibiotics		1	AO2 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.4	<p>larger ring drawn around antibiotic <b>A</b> than <b>B</b></p> <p>smaller ring drawn around antibiotic <b>C</b> than <b>B</b></p>	ignore ring drawn around blank / water disc ignore shading / hatching within rings ignore no ring drawn around antibiotic <b>C</b>	1 1	AO3 4.1.1.6 RPA2

Question	Answers	Extra information	Mark	AO / Spec Ref.
04.5	none of the bacteria would have been killed		1	AO3 4.1.1.6 4.3.1.8

Total Question 4

11

**Question 5**

Question	Answers	Mark	AO / Spec Ref.
05.1	<p><b>Adaptation of seagrass</b></p> <p>Flexible leaves</p> <p>Long, deep roots</p> <p><b>How the adaptation helps the seagrass to survive</b></p> <p>Keep seagrass in one place on the sea floor</p> <p>Poison animals that try to eat the seagrass</p> <p>Stop seagrass breaking in strong water currents</p> <p>do <b>not</b> accept more than one line from a box on the left</p>	1 1	AO2 4.3.3.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.2	lungs	ignore alveoli	1	AO1 4.1.3.1 4.2.2.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.3	gills have a large surface area gills have thin walls		1 1	AO1 4.1.3.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.4	$\frac{944}{484}$ <p>1.9(50413...)</p> <p>2</p>	allow correct rounding from incorrect division	1 1 1	AO2 4.4.2.3

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.5	<p><i>LHS</i> oxygen</p> <p><i>RHS</i> carbon dioxide</p> <p>water</p>	allow formulae  in either order	1  1  1	AO1 4.4.2.1

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.6	<p>(stingray is) moving</p> <p>(so) muscles (contract)</p> <p>(which) needs energy (from respiration)</p> <p><b>OR</b></p> <p>(when swimming) muscles (1)</p> <p>(muscles) contract (1)</p> <p>(which) needs energy (from respiration) (1)</p>	ignore swimming  do <b>not</b> accept energy produced / made / created do <b>not</b> accept energy released for respiration	1  1  1	AO2  AO2  AO1 4.4.2.1 4.4.2.3

Question	Answers	Extra information	Mark	AO / Spec Ref.
05.7	carbon dioxide ethanol		1 1	AO1 4.4.2.1

Total Question 5	16
------------------	----

**Question 6**

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.1</b>	virus		1	AO1 4.3.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.2</b>	any <b>one</b> from: • (transfer of) droplets / saliva / mucus • sneezes • coughs	ignore other methods of transferring pathogens, unqualified such as touch or direct contact  do <b>not</b> accept transfer through sexual intercourse	1	AO1 4.3.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.3</b>	willow	ignore parts of willow such as bark / leaves	1	AO1 4.3.1.9

Question	Answers	Extra information	Mark	AO / Spec Ref.
<b>06.4</b>	fever or (red skin) rash	allow high temperature allow (increased) sweating  allow (red) spots / lumps / boils allow red / itchy skin  allow cough / sneeze allow runny / blocked nose allow sore throat allow red / watery / sore eyes allow headache  ignore flu-like symptoms, unqualified ignore pain unqualified  do <b>not</b> accept nausea / diarrhoea	1	AO1 4.3.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.5	<p><b>few(er)</b> people (in population) with pathogen / measles / disease (due to vaccination)</p> <p>(so) <b>less likely</b> for pathogen / measles / disease to be passed on</p> <p><b>or</b></p> <p>(so) <b>less likely</b> for pathogen / measles / disease to be spread / caught</p>	<p>allow named types of pathogen</p> <p>allow (provides) herd immunity</p> <p>allow <b>less likely</b> to come into contact with a person with pathogen / measles / disease</p> <p>ignore (so) spread of disease is reduced</p> <p>allow <b>2</b> marks for fewer people with measles, so <b>less likely</b> to spread</p>	1 1	AO2 4.3.1.2 4.3.1.7

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.6	<p>(graph reading) = 45</p> <p><math>\frac{45}{100} \times 240</math></p> <p>108</p>	<p>allow 0.45 × 240</p> <p>allow for <b>1</b> mark an answer of 7 / 7.2 with evidence of having used 3(%) from <b>Figure 9</b></p> <p><b>or</b></p> <p>allow for <b>1</b> mark an answer of 88 / 88.8 / 89 with evidence of having used 37(%) from <b>Figure 9</b></p>	1 1 1	AO2 4.3.1.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
06.7	<p>a lower percentage of vaccinated children have severe measles / infection / disease  <b>or</b>  a higher percentage of unvaccinated children have severe measles / infection / disease  <b>or</b>  vaccination reduces severity of measles / infection / disease</p> <p>correct use of supporting comparative data from <b>Figure 9</b></p>	<p>allow answers in terms of numbers of children or likelihood of getting disease</p> <p>allow converse</p> <p>allow examples such as (severe disease is) 42% higher (in unvaccinated) <b>or</b> 15 times higher (than in vaccinated)</p> <p><b>or</b></p> <p>allow correct use of raw data used in a comparative way</p>	1 1	AO3 4.3.1.2

Total Question 6

11

**Question 7**

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.1	type 2 diabetes	ignore diabetes unqualified do <b>not</b> accept type 1 diabetes  allow high blood pressure allow (coronary) heart disease <b>or</b> CHD allow cardiovascular disease <b>or</b> CVD allow stroke allow heart attack allow (osteo)arthritis allow cancer allow sleep apnoea allow liver disease allow other correct diseases  ignore high cholesterol ignore heart failure	1	AO1 4.2.2.6 4.2.2.7

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.2	correct scale <b>and</b> y-axis labelled ‘mean obesity rate in arbitrary units’  all points plotted correctly  line of best fit drawn	  allow a tolerance of $\pm \frac{1}{2}$ small square allow 3 or 4 correct plots for 1 mark ignore letters  ignore line extended beyond plotted points  ignore line joined point to point with straight lines	1  2  1	AO2 4.2.2.6

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.3	<u>scatter</u> (diagram / graph)	allow <u>scattergram</u>	1	AO2 4.2.2.6

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.4	positive correlation		1	AO2 4.2.2.6

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.5	(30 °C) (iodine solution remains yellow-brown because) starch is not present  (because) amylase / enzyme broke starch down  (90 °C) (iodine solution blue-black because) starch was (still) present  (because) the amylase / enzyme has denatured	allow (iodine solution remains yellow-brown because) all / the starch had been broken down  allow (because) the amylase / enzyme is active / working allow (because this is close to) the optimum / best temperature for amylase / enzyme  allow (iodine solution blue-black because) starch was not broken down allow (because) the amylase / enzyme had no effect on starch  allow description of denaturation allow amylase / enzyme is destroyed / damaged do <b>not</b> accept amylase / enzyme has been killed	1 1 1 1	AO3 AO2 AO3 AO2 4.2.2.1 RPA5

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.6	test more temperatures between 10 °C and 60 °C		1	AO3 4.2.2.1 RPA5

Question	Answers			Mark	AO / Spec Ref.
07.7	Protease enzyme	Optimum pH	Organ where enzyme is active	1	AO2 4.2.2.1
			stomach		
			<u>small intestine</u> allow ileum / duodenum	1	

Total Question 7

14

**Question 8**

Question	Answers	Mark	AO / Spec Ref.
08.1	<b>Level 3:</b> A judgement, strongly linked and logically supported by a sufficient range of correct reasons, is given.	5–6	AO3
	<b>Level 2:</b> Some logically linked reasons are given. There may also be a simple judgement.	3–4	AO3
	<b>Level 1:</b> Relevant points are made. They are not logically linked.	1–2	AO3
	<b>No relevant content.</b>	0	4.1.3.2 RPA3

	<p><b>Indicative content:</b></p> <p><i>(strengths)</i></p> <ul style="list-style-type: none"> <li>• same / a / one plant / potato used</li> <li>• all potato pieces used were cubes</li> <li>• mass was recorded before and after</li> <li>• change in mass was calculated</li> <li>• different concentrations of salt solution were used</li> </ul> <p><i>(improvement and reason)</i></p> <ul style="list-style-type: none"> <li>• use the same / a / one potato for all pieces <ul style="list-style-type: none"> <li>◦ (because the student) may have used different potatoes</li> </ul> </li> <li>• remove skin <b>or</b> peel the potato <ul style="list-style-type: none"> <li>◦ (because) skin (may still be) present</li> </ul> </li> <li>• blot / dry cube before measuring mass <ul style="list-style-type: none"> <li>◦ (because) cube will have excess water on surface</li> </ul> </li> <li>• use same / set size / surface area of potato piece each time <ul style="list-style-type: none"> <li>◦ (because) size / surface area of cubes not controlled / specified</li> </ul> </li> <li>• repeat (whole investigation <b>or</b> at each concentration) <ul style="list-style-type: none"> <li>◦ (because there were) no repeats</li> <li>◦ to spot anomalies</li> </ul> </li> <li>• calculate mean (from repeats) <ul style="list-style-type: none"> <li>◦ (because there was) no mean calculated</li> </ul> </li> <li>• same time for each piece to be in solution <ul style="list-style-type: none"> <li>◦ (because) length of time in solution not specified</li> </ul> </li> <li>• control temperature of solution using water bath <ul style="list-style-type: none"> <li>◦ (because) temperature (of solution) not controlled / specified</li> </ul> </li> <li>• use same volume of solution for each piece of potato <ul style="list-style-type: none"> <li><b>or</b> ensure all pieces are completely submerged <ul style="list-style-type: none"> <li>◦ (because) volume of solution not specified / controlled</li> </ul> </li> </ul> </li> <li>• calculate percentage change in mass <ul style="list-style-type: none"> <li>◦ (because) percentage change in mass not calculated <ul style="list-style-type: none"> <li><b>or</b> <ul style="list-style-type: none"> <li>(because) each potato piece had a different starting mass</li> </ul> </li> </ul> </li> </ul> </li> <li>• include control experiment with boiled cube <ul style="list-style-type: none"> <li>◦ (because) no control experiment included</li> </ul> </li> <li>• increase the number of concentrations (of salt solution) used <ul style="list-style-type: none"> <li>◦ (because) only 3 different concentrations (of salt solution) used</li> </ul> </li> </ul> <p>For <b>Level 3</b>, a strength and improvements / reasons must be included.</p>		
--	--	--	--

Question	Answers	Extra information	Mark	AO / Spec Ref.
08.2	the solution in the potato cells was more concentrated than the distilled water		1	AO2 4.1.3.2

Question	Answers	Extra information	Mark	AO / Spec Ref.
08.3	<p>any <b>one</b> from:</p> <ul style="list-style-type: none"> <li>• requires energy</li> <li>• (transports substances) against / up a concentration gradient</li> <li>• transports minerals / ions (and not water)</li> </ul>	<p>ignore it is active allow it is not passive</p> <p>allow (transports substances) from low concentration to high concentration</p> <p>ignore (transports substances) along / across the concentration gradient do <b>not</b> accept (transports substances) down a concentration gradient</p> <p>allow transports other named substances such as glucose allow does not transport water</p>	1	AO2 4.1.3.2 4.1.3.3

Total Question 8

8