

Cambridge International AS & A Level

CHEMISTRY**9701/12**

Paper 1 Multiple Choice

February/March 2026**1 hour 15 minutes**

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

INSTRUCTIONS


- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A, B, C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid or tape.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.
- Important values, constants and standards are printed in the question paper.

This document has **20** pages. Any blank pages are indicated.

1 Which statement about p orbitals is correct?

- A** All p orbitals are  shaped.
- B** All p orbitals have a lower energy than an s orbital of the same principal quantum number.
- C** Each of the first four quantum shells contain p orbitals.
- D** Each p orbital can contain a maximum of six electrons.

2 The first four ionisation energies for phosphorus, in kJ mol^{-1} , are shown.

1st	2nd	3rd	4th
1060	1900	2920	4960

Which row gives the 5th to 14th ionisation energies for phosphorus?

	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th
A	6270	8410	21 270	25 400	29 800	35 870	40 100	46 300	59 000	271 800
<input checked="" type="checkbox"/> B	6270	21 270	25 400	29 860	35 870	40 100	46 300	54 070	59 000	271 800
C	6270	21 270	25 400	29 860	35 870	40 100	46 300	59 000	271 800	301 400
D	21 270	25 400	29 860	35 870	40 100	46 300	54 070	59 000	271 800	301 400

3 Sodium carbonate neutralises phosphoric acid to produce sodium phosphate, carbon dioxide and water only.

Which volume of 0.50 mol dm^{-3} sodium carbonate is needed to exactly neutralise 40.0 cm^3 of 0.25 mol dm^{-3} phosphoric acid?


- A** 10.0 cm^3 **B** 13.3 cm^3 **C** 20.0 cm^3 **D** 30.0 cm^3

4 Which equation describes the complete combustion of an alkene, C_nH_{2n} ?

- A** $\text{C}_n\text{H}_{2n} + 2n\text{O}_2 \rightarrow n\text{CO}_2 + n\text{H}_2\text{O}$
- B** $\text{C}_n\text{H}_{2n} + 2n\text{O}_2 \rightarrow n\text{CO}_2 + 2n\text{H}_2\text{O}$
- C** $\text{C}_n\text{H}_{2n} + 1.5n\text{O}_2 \rightarrow n\text{CO}_2 + 2n\text{H}_2\text{O}$
- D** $\text{C}_n\text{H}_{2n} + 1.5n\text{O}_2 \rightarrow n\text{CO}_2 + n\text{H}_2\text{O}$


- 5 Organic nitrates in photochemical smog can cause breathing difficulties.

The diagram shows an example of an organic nitrate molecule.



What is the correct order of the bond angles shown in ascending order (smallest first)?

- A 1 → 2 → 3 B 2 → 1 → 3 **C** 3 → 1 → 2 D 3 → 2 → 1
- 6 Which dot-and-cross diagram is correct for Al_2Cl_6 ?



- 7 In this question you should assume methane behaves as an ideal gas.

The gas laws can be summarised in the ideal gas equation.


$$pV = nRT$$

The volume of a sample of methane is measured at a temperature of 60 °C and a pressure of 103 kPa. The volume measured is $5.37 \times 10^{-3} \text{ m}^3$.

What is the mass of the sample of methane, given to two significant figures?

- A 0.0032 g B 0.018 g **C 3.2 g** D 18 g

- 8 The equation for the formation of ammonia is shown.




Some bond energy data is given.

bond	bond energy / kJ mol^{-1}
H–H	436
N–H	388

What is the bond energy of the $\text{N} \equiv \text{N}$ bond in the nitrogen molecule?

- A 248 kJ mol^{-1} **B 928 kJ mol^{-1}** C 1392 kJ mol^{-1} D 1848 kJ mol^{-1}

- 9 The diagram shows an energy cycle with a series of reactions.



Which reactions have an enthalpy change that is an enthalpy of formation?

- A 1, 2 and 5** B 1 only C 2, 3 and 4 D 3, 4 and 5

10 Which reaction is an example of disproportionation?


- A $2\text{H}_2\text{O}_2 \rightarrow 2\text{H}_2\text{O} + \text{O}_2$
 B $2\text{KHCO}_3 \rightarrow \text{K}_2\text{CO}_3 + \text{CO}_2 + \text{H}_2\text{O}$
 C $2\text{KMnO}_4 \rightarrow \text{K}_2\text{MnO}_4 + \text{MnO}_2 + \text{O}_2$
 D $2\text{NaNO}_3 \rightarrow 2\text{NaNO}_2 + 3\text{O}_2$

11 Compound W contains chlorine in an oxidation state of +7.


What is compound W?

- A NH_4Cl B NH_4ClO_3 C NH_4ClO_4 D $\text{N}_2\text{H}_5\text{Cl}$

12 In an industrial process, two gases X and Y react together to form a single gaseous product Z.




The equilibrium percentage of product Z varies according to the pressure and the temperature as shown in the graphs.



Which statement about this equilibrium reaction is correct?

- A Decreasing the temperature decreases the value of the equilibrium constant.
 B Decreasing the temperature increases the rate of this reaction.
 C Increasing the pressure increases the value of the equilibrium constant.
 D The reaction is exothermic in the forward direction.

- 13 The Contact process involves an equilibrium reaction.



Which row gives the K_p expression and the pressure conditions used for this reaction?

	K_p expression	pressure / atm
<input checked="" type="checkbox"/> A	$\frac{p^2\text{SO}_3}{p^2\text{SO}_2 \times p\text{O}_2}$	2
<input type="checkbox"/> B	$\frac{p^2\text{SO}_2 \times p\text{O}_2}{p^2\text{SO}_3}$	2
<input type="checkbox"/> C	$\frac{p^2\text{SO}_3}{p^2\text{SO}_2 \times p\text{O}_2}$	200
<input type="checkbox"/> D	$\frac{p^2\text{SO}_2 \times p\text{O}_2}{p^2\text{SO}_3}$	200

- 14 When nitrogen monoxide gas is mixed with oxygen gas, the molecules collide with each other. Some of these collisions are effective and lead to a reaction.

The pressure of the mixture was increased at constant temperature.

Which row correctly describes how the frequency of effective and non-effective collisions changed?

	frequency of effective collisions	frequency of non-effective collisions
<input type="checkbox"/> A	increased	decreased
<input checked="" type="checkbox"/> B	increased	increased
<input type="checkbox"/> C	increased	unchanged
<input type="checkbox"/> D	unchanged	decreased

- 15 A reversible chemical reaction is studied.

The forward reaction has an activation energy $E_a = 50 \text{ kJ mol}^{-1}$ and an enthalpy change of reaction $\Delta H_f = +20 \text{ kJ mol}^{-1}$.

When a catalyst is added, the activation energy of the forward reaction decreases by 50%.

What is the activation energy of the backwards reaction when the catalyst is present?

- A** 45 kJ mol^{-1} **B** 25 kJ mol^{-1} **C** 15 kJ mol^{-1} **D** 5 kJ mol^{-1}

16 Which substance does **not** give HCl(g) when water is added to it?

- A** MgCl_2 **B** Al_2Cl_6 **C** SiCl_4 **D** PCl_5

17 For Groups 1 and 2, metallic bonding is stronger in metals that have a smaller atomic radius.

X and Y are both metals.

ΔH_{at} is the energy required to produce 1.0 mol of gaseous atoms from the solid.

$$\Delta H_{\text{at}}\text{X} = +107 \text{ kJ mol}^{-1}; \Delta H_{\text{at}}\text{Y} = +148 \text{ kJ mol}^{-1}$$

What are X and Y?

	X	Y
A	Na	K
<input checked="" type="checkbox"/> B	Na	Mg
C	Mg	Na
D	Mg	K

18 The elements in Period 3 and their compounds show trends across the period from sodium to sulfur.

Which row is correct?

	electronegativity of the elements	acid–base behaviour of the oxides of the elements
A	decreases	basic → amphoteric → acidic
B	decreases	acidic → amphoteric → basic
<input checked="" type="checkbox"/> C	increases	basic → amphoteric → acidic
D	increases	acidic → amphoteric → basic

19 This question is about the hydroxides and carbonates of magnesium and barium.

Which row is correct?

	the more soluble hydroxide	the carbonate with the greater thermal stability
<input checked="" type="checkbox"/> A	Ba(OH) ₂	BaCO ₃
<input type="checkbox"/> B	Mg(OH) ₂	BaCO ₃
<input type="checkbox"/> C	Ba(OH) ₂	MgCO ₃
<input type="checkbox"/> D	Mg(OH) ₂	MgCO ₃

20 When 3.00 g of an anhydrous nitrate of a Group 2 metal is decomposed, 1.53 g of gas is produced.

What is the nitrate compound?

- A** beryllium nitrate
- B** calcium nitrate
- C** magnesium nitrate
- D** strontium nitrate

21 When concentrated sulfuric acid is added to crystals of sodium bromide, the products include a colourless gas and a brown-coloured substance.


The colourless gas gives a cream precipitate with AgNO₃(aq).

Which row describes the reactions that produce the colourless gas and the brown-coloured substance?

	reaction that produces colourless gas	reaction that produces brown-coloured substance
<input type="checkbox"/> A	acid–base	acid-base
<input checked="" type="checkbox"/> B	acid-base	redox
<input type="checkbox"/> C	redox	acid-base
<input type="checkbox"/> D	redox	redox

22 X and Y are halogens.

The following reaction occurs in an aqueous solution.



Which row is correct?

	X	Y	behaviour of NaX
A	bromine	chlorine	as an oxidising agent
<input checked="" type="checkbox"/> B	bromine	chlorine	as a reducing agent
C	chlorine	bromine	as an oxidising agent
D	chlorine	bromine	as a reducing agent

23 Mohr's salt is a pale green crystalline solid which is soluble in water. It contains two cations, one of which is Fe^{2+} , and one anion which is SO_4^{2-} .

The identity of the second cation was determined by heating Mohr's salt with aqueous sodium hydroxide. A colourless gas was evolved which readily dissolved in water giving an alkaline solution.

A green precipitate was also formed.

What are the identities of the gas and the precipitate?

	gas	precipitate
<input checked="" type="checkbox"/> A	NH_3	$\text{Fe}(\text{OH})_2$
B	NH_3	Na_2SO_4
C	SO_2	$\text{Fe}(\text{OH})_2$
D	SO_2	Na_2SO_4

24 The amount of each gas in the exhaust gases from an internal combustion engine is determined.

The exhaust gases are then passed through the exhaust catalyst, known as a catalytic converter.

Which statements about the effect of the catalytic converter are correct?

- 1 The amount of nitrogen increases.
- 2 The amount of carbon dioxide decreases.
- 3 The amount of carbon monoxide does **not** change.

A 1, 2 and 3 B 1 only C 2 only D 3 only

25 In this question, alkenes and cyclic alkanes should be considered.

How many **structural** isomers of C_4H_8 are there?


- A 3 B 4 **C 5** D 6

26 Which pair of molecules are positional isomers?

- A $CH_3CH_2CH_2CH_3$ and $CH_3CH(CH_3)CH_3$
B $CH_3CH_2CHClCH_3$ and $CH_3CH_2CH_2CH_2Cl$
 C $CH_3CH_2CH_2CHO$ and $CH_3CH_2COCH_3$
 D $CH_2CHCH_2CH_3$ and $CH_3CH_2CHCH_2$

27 The reaction sequence shown takes place in two stages.

The reagent for stage 1 is concentrated H_2SO_4 .



Which type of reaction is carried out in the two stages?

	stage 1	stage 2
A	condensation	hydrolysis
B	reduction	hydrolysis
C	condensation	oxidation
D	reduction	oxidation

28 Three halogenoalkanes are listed.

- 1 1-bromopropane
- 2 2-chloropropane
- 3 1-bromo-2-chloropropane

Which of these halogenoalkanes could be produced when propene is reacted with a mixture of HCl(g) and HBr(g) ?

- A** 1, 2 and 3 **B** 1 and 2 only **C** 1 only **D** 2 only

29 2-bromomethylpropane is heated with concentrated NaOH in ethanol under reflux.

Which statement about the major product of this reaction is correct?

- A** Methylpropene is produced in an elimination reaction.
B Methylpropene is produced in a condensation reaction.
C Methylpropan-2-ol is produced in an $\text{S}_{\text{N}}1$ reaction.
D Methylpropan-2-ol is produced in an $\text{S}_{\text{N}}2$ reaction.

30 Which reagents react with ethanol?

- 1 Na
- 2 SOCl_2
- 3 PCl_5

- A** 1, 2 and 3 **B** 1 only **C** 2 and 3 only **D** 3 only


31 Three alkenes are listed.

- 1 hex-1-ene
- 2 cis-hex-2-ene
- 3 trans-hex-3-ene

Which alkenes can be formed by the dehydration of hexan-2-ol?

- A** 1, 2 and 3 **B** 1 and 2 only **C** 1 only **D** 2 only

32 Which compound would give positive tests with alkaline $I_2(aq)$ and with Fehling's reagent?



33 Compound Y is heated with a mild oxidising agent. One of the products of the reaction reacts with hydrogen cyanide, forming 2-hydroxybutanenitrile.

What is compound Y?



- A butan-1-ol
- B butan-2-ol
- C propan-1-ol
- D propan-2-ol

34 An ester of structural formula $CH_3CO_2CH_3$ is heated with aqueous sodium hydroxide.

What are the two organic products of this reaction?

- A ethanoic acid and methanol
- B methanoic acid and ethanol
- C sodium ethanoate and methanol
- D sodium methanoate and ethanol


35 A student suggests two uses of LiAlH_4 .



Which reactions would give the product shown?

- A both reaction 1 and reaction 2
- B reaction 1 only
- C reaction 2 only
- D neither reaction 1 nor reaction 2

36 The diagram shows a section of an addition polymer.



What is the name of this polymer?





- A poly(1,2-dichloroethane)
- B poly(1,2-dichloroethene)
- C poly(1,2,3-trichloropropane)
- D poly(1,2,3-trichloropropene)

37 0.20 mol of P reacts to form 7.83 g of primary amine Q.

The percentage yield of Q is 45.0%.

[A_r: C, 12.0; H, 1.0; Cl, 35.5; N, 14.0]

Which row is correct?

	reagent and conditions for reaction	structure of P
<input checked="" type="checkbox"/> A	KCN in ethanol with heat	
<input type="checkbox"/> B	KCN in ethanol with heat	
<input type="checkbox"/> C	NH ₃ in ethanol heated under pressure	
<input type="checkbox"/> D	NH ₃ in ethanol heated under pressure	

38 Bromine reacts with ethene in the dark.

Which description of the organic intermediate of this reaction is correct?

- A** It has a negative charge.
- B** It is a free radical.
- C** It is a nucleophile.
- D** It is an electrophile.

- 39 When 1-bromopropane is treated in succession with two reagents, X and Y, it produces propanoic acid.

What are reagents X and Y?

	reagent X	reagent Y
A ✓	NaOH(aq)	$\text{H}^+ / \text{Cr}_2\text{O}_7^{2-}(\text{aq})$
B	NaOH(aq)	CO_2
C	KCN in ethanol	$\text{HCl}(\text{aq})$
D	KCN in ethanol	NaOH(aq)


40

bond	functional groups containing the bond	characteristic infrared absorption range (in wavenumbers)/ cm^{-1}
C–O	hydroxy, ester	1040–1300
C=C	aromatic compound, alkene	1500–1680
C=O	amide carbonyl, carboxyl ester	1640–1690 1670–1740 1710–1750
C≡N	nitrile	2200–2250
C–H	alkane	2850–2950
N–H	amine, amide	3300–3500
O–H	carboxyl hydroxy	2500–3000 3200–3650

An organic compound, X, has the composition shown.

C, 54.54%; H, 9.09%; O, 36.37%

The infrared spectrum of X is shown.



What is compound X?

- A** butanoic acid
- B** ethanoic acid
- C** ethyl ethanoate
- D** methyl methanoate

BLANK PAGE

BLANK PAGE

Important values, constants and standards

molar gas constant	$R = 8.31 \text{ J K}^{-1} \text{ mol}^{-1}$
Faraday constant	$F = 9.65 \times 10^4 \text{ C mol}^{-1}$
Avogadro constant	$L = 6.022 \times 10^{23} \text{ mol}^{-1}$
electronic charge	$e = -1.60 \times 10^{-19} \text{ C}$
molar volume of gas	$V_m = 22.4 \text{ dm}^3 \text{ mol}^{-1}$ at s.t.p. (101 kPa and 273 K) $V_m = 24.0 \text{ dm}^3 \text{ mol}^{-1}$ at room conditions
ionic product of water	$K_w = 1.00 \times 10^{-14} \text{ mol}^2 \text{ dm}^{-6}$ (at 298 K (25 °C))
specific heat capacity of water	$c = 4.18 \text{ kJ kg}^{-1} \text{ K}^{-1}$ (4.18 $\text{J g}^{-1} \text{ K}^{-1}$)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in our Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																																																																																	
1	2	Key										13	14	15	16	17	18																																																																
		atomic number																																																																															
		atomic symbol																																																																															
		name																																																																															
		relative atomic mass																																																																															
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																																																																
Li lithium 6.9	Be beryllium 9.0	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89–103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
Na sodium 23.0	Mg magnesium 24.3	K potassium 39.1	Ca calcium 40.1	V vanadium 50.9	Cr chromium 52.0	Mn manganese 54.9	Fe iron 55.8	Co cobalt 58.9	Ni nickel 58.7	Cu copper 63.5	Zn zinc 65.4	Al aluminium 27.0	Si silicon 28.1	P phosphorus 31.0	S sulfur 32.1	Cl chlorine 35.5	Ar argon 39.9	B boron 10.8	C carbon 12.0	N nitrogen 14.0	O oxygen 16.0	F fluorine 19.0	Ne neon 20.2	Ga gallium 69.7	Ge germanium 72.6	As arsenic 74.9	Se selenium 79.0	Br bromine 79.9	Kr krypton 83.8	In indium 114.8	Sn tin 118.7	Sb antimony 121.8	Te tellurium 127.6	I iodine 126.9	Xe xenon 131.3	Pb lead 207.2	Bi bismuth 209.0	Po polonium —	At astatine —	Rn radon —	Fr francium —	Ra radium —	Ac actinoids —	Rf rutherfordium —	Db dubnium —	Sg seaborgium —	Bh bohrium —	Hs hassium —	Mt meitnerium —	Ds darmstadtium —	Rg roentgenium —	Cn copernicium —	Nh nihonium —	Ni nickelium —	Fl flerovium —	Mc moscovium —	Lv livermorium —	Ts tennessine —	Og oganeson —																						

lanthanoids

actinoids

57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
La lanthanum 138.9	Ce cerium 140.1	Pr praseodymium 140.9	Nd neodymium 144.2	Pm promethium —	Sm samarium 150.4	Eu europium 152.0	Gd gadolinium 157.3	Tb terbium 158.9	Dy dysprosium 162.5	Ho holmium 164.9	Er erbium 167.3	Tm thulium 168.9	Yb ytterbium 173.1	Lu lutetium 175.0
89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
Ac actinium —	Th thorium 232.0	Pa protactinium 231.0	U uranium 238.0	Np neptunium —	Pu plutonium —	Am americium —	Cm curium —	Bk berkelium —	Cf californium —	Es einsteinium —	Fm fermium —	Md mendelevium —	No nobelium —	Lr lawrencium —