

© International Baccalaureate Organization 2023

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organisation du Baccalauréat International 2023

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organización del Bachillerato Internacional, 2023

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.





Chemistry Higher level Paper 2

12 May 2023

Zone A afternoon Zone B morning Zone C afternoon	Zone A	afternoon	Zone B	morning	Zone C	afternoon	
--	--------	-----------	--------	---------	--------	-----------	--

	Janic	iiuai	e se	SSIO	I	Hu	пре	I	
					П				
					ш				

2 hours 15 minutes

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all questions.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is [90 marks].



-2- 2223-6114

Please do not write on this page.

Answers written on this page will not be marked.



28FP02

Answer all questions. Answers must be written within the answer boxes provided.

- **1.** Analytical and spectroscopic techniques enable chemists to identify and determine structures of compounds.
 - (a) An unknown organic compound, **X**, comprising of only carbon, hydrogen and oxygen was found to contain 48.6% of carbon and 43.2% of oxygen.

(i)	Determine the empirical formula.	[3]

The mass spectrum of **X** is shown.

Removed for copyright reasons

(ii) Identify fragments responsible for the peaks at *m/z* 74 and 45 using section 28 of the data booklet.

[2]

(This question continues on the following page)




Turn over

[2]

(Question 1 continued)

The infrared spectrum of \boldsymbol{X} is shown.

Infrared spectrum of X



(iii)	Identify the bonds making the major contribution to peaks A and B using
	section 26 of the data booklet.

A:	 	 		 	 	 			 	 		 		 					 			
B:	 	 	 	 	 			 	 			 		 								



	(iv)	Deduce the structural formula of X .	[1]
(b)	0.36 volu	3g of organic liquid Y was vaporized completely at 95.0 °C and 100.0 kPa. The gas me was measured to be 81.0 cm ³ . Determine the molar mass of Y .	[3]



2.			V) oxide, NO ₂ , is a brown gas found in photochemical smog and has a pollutant cid deposition.	
	(a)	Nitro	gen (IV) oxide exists in equilibrium with dinitrogen tetroxide, $N_2O_4(g)$, which is colourly	less.
			$2NO_2(g) \rightleftharpoons N_2O_4(g)$	
		(i)	At 100 °C K_c for this reaction is 0.0665. Outline what this indicates about the extent of this reaction.	[1]
		(ii)	Calculate the Gibbs free energy change, ΔG^{\ominus} , for this equilibrium at 100 °C. Use sections 1 and 2 of the data booklet.	[1]
		(iii)	Calculate the value of K_c at 100 °C for the equilibrium:	[1]
			$N_2O_4(g) \rightleftharpoons 2NO_2(g)$	



(Question 2 continued)

11V) Calculate the standard chimalby charact, in No 11101 . Tol the reaction.	(iv)) Calculate the standard enthalpy change, in kJ mol ⁻¹ , for the reaction:	[1
---	------	---	----

$$N_2O_4(g) \rightarrow 2NO_2(g)$$

	ΔH_{f}^{\ominus} (kJ mol ⁻¹)
NO ₂	33.18
N ₂ O ₄	9.16

(v) Calculate the standard entropy change, in J mol⁻¹, for the reaction: [1]

$$N_2O_4(g) \rightarrow 2NO_2(g)$$


	S [⊖] (J mol ⁻¹)
NO ₂	240.06
N ₂ O ₄	304.29

(b)	Deduce the Lewis structure of N ₂ O ₄ .	[1]
(c)	The NO bond lengths in N_2O_4 are all 1.19×10^{-10} m.	
	(i) Suggest what the bond lengths indicate about the structure of N ₂ O ₄ .	[1]
	(ii) Predict the ONN bond angle in N ₂ O ₄ .	[1]
(d)	Acid deposition is formed when nitrogen oxides dissolve in water. Write an equation for nitrogen (IV) oxide reacting with water to produce two acids.	[1]



- 3. Electrolysis and Winkler titrations are both applications of redox reactions.
 - (a) An electrolytic cell was set up using inert electrodes and a dilute aqueous solution of magnesium chloride, MgCl₂(aq).
 - (i) Annotate the diagram to show the movement of particles that conduct electricity in this cell.





(ii) Deduce the half-equation for the reaction at each electrode. Use section 24 of the data booklet. [2]

Positive electrode:	 		 	 	 			 	 							 			
Negative electrode																			

(iii) Graphite rods are sometimes used as inert electrodes. Describe the structure of graphite and explain why graphite conducts electricity.

(This question continues on the following page)



Turn over

[2]

(Question 3 continued)

(b) Winkler titrations can be used to determine the biochemical oxygen demand, BOD, of a water sample. One set of equations for the reactions occurring is:

$$\begin{split} 2\mathsf{Mn^{2^+}(aq)} + \mathsf{O_2(aq)} + 4\mathsf{OH^-} &\to 2\mathsf{MnO(OH)_2(s)} \\ \mathsf{MnO(OH)_2(s)} + 2\mathsf{I^-}(\mathsf{aq}) + 4\mathsf{H^+} &\to \mathsf{Mn^{2^+}(aq)} + \mathsf{I_2(aq)} + 3\mathsf{H_2O} \\ & \mathsf{I^-}(\mathsf{aq}) + \mathsf{I_2(aq)} &\to \mathsf{I_3^-}(\mathsf{aq}) \\ & 2\mathsf{S_2O_3^{2^-}(aq)} + \mathsf{I_3^-}(\mathsf{aq}) &\to \mathsf{S_4O_6^{2^-}(aq)} + 3\mathsf{I^-}(\mathsf{aq}) \end{split}$$

 $150\,\mathrm{cm^3}$ of a water sample was tested using a Winkler titration. $36.0\,\mathrm{cm^3}$ of $0.00500\,\mathrm{mol}\;\mathrm{dm^{-3}}$ sodium thiosulfate solution, $\mathrm{Na_2S_2O_3}(\mathrm{aq})$, was required to reach the end point.

(i)	Determine the concentration, in mol dm ⁻³ , of oxygen dissolved in the water sample.	[3]
(ii)	Outline how the BOD of the water sample could be determined.	[2]
(iii)	Suggest what a low BOD value indicates about a water sample.	[1]



chemical properties of elements.										
(a)	Bismuth has atomic number 83. Deduce two pieces of information about the electron configuration of bismuth from its position on the periodic table.									
(b)	Outline why aluminium is malleable.									
(c)	An 11.98 g block of pure aluminium was heated. Calculate the heat energy absorbed, in J, to increase its temperature from 18.0 $^{\circ}$ C to 40.0 $^{\circ}$ C. The specific heat capacity of aluminium is 0.902 J g ⁻¹ K ⁻¹ .									

(This question continues on page 13)



Turn over

- 12 - 2223-6114

Please do not write on this page.

Answers written on this page will not be marked.



28FP12

(Question 4 continued)

(d)	Argo	on has three naturally occurring isotopes, ³⁶ Ar, ³⁸ Ar and ⁴⁰ Ar.	
	(i)	Identify the technique used to determine the relative proportions of the isotopes of argon.	[1]
		isotopic composition of a sample of argon is 0.34 % of 36 Ar, 0.06 % of 38 Ar and % of 40 Ar.	
	(ii)	Calculate the relative atomic mass of this sample, giving your answer to two decimal places.	[2]



(6	a)	stan	concentration of methanoic acid was found by titration with a 0.200 mol dm ⁻³ dard solution of sodium hydroxide, NaOH (aq), using an indicator to determine the point.	
		(i)	Calculate the pH of the sodium hydroxide solution.	[2]
		(ii)	Write an equation for the reaction of methanoic acid with sodium hydroxide.	[1]
		(iii)	22.5 cm³ of NaOH (aq) neutralized 25.0 cm³ of methanoic acid. Determine the concentration of the methanoic acid.	[1]

(This question continues on the following page)

Methanoic acid is a monoprotic weak acid.

5.



(Question 5 continued)

(iv)	Calculate the pH of the original solution of methanoic acid. Use your answer to (a)(iii) and section 21 of the data booklet. If you did not get an answer to (a)(iii) use 0.300 mol dm ⁻³ , but this is not the correct answer.	[2]
(v)	Identify, giving a reason, a suitable indicator for this titration. Use section 22 of the data booklet.	[2]
	ite an ionic equation to show why a solution of sodium methanoate does not have a of 7.	[1]



ыы	
	$Br_2(l) + HCOOH(aq) \rightarrow 2HBr(aq) + CO_2(g)$
(a)	Suggest an experimental method that could be used to determine the rate of reaction.
(b)	The sulfuric acid is a catalyst in this reaction. Explain how a catalyst increases the reaction rate.
(c)	Methanoic acid can react with ethanol to produce an ester.
	(i) Draw the full structural formula of the organic product and state its name.
Stru	ictural formula:
Nar	



(Question 6 continued)

(ii)	Predict the number of signals, and their splitting patterns, in the ¹ H NMR spectrum of this organic product.	[2]
Number of	of signals:	
Splitting p	patterns:	
(iii)	State one reason why tetramethylsilane, TMS, is often chosen as an internal reference standard for the calibration of ¹ H NMR spectroscopy.	[2]
(d) (i)	Write the equation for the complete combustion of ethanol.	[1]
(ii)	Determine the enthalpy change for the combustion of ethanol, in kJ mol ⁻¹ , using section 11 of the data booklet.	[3]



Turn over

(b) Two products are possible. (i) Explain the mechanism for the formation of the major product, using curly arrows to indicate the movement of electron pairs. (ii) Explain why the mechanism results in one product being formed in greater quantities than the other.	(a)	Iden	tify the type of reaction.	[
(i) Explain the mechanism for the formation of the major product, using curly arrows to indicate the movement of electron pairs. (ii) Explain the mechanism for the formation of the major product, using curly arrows to indicate the movement of electron pairs.				
to indicate the movement of electron pairs. (ii) Explain why the mechanism results in one product being formed in greater	(b)	Two	products are possible.	
		(i)		
quantities than the other.		(ii)		
			quantities than the other.	



(Que	estior	7 continued)	
	(c)	Draw the structure of a section of a polymer formed from three monomers of but-1-ene.	[1]
	(d)	Deduce the hybridization of the first two carbon atoms in but-1-ene.	[1]
	(e)	Describe the bonding between the first two carbon atoms in but-1-ene in terms of orbitals on these atoms.	[3]
	• • •		

(This question continues on page 21)



Turn over

-20 - 2223-6114

Please do not write on this page.

Answers written on this page will not be marked.



(Question 7 continued)

(f)	One isomer of C_4H_9Br can exist as stereoisomers. Draw the three-dimensional structures of the two stereoisomers using wedge-dash notation, clearly showing the relationship between them.	[2]



- 8. Solid ionic compounds form crystal lattices.
 - (a) Enthalpy of solution, enthalpy of hydration and lattice enthalpy are related in an energy cycle.
 - (i) Annotate the energy cycle for the enthalpy of solution of solid magnesium chloride, MgCl₂(s), by naming the processes A, B and C and completing the boxes. Include state symbols.

[2]

MgCl ₂ (s)
В
A:
B:

(ii)	Calculate the enthalpy of solution for magnesium chloride, MgCl ₂ . Use	
	sections 18 and 20 of the data booklet.	[1]

 	٠.	• •	٠.	٠.	٠.	٠.	•	 ٠.	•	 	٠.	•	 ٠.	٠.	٠.	٠.	٠.		-	 ٠.	٠.	٠.	٠.	 -	 ٠.		•	 ٠.	٠	٠.	٠
 	٠.	٠.	٠.	٠.	٠.	٠.		 		 	٠.		 ٠.	٠.	٠.	٠.			-	 ٠.		٠.	٠.	 -	 	٠.		 ٠.	٠		
 	٠.	٠.						 		 			 					٠.	-	 				 -	 	٠.		 			
 								 		 			 						-	 				 -	 			 			



(Question 8 continued)

(b)	xpl ag									е	n	ıtı	าล	aı	р	y	C)†	· K	08	ar	ΊL	ır	n	С	:n	lc	r	ıd	e	,	B	a	_	ا ₂	,	IS	S I	0	W	е	r	tn	a _	n	tr	na	IT_	01	Γ					
													_																																										
	 		•	 •		 •	•	•	 	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•		•	•	•		•	•	•	•	
	 		•	 •	-	 •	•	•	 	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•		•	•	•		•	•	•	•	 •
	 ٠.		•	 •	-	 •	•	•	 	•	•	•	٠	•	•	•	•	•		•		•	•	•	•	•	•	•	•	-			•	•	•	•	•	•				•	٠	•	•		•	•	•		•	•	•	•	
	 ٠.	٠.							 	-	-			-	-																																								



(c)	Cob	alt also forms chlorides with the formula CoCl ₂ .	
	(i)	State the full electron configuration of the cobalt (II) ion, Co ²⁺ .	[1]
	(ii)	Hydrated cobalt (II) ions, $Co(H_2O)_6^{2+}$, are pink. Describe the interaction between the cobalt ion and a water molecule in terms of the type of bond and how this bond is formed.	[2]
Тур	e of b	ond:	
Hov	v the I	oond forms:	
	CoC	\mathfrak{Sl}_4^{2-} ions are blue.	
	(iii)	Explain why the different ligands cause different coloured complexes.	[2]



9. The initial rate of reaction was determined for the reaction between bromide ions, $Br^{-}(aq)$, and bromate ions, $BrO_{3}^{-}(aq)$, in acidic solution.

$$5 Br^{\scriptscriptstyle -}(aq) + BrO_3^{\scriptscriptstyle -}(aq) + 6 H^{\scriptscriptstyle +}(aq) \rightarrow 3 Br_2(aq) + 3 H_2 O(l)$$

Four trials were carried out and the results are given in the following table.

Experiment	[BrO ₃ ⁻] (mol dm ⁻³)	[Br¯] (mol dm¯³)	[H ⁺] (mol dm ⁻³)	Initial rate (mol dm ⁻³ s ⁻¹)
1	0.050	0.250	0.300	2.13 × 10 ⁻⁶
2	0.050	0.250	0.600	8.60 × 10 ⁻⁶
3	0.100	0.250	0.600	17.2 × 10 ⁻⁶
4	0.050	0.500	0.300	4.26 × 10 ⁻⁶

(a)	Deduce the overall rate equation.	[2]
(b)	The rate of a reaction at 50 °C is three times the rate at 25 °C. Calculate the activation energy, in kJ mol ⁻¹ , for this reaction using sections 1 and 2 of the data booklet.	[2]



Disclaimer: Content used in IB assessments is taken from authentic, third-party sources. The views expressed within them belong to their individual authors and/or publishers and do not necessarily reflect the views of the IB. References: 1.(a)(iii) SDBS, National Institute of Advanced Industrial Science and Technology. All other texts, graphics and illustrations © International Baccalaureate Organization 2023

Please do not write on this page.

Answers written on this page will not be marked.



Please do not write on this page.

Answers written on this page will not be marked.

