

© International Baccalaureate Organization 2024

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organisation du Baccalauréat International 2024

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organización del Bachillerato Internacional, 2024

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.





Chemistry Standard level Paper 3

8 May 2024

Zone A afternoon	Zone B aftern	oon Zone C	afternoon
-------------------------	---------------	---------------------	-----------

Candidate session number												
						_						

1 hour

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is [35 marks].

Section A	Questions
Answer all questions.	1 – 2

Section B	Questions
Answer all of the questions from one of the options.	
Option A — Materials	3 – 4
Option B — Biochemistry	5 – 9
Option C — Energy	10 – 12
Option D — Medicinal chemistry	13 – 17





2224-6206

Section A

Answer all questions. Answers must be written within the answer boxes provided.


1. Hydrogen peroxide decomposes to form water and oxygen.

$$2H_2O_2(aq) \rightarrow 2H_2O(l) + O_2(g)$$

The reaction is catalysed by solid manganese (IV) oxide, MnO₂(s).

A student carried out a series of experiments to determine how the rate of decomposition depends on the mass of catalyst. Each time a different mass of MnO₂ was added to 25.0 cm³ of hydrogen peroxide solution. The oxygen was collected in a graduated gas syringe and the volume recorded at regular intervals.

Figure 1



/ _ \	TI 0 0I-4 4-		Suggest a possible cause for this	[1]
121	I DA II 30 0313 CAMP IO	na anomaioile	SUMMET 2 NOCCINIA CALICA FOR THIS	1711

(This question continues on the following page)



(Question 1 continued)

(b)		student hypothesized, based on underlying theory, that doubling the mass of MnO_2 ld double the rate of the catalysed reaction.	
	(i)	Suggest why it is important to have hypotheses on the outcome of experiments.	[1]
	(ii)	Explain how the student's hypothesis might be supported by collision theory.	[2]
	(iii)	Identify the critical controlled variable that is not specified in the description of the method.	[1]

(This question continues on the following page)




Turn over

(Question 1 continued)

(c) The results from **Figure 1** were processed to produce a graph showing how the initial rate varied with the mass of catalyst.

Figure 2




(i)	Outline how the y-axis values on Figure 2 were obtained from the results in Figure 1 .	[2]
(ii)	Suggest, giving a reason, whether a best-fit line for Figure 2 should pass through the origin.	[1]



2. The **Figure 3** shows the change in mass when 10.0 g of copper (II) sulfate crystals are heated from 20 °C to 400 °C. Only water vapour is lost during this process and no further water vapour is lost on heating to higher temperatures.

Figure 3



(a) Demonstrate that this data is consistent with the formula CuSO₄•5H₂O. [2]

									_	_		_																									_							_	_	
•	•	•	 •	•	 •	•	 •	•		•	•		 •	•	•	 •	•	 	•	•	•	 •	•	•	 •	•	 •	•	• •	•	•	•	 •	 •	•		•	•	• •	•		•	•	• •	•	
٠	•	•	 •	•	 •	•	 •	•		•	•		 •	•	-	 •	•	 	•	•	•	 •	•	•	 •	•	 •	•		•	•	•	 •	 •	•	٠.	•	•		•	٠.	•	•		٠	

(This question continues on the following page)



(Question 2 continued)

(b)	The	uncertainty in the mass readings is $\pm0.05g.$	
	(i)	Calculate the percentage uncertainty in mass loss.	[2]
	(ii)	From your answer in (b)(i), calculate the absolute uncertainty of the ratio of CuSO ₄ :H ₂ O in CuSO ₄ •5H ₂ O (the uncertainty in the 5), to two significant figures.	[1]
(c)	Ded	uce what the graph shows about the water in hydrated copper(II) sulfate.	[2]




Section B

Answer all of the questions from one of the options. Answers must be written within the answer boxes provided.

Option A — Materials

Caesium chloride, CsCl, has the ionic lattice structure shown.



(a)	(i)	Demonstrate, using sections 8 and 29 of the data booklet, how this type of
		bonding could be predicted.

bonding could be predicted.	[2]

(ii)	Outline the nature of the forces holding this structure together.	[1]

/iii)	Outling why cassium chloride crystals are very brittle	[41

		(,	•	441	 •	٠.,	. ,	Ŭ	u	-	14		,,,		 ۵.		'ı y	0.	.u.	•	uı	Ü	•	ر اد	, `	J.,		Ο.												ι.
																																			_			_			
	 																				٠.								٠.				 			 		٠.		٠.	
	 • •	•		•	 ٠	 •		٠		٠		٠	•	 ٠	-	 ٠	٠.	٠	٠.	•	٠.		•		•	•	•	•	٠.	•	٠.	•	 ٠.	٠	 ٠	 •	•	٠.	• •	٠.	

(Option A continues on the following page)



Turn over

(Optic	n A,	question 3 continued)	
((b)	Justify why caesium chloride is diamagnetic.	[1]
((c)	Caesium metal is produced by electrolysis of molten caesium chloride.	
		(i) Outline why caesium can only be produced by electrolysis.	[1]
		(ii) State the half-equation for the formation of caesium by electrolysis.	[1]
		(iii) Determine the charge, in C, required to produce 1.00 g of caesium. Use sections 2 and 6 of the data booklet.	[2]
ſ			



(Option A, question 3 continued)

(d)	Cae in th	sium metal and Cu–Ni nanoparticles are combined as the heterogeneous catalyst e synthesis of long-chain alcohols.	
	(i)	Compare and contrast homogeneous and heterogeneous catalysts.	[2]
One	simila	arity:	
One	differ	ence:	
	(ii)	State why many heterogeneous catalysts involve nanoparticles.	[1]
	(iii)	Nanoparticles are often produced by chemical vapour deposition (CVD). Suggest why this is carried out in an inert atmosphere.	[1]
	(iv)	Suggest one ethical concern about the use of nanoparticles.	[1]



[2]

(Option A continued)

4. Polychloroethene, often known as polyvinylchloride or PVC, is synthesized from chloroethene.

(a) Phthalates are often added as plasticisers to PVC.

		_		_													_				_		_	_		_
 	 					-	 		 						 					 		 		 		
 	 					-	 		 						 					 		 		 ٠.		
 	 				٠.		 		 				٠.		 ٠.					 		 		 ٠.		
 	 ٠.		٠.	٠.	٠.	-	 	 •	 ٠.		٠.		٠.		 ٠.		٠.	٠.		 ٠.		 ٠.		 ٠.	٠.	

(b) The formula of a toxic product from the combustion of PVC is shown.

Identify the class of compounds to which it belongs and one harmful effect it has on humans.

Class:

Effect:




(Option A, question 4 continued)

- (c) Plastics are often stamped with a resin identification code, RIC.
 - (i) State the principal reason for RIC.

[1]

.....

(ii) The IR spectra below are those of plastics with RIC 1 and 3.



Spectrum B

100

50

4000 3000 2000 1500 1000 550

Wavenumber / cm⁻¹

[Source: SDBS, National Institute of Advanced Industrial Science and Technology.]

Deduce, giving a reason, which spectrum shows RIC 1. Use sections 26 and 30 of the data booklet.

.....

End of Option A



Turn over

[1]

Option B — Biochemistry

5.	Glucose is an energy-rich molecule that can be synthesized in plants.	
	(a) Write the equation for photosynthesis.	[1]
	(b) (i) Glucose is polymerized in the plant cell to form starch. Identify the type of reaction and the by-product.	[1]
	Type of reaction:	
	By-product:	
	(ii) Outline, in terms of its properties, why starch cannot be used as a direct energy source.	[1]
	(iii) State how the energy in starch can be made available for respiration.	[1]



(Option B continued)

6. Lipids, such as fats and oils, are triglycerides of fatty acids. The table shows the fatty acid composition of commonly used oils and fats.

Source	Fatty acids / %											
Source	Saturated	Monounsaturated	Polyunsaturated									
Corn oil	13	28	59									
Sunflower oil	10	48	42									
Olive oil	14	75	11									
Canola oil	8	64	28									
Butter	66	30	4									

(a)	Suggest, with a reason, which lipid will be most likely to undergo oxidative rancidity.	[1]
(b)	5.00 g of olive oil reacts completely with 33.0 cm³ of 0.500 mol dm⁻³ iodine solution. Calculate the iodine number of olive oil.	[3]
(c)	Explain why butter is solid at room temperature with reference to the structure and bonding of its fatty acids.	[2]



Turn over

(Option B continued)

- **7.** 2-amino acids can be combined to form peptides and proteins.
 - (a) The tripeptide glutathione is shown. Circle all the amide links.

[1]

HS
$$CH_2$$
 H $CCOOH$ CH_2 CH_2

(b)	Glutathione can undergo hydrolysis in the cell. Identify the products using section 33 of	
	the data booklet.	

Г	1	1	
L	•	J	


(c)	The products of the hydrolysis were analysed by electrophoresis using a buffer of
	pH = 6. Deduce which amino acid did not move when the voltage was applied using
	section 33 of the data booklet

г	4	7
	1	
	- 1	- 1



(Option B continued)

- **8.** Biological laundry detergents contain enzymes that can efficiently remove stains at low temperatures.
 - (a) (i) Sketch a graph to show how the efficiency of the enzyme varies with temperature. [1]



(ii) Explain why enzymes are less effective at low and high temperatures. [2]

L	LO\	w	te	m	pe	era	atı	ur	e:																																								
													. .																																				
				٠.			•							-	•								•												 •							-							
ŀ	Hig	gh	te	en	ıρ	er	at	uı	re	:																																							
																-																										-							
																														_					 _	_		 											
		•	•	٠.	•	٠.	•	•	•	•	•	• •	•	•	•	•	 •	•	•	•	•	•	•	•	 •	•	 •	•	٠	•	•	•	•	•	•	-		_	•	•	•	•	•	•	•	•	•	• •	•



	(b)	Suggest why biological detergents have a lower environmental impact than non-biological detergents.	[′
	(c)	State one use of enzymes and microorganisms to reduce environmental damage resulting from human activities.	[
	Citru	s fruit juices are good sources of ascorbic acid (vitamin C). Explain why vitamin C is	
•		ole in water, referring to its structure. Use section 35 of the data booklet.	[:
-		ole in water, referring to its structure. Use section 35 of the data booklet.	[

End of Option B



Option C — Energy

10.		nane clathrate looks like ice but burns when ignited because it turns back to water methane.	
	(a)	Write an equation for the complete combustion of methane.	[1]
	(b)	Calculate the specific energy of methane, in kJ g ⁻¹ . Use sections 1, 6 and 13 of the data booklet.	[1]
	(c)	Suggest why methane clathrate has a lower specific energy but higher energy density than methane.	[2]
	Low	er specific energy:	
	High	er energy density:	



Turn over

[1]

(Option C, question 10 continued)

(d)	Outline how the energy in methane originates from sunlight.	[2]
(e)	Methane has both symmetric and asymmetric stretching modes as illustrated.	
	Symmetric stretch Asymmetric stretch	
	HC HC	
	State, giving a reason, which of these modes is responsible for greenhouse gas activity.	[1]
(f)	There are significant quantities of methane clathrate on the ocean bed and in arctic permafrost layers.	
	Suggest why burning methane clathrate is preferable to allowing the methane it	


(Option C continues on the following page)

contains to escape into the atmosphere.



(Option C, question 10 continued)

(g) The graph shows the increase in temperature and the level of carbon dioxide in the atmosphere.



Discuss how this data could be used to both support and refute the theory that carbon dioxide is a cause of global warming.

[2]

Su	pp	or	t:																																				
			-	 							-	 		-	-		-	 	 											 									
						٠.						 						 	 	•																			
						٠.						 						 	 	•																			
Re	fu	te:																																					
											-	 	 -	-	-		-	 	 											 									
											-	 	 	-	-		-	 	 					•						 		•							
				 	_								 			_					_				_														



(Option C continued)


11.	Meth	nane,	gasoline and biodiesel are used as fuels for transport.	
	(a)	(i)	Outline why the combustion of methane has a lower environmental impact than gasoline.	[2
		(ii)	Suggest why gasoline is more widely used than methane as a car fuel, even though it is more expensive in most countries.	[1



(Option C, question 11 continued)

- (b) Transesterification is used to convert vegetable oils into a sustainable alternative fuel for internal combustion engines.
 - (i) Complete the equation for transesterification.

[1]



(ii) Vegetable oils cannot be used directly as a fuel in a standard internal combustion engine.

Outline why the product can however be used as a fuel, giving the underlying reason in terms of intermolecular forces.

[2]

(Option C continued)

12.	Fusi	on and fission both involve changes to atomic nuclei.	
	(a)	Compare and contrast the nuclear processes involved in fusion and fission.	[2]
	Sim	larity:	
	Diffe	erence:	
	(b)	Outline how we know that helium, the product of hydrogen fusion, is present in the sun.	[1]
	(c)	Suggest why, apart from the inherent dangers of radioactive materials, some countries would like to prevent others building nuclear fission reactors.	[1]

End of Option C



Option D — Medicinal chemistry

13. Penicillin was the first of a class of antibiotics known as β -lactams.

(a) Suggest, with reference to their mechanism of action, why these antibiotics affect bacteria but not animal cells.

[1]

.....

(b) Oxacillin was developed to treat infections with bacteria that produce beta-lactamase.

(i) Suggest why modifying the side-chain generates penicillinase resistance. [1]

(ii) The sodium salt of oxacillin is used to increase its solubility in water. Draw a circle on the structure in (b) identifying the group in the oxacillin molecule that can react with a base to form the salt.

[1]



Turn over

(Option D, question 13 continued)

	(c)		lain how the addition of antibiotics to animal feeds has contributed to the elopment of antibiotic-resistant bacteria.	[2]
4.4	N.4			
14.	ivior	pnine	and its derivatives (opiates) are only used to treat severe pain due to their side effects	3 .
	(a)	(i)	State one side effect of the long-term use of opiates.	[1]
		(ii)	Prolonged use of opiates can lead to tolerance. Outline what is meant by tolerance.	[1]



(Option D, question 14 continued)

(b)	Codeine is generally produced by semi-synthesis from morphine.				
	(i)	Describe how the morphine molecule must be modified to produce codeine. Use section 37 of the data booklet.	[1]		
	(ii)	Codeine is less potent than morphine. Suggest, with reference to their structures, why you would expect the opposite.	[2]		



		_ 20 _	4-0200			
(Opt	ion D	continued)				
15.	Aspirin is a mild analgesic and can reduce fever and inflammation.					
	(a)	State one other effect of aspirin.	[1]			
	(b)	Suggest why aspirin should not be taken together with alcohol.	[1]			
16.	Exce (a)	essive acidity of gastric juice can be treated at different levels. Antacids such as aluminium hydroxide, Al(OH) ₃ , are bases that react directly with the stomach acid. State an equation for the reaction of Al(OH) ₃ with stomach acid.	[1]			
	(b)	Outline how omeprazole reduces stomach acidity.	[1]			
	(c)	In the intestine, the gastric juice is buffered. $H_2CO_3(aq) \rightleftharpoons HCO_3^-(aq) + H^+(aq) pK_a = 6.31 \text{ (at } 37 ^{\circ}\text{C)}$				
		Calculate the concentration of HCO_3^- in a buffer of pH = 7.43 when the concentration of H_2CO_3 is 2.03×10^{-3} mol dm ⁻³ . Use section 1 of the data booklet.	f [2]			



(Option D continued)

17.	Antiviral drugs act by interfering with the virus replication cycle.					
	(a)	Outline one difference between bacteria and viruses that make antibiotics ineffective against viruses.	[1]			
	(b)	Osetalmivir and zanamivir are two antiviral drugs used to prevent flu.				
		(i) Outline how these drugs work.	[2]			
		(ii) Predict, with a reason, which of the two drugs is more soluble in water. Use section 37 of the data booklet.	[1]			

End of Option D



Disclaimer:

Content used in IB assessments is taken from authentic, third-party sources. The views expressed within them belong to their individual authors and/or publishers and do not necessarily reflect the views of the IB.

References:

- **4.(c)(ii)** SDBS, National Institute of Advanced Industrial Science and Technology.
- **6.** U.S. Department of Agriculture (USDA). FoodData Central Oil, corn, industrial and retail, all purpose salad or cooking. https://fdc.nal.usda.gov/fdc-app.html#/food-details/171029/nutrients. Public domain. Source adapted.
- 10.(g) Van der Werf, G., Global temperature anomaly. [graph] Available at: https://www.geo.vu.nl/~gwerf/climate.html [Accessed 3 April 2019]. Source adapted.

All other texts, graphics and illustrations © International Baccalaureate Organization 2024

