

Boost your performance and confidence with these topic-based exam questions

Practice questions created by actual examiners and assessment experts


Detailed mark scheme

Suitable for all boards

Designed to test your ability and

7.1 DNA Structure & Replication

Hard




BIOLOGY

IB HL



7.1 DNA Structure & Replication

Question Paper



EXAM PAPERS PRACTICE


Time allowed: 10

Score: /5

Percentage: /100




Which of the following shows the appearance of the DNA strands that would result after two rounds of DNA replication? Note that the black strands represent DNA present in the original DNA molecule. The grey strands represent newly-synthesised DNA.





A DNA profile was created for two genes in three individuals (A, B, and C).



Which of the following statements, relating to the images provided, are correct?

The relationship between DNA fragment length and distance moved through the gel is linear.

II.

Fragment length is determined by the number of VNTRs.

III.

There is a percentage increase of 50% between the distance moved by fragment \mathbf{Y} and that moved by fragment \mathbf{X} .

IV.

Individual A is homozygous for both of the genes tested.

A. I, II, and III only.


B. I, II, III, and IV.

C. II and IV only.

D. III and IV only.



Which row correctly identifies the enzymes in a replication fork?



	I	II	III	IV	V
A.	DNA primase	DNA ligase	DNA polymerase I	Helicase	DNA polymerase III
В	DNA polymerase III	DNAligase	DNA polymerase I	Helicase	DNA primase
C.	DNA primase	DNA ligase	DNA primase	DNA polymerase III	DNA polymerase I
D.	DNA polymerase I	DNA polymerase III	DNA ligase	DNA gyrase	DNA helicase






Hershey and Chase carried out an experiment to determine whether the molecule of heredity was protein or DNA; their results after centrifugation are shown below.

Note the following:

- · Extracellular material is found in the supernatant.
- The y-axis shows the percentage of each radioactive element present in the supernatant; the remainder of each element ends up in the pellet.



Which of the following can be concluded from the results shown?

- A. No viral protein enters the infected bacterial cells.
- B. DNA has a greater mass than protein.
- C. Around 80 % of the viral DNA enters the infected bacterial cells.
- D. Most proteins are separated from the bacterial cells by the blending process.