

Boost your performance and confidence with these topic-based exam questions

Practice questions created by actual examiners and assessment experts


Detailed mark scheme

Suitable for all boards

Designed to test your ability and thoroughly prepare you

3.1 Thermal Concepts

Easy



PHYSICS

IB HL



3.1 Thermal Concepts

Question Paper

Course	DP IB Physics
Section	3. Thermal Physics
Topic	3.1 Thermal Concepts
Difficulty	FXAM PAPERESY PRACTICE

Time allowed: 20

Score: /10

Percentage: /100



The strength of intermolecular forces varies between in the different states of matter.

What is the order from highest to lowest strength of intermolecular forces?

- A. solid > liquid > gas
- B. solid > gas > liquid
- C. liquid > gas > solid
- D. gas > liquid > solid

[1 mark]

Question 2

Molecules fuse from water vapour to form water. The vapour and the water have the same temperature.

What is the change of the average potential energy and the change of the average random kinetic energy of these molecules when they move from the vapour to the water?

	Average potential energy	Average random kinetic energy
A.	decreases	decreases
B.	no change	decreases
C.	decreases	no change
D.	no change MPAPE	RS PRACT no change

[1 mark]

Question 3

Which of the following correctly identifies the properties of the molecules of a substance that determine the substance's internal energy?

- A. The total gravitational potential energy and random electrostatic potential energy
- B. The total potential energy and random kinetic energy
- C. The random kinetic energy
- D. The total potential energy

[1 mark]



In the table below, which row shows the correct conversion between the Kelvin and Celsius temperature scales?

	Kelvin temperature / K	Celsius temperature / °C
A.	0	-270
В.	-273	0
C.	150	-123
D.	210	-163

[1 mark]

Question 5

Thermal energy is transferred from a solid. Three properties of the solid are

I. Specific heat capacity

II. Mass

III. Area

Which of the above properties determine the decrease in temperature of the solid?

A. II only

B. I and III only

C. I and II only

D. I only



[1 mark]

Question 6

What are the units of the ratio $\frac{\text{specific latent heat of fusion of iron}}{\text{specific heat capacity of iron}}$?

A.JK

B. No units

C. K⁻¹

D.K

[1 mark]




The specific latent heat of vaporisation is the energy required to change the phase of

- A. one kilogram of a liquid to gas.
- B. a solid at constant temperature.
- C. one kilogram of a gas to liquid at constant temperature.
- D. a gas at constant temperature.

[1 mark]

Question 8

A sample of solid aluminium is heated beyond its melting point. The graph shows the variation of temperature with time.



During which stage(s) is the aluminium melting?

- A. Q only
- B. P, Q and R
- C. Ponly
- D. PandRonly

[1 mark]



What is the correct comparison of the specific latent heat of fusion L_f to the specific latent heat of vaporisation L_v for a	any
substance?	

A. $L_f = L_v$

 $B.L_f > L_v$

 $C.L_f < L_v$

D. Depends on the substance.

[1 mark]

Question 10

Which of the following is numerically equal to the specific heat capacity of a substance?

- A. The thermal energy required to increase the temperature of unit mass of the substance by 1 °C
- B. The thermal energy required to increase the temperature of the substance by 1 °C
- C. The sum of the random kinetic and potential energy of all the molecules in the substance
- D. The thermal energy required to evaporate the substance

[1 mark]

EXAM PAPERS PRACTICE