

# IB Maths: AA HL Geometry Toolkit

## **Topic Questions**

These practice questions can be used by students and teachers and is Suitable for IB

Maths AA HL Topic Questions

Course	IB Maths
Section	3. Geometry & Trigonometry
Topic	3.1 Geometry Toolkit
Difficulty	Medium

**Level: IB Maths** 


Subject: IB Maths AA HL

**Board: IB Maths** 

**Topic: Geometry Toolkit** 



ABCD is an isosceles trapezoid where AB = 17 m and AD = BC = 25 m, as shown in the diagram below.



(a) Find the height, h, of the trapezoid.

[2 marks]


(b) Find the area of the trapezoid.

[4 marks]

### **Question 2**

The distance between Ho Chi Minh City and Hong Kong is known to be 1500 km. The bearing of Hong Kong from Ho Chi Minh City is 046°. Another city, Brisbane, is 6500 km from Ho Chi Minh City on a bearing of 136°. Calculate the distance between Hong Kong and Brisbane.





(a) Calculate the distance of the line segment AB.

[2 marks]

(b) Find the equation of the line connecting points A and B. Give your answer in the form y = mx + c.


[2 marks]

- (c) (i) Find the midpoint of [AB].
  - (ii) Find the equation of the perpendicular bisector to the line segment AB. Give your answer in the form y = mx + c.

[4 marks]



The diagram below shows a circle with a  $68^{\circ}$  sector cut from it. The radius of the circle is 5 cm.




- (a) Find the length of
  - (i) the minor arc AB
  - (ii) the major arc AB.

[3 marks]

(b) Find the area of the shaded region.



A lawn sprinkler sprays water over a lawn covering an arc of  $160^{\circ}$  with a maximum spray distance of x m as shown in the diagram below. The lawn sprinkler waters  $20 \text{ m}^2$  of the lawn.




(a) Calculate the value of x.

[4 marks]

(b) Calculate the length of the outer arc.



A windscreen wiper blade is 0.8 m long. When in motion the blade moves through an arc of  $\theta$ ° and wipes an area of  $\frac{4}{15}\pi$  m<sup>2</sup>.




(a) Calculate the value of  $\theta$ .

[4 marks]

(b) Calculate the length travelled by the outer edge of the blade.



The diagram below shows a dirt racetrack where the straights are 426 m long and the longest distance from one end of the track to the other is 554m.



(a) Find the total distance around the racetrack.


[3 marks]

(b) Find the total area enclosed by the racetrack.

[4 marks]



The diagram below shows a cookie cutter in the shape of a heart constructed from a triangle and two identical semi circles. The height of the triangle is 8 cm and its base AB is 13.34 cm.



(a) Find the length of the line AC.

[2 marks]

(b) Calculate the total area of the heart.

[4 marks]


Bob makes some cookie dough and rolls it out on his kitchen bench. The cookie dough covers  $1314 \text{ cm}^2$ .

(c) Find the number of full cookies Bob can cut from the dough.

[2 marks]



The diagram below shows a slice of pizza that forms a sector of a circle with an arc of  $60^{\circ}$  and radius of 15 cm. The width of the crust is 2.2 cm.




(a) Find the perimeter of the slice of pizza.

[3 marks]

(b) Find the area of the crust.



A parallelogram ABCD is shown in the diagram below.



$$\overrightarrow{AB} = \mathbf{a}$$
 and  $\overrightarrow{AD} = \mathbf{b}$ .

A new line is added to the diagram connecting B to D.

A point X lies  $\frac{2}{3}$  of the way along  $\overrightarrow{BD}$ .

(a) Express  $\overrightarrow{CX}$  in terms of **a** and **b**.

[4 marks]

A new point Y lies on the line CD such that AXY is a straight line.

(b) Express  $\overrightarrow{AY}$  in terms of **a** and **b**.



Three points are located at A(0, 5), B(6, 4) and C(16, 8).

- (a) (i) Find the magnitude of vector  $\overrightarrow{AB}$ .
  - (ii) Find the magnitude of vector  $\overrightarrow{BC}$ .

[4 marks]

(b) Given that the angle ABC is a right angle, find the area of triangle ABC.

[2 marks]

#### **Question 12**

The points A, B, C and D have position vectors **a**, **b**, **c** and **d**, relative to the origin O.

The position vectors are given by

$$\mathbf{a} = 2i + 4j - k$$

$$\mathbf{b} = -ri + j + 2k$$

$$\mathbf{c} = 3i + sj$$

$$\mathbf{d} = 2i - 2j - tk$$

where r, s and t are constants.

(a) Given that  $\overrightarrow{BA} = \overrightarrow{CD}$ , find r, s and t

[5 marks]



A fifth point, E, has position vector <b>e</b> , relative to the original	gin O	١.
---	-------	----

(b) Given that  $\overrightarrow{AE} = 3\overrightarrow{CD}$ , find the position vector of E.

[5 marks]

(c) Find the unit vector that has the same direction as  $\mathbf{e}$ .

[2 marks]