

Question number	Answer	Notes	Marks
1 (a) (i)	E		6
(ii)	В		
(iii)	F		
(iv)	С		
(v)	F		
(vi)	E		
(b) (i)	M1 (bonding/shared) electrons		2
	M2 nuclei	ACCEPT protons / nucleus(es)	
	OR		
	M1 nuclei	ACCEPT	
	M2 bonding/shared electrons	nucleus(es)	
(ii)	A ₂ D / DA ₂	ACCEPT H ₂ O	1
		REJECT if charges shown	



2 (a) (i) 11 × 11			Marks
NB H does not nee		ACCEPT any combination of dots and crosses	1
touching / overlapp	ing circles are shown	if overlapping / touching circles used both electrons must be within the overlapping/touching area	
	attraction) between ak intermolecular	ACCEPT particles ACCEPT bonds for forces for both M1 and M2 ACCEPT correctly named IMF	2
energy required	M2 (therefore) little (thermal/heat) energy required to overcome these forces / separate the molecules (into the gaseous state)		
	,	REJECT atoms for both M1 and M2	
		NB any mention of breaking covalent or ionic bonds scores 0	
(b) (i) M1 atoms of the s	ame element	atoms with same atomic number / atoms same number of protons	2
M2 with different i	masses	different mass numbers / different numbers of neutrons	
		IGNORE references to electrons unless incorrect	
(ii) protons 1 neutrons 0 electrons 1	2H 3H 1 1 1 1 1 1 1 1 1	one mark for each correct row	3



Question number	Answer	Notes	Marks
(c) (i)	exothermic		1
(ii)	$2H_2 + O_2 \rightarrow 2H_2O$ M1 all formulae correct	ACCEPT multiples and halves IGNORE state symbols even if	2
	M2 balanced	incorrect	
(iii)	M1 (add to) <u>anhydrous/white</u> copper(II) sulfate	turns copper(II) sulfate from white to blue scores 2	2
	M2 turns blue	ACCEPT equivalent	
	M2 dep on M1 or near miss	description of test with anhydrous cobalt(II) chloride (blue to pink)	
		IGNORE any references to testing with indicators	
(iv)	M1 measure/determine the boiling point	ACCEPT boil the water / heat until it boils	2
	M2 100°C	it boils at 100°C	
	OR	ALLOW "heat it and it boils at 100°C " for 2	
	M1 measure/determine the melting/freezing point	ACCEPT freeze the water / cool until it freezes	
	M2 0°C	it freezes at 0°C	
	OR	ALLOW "cool it and it freezes at 0°C" for 2	
	M1 measure/determine the density		
	M2 1 g/cm ³		



	estic mbe			Answer	Notes	Marks
3	а		A B C D	simple molecular giant covalent giant metallic giant ionic		4
	b	i	M1 M2	electron transfer AND correct direction magnesium (atoms) lose 2 electrons	If any reference to sharing electrons, 0/3 If any reference to covalent bonds, MAX 2 Penalise atoms in place of electrons each time	3
			M3	(each) chlorine (atom) gains an electron	Accept two chlorine (atoms) gain two electrons Reject chloride in place of chlorine	
					M2 and M3 both correct also scores M1	
		ii			M1 for electronic configuration of Mg ²⁺ ion	3
			[/] 2+ x-x	M2 for electronic configuration of Cl ⁻ ion	
			1		M3 for both charges correct	
					Accept any combination of dots and crosses Charges can be shown anywhere so long as there is no ambiguity Brackets not essential Ignore 2 before or after chloride ion 0/3 for any diagram showing shared electrons Ignore diagrams showing electron transfer – mark only the ions formed Penalise missing inner shell(s) once only If two Cl ⁻ ions shown, both must be correct	

Do not penalise empty third shell in Mg ²⁺	
If only 2.8 etc notations without diagram, only	
M3 can be awarded	

Question Answer		Notes	
3 c	0 * C * 0	M1 for 4 electrons in both C=O bonds These can be shown in a vertical or horizontal line M2 all other electrons correct M2 DEP on M1 Accept any combination of dots and crosses Ignore inner electrons even if wrong Ignore circles around atoms Non-bonding electrons do not need to be paired	2
d i	M1 positive ions / cations	Not just ions Reject reference to protons/nuclei/atoms in place of cations for M1, but M2 and M3 can still be awarded	3
	M2 delocalised electrons / sea of electrons M3 crystal / lattice / regular arrangement / array / giant structure / OWTTE	Ignore free electrons Ignore layers / planes / rows or similar Accept (electrostatic) attraction between positive ions and electrons 0/3 if reference to ionic bonding / covalent bonding / molecules / intermolecular forces (eg van der Waals')	



Question number Answer Notes		Notes	Marks	
3 d ii	M1	layers / sheets / planes / rows AND (positive) ions / atoms / particles slide (over each other)	Allow OWTTE, eg slip / flow / shift / roll / move M2 DEP on mention of EITHER layers or equivalent OR mention of ions or equivalent Do not award M2 if protons / electrons / nuclei / molecules in place of ions, etc If reference to ionic bonding / covalent bonding / molecules / intermolecular forces, no marks	2
			Total 17	marks



Questi		Expected Answer	Accept	Reject	Marks
4(a)	(i)	12			1
	(ii)	M1 – 2	roman numeral		1
		M2 – two electrons in <u>outer/valence</u> shell Award M2 if M1 missing but not if incorrect Ignore references to magnesium and 2.8.2			1
	(iii)	X^{2+}	Mg^{2+}		1
(b)		M1 – (79 x 24) + (10 x 25) + (11 x 26)	$(0.79 \times 24) + (0.10 \times 25) + (0.11 \times 26)$ for 2 marks		1
		M2 – divide by <u>100</u>	x 26) for 2 marks		1
		M3 – 24.3	24.32 with no working scores 2		1
		Mark M2 and M3 csq on M1 if one minor slip in numbers in M1 (eg 97 instead of 79 or 25 instead of 24)			
		M3 dep on M2			
		Correct answer with no working scores 3			
		IGNORE units			

(Total marks for Question 4= 7 marks)



Q	uestio umbei	n	Answer	Notes	Marks
5	(a) i		5		1
	ii	i	11		1
	ii	ii	5		1
	iv	v	6		1
	V	,	5		1
5	(b) i		more		1
	ii	i	more		1
	ii	ii	the same number of		1
5	(c)		cross in box D (2.8.3)		1
				Total	9

For more help please visit our website www.exampaperspractice.co.uk