

Organisation of an ecosystem

Level: GSCE AQA 8461

Subject: Biology

Exam Board: Suitable for all boards

Topic: Organisation of an ecosystem


Level: Easy

This is to be used by all students preparing for AQA Biology 8461 foundation or higher tier but it is also suitable for students of other boards



Q1.Some students set up biogas generators to find out which type of animal manure produced the most biogas.

The diagram shows the apparatus they used.



The students:

Step 1: Put some cow manure into the plastic bottle

Step 2: Filled the bottle with distilled water

Step 3: Attached a balloon over the top of the bottle

Step 4: Put the bottle in a warm room for 10 days

Step 5: Measured the diameter of the balloon on day 10

Step 6: Repeated steps 1 to 5 using each type of animal manure.

The students' results are shown in the table.

Type of animal manure	Diameter of balloon on day 10 in cm
Cow	29
Horse	26
Sheep	34
Pig	32

(a)	what is the main gas found in biogas?	
		(1)

(b) The students concluded that sheep manure is the best type of manure to use in a biogas generator.

A teacher told the students that the design of their investigation meant that their



	conclusion might not be correct.	
	Suggest two reasons why.	
	1	
	2	
		(2)
(c)	Another student suggested that adding potato to the manure would increase the amount of biogas produced.	
	Why would adding potato increase the amount of biogas produced?	
	Tick (✓) one box.	
	The potato contains a lot of carbohydrate.	
	The potato contains a lot of protein.	
	The potato contains a lot of water.	

(1) (Total 4 marks)




Q2. Some students investigated the distribution of dandelion plants in a grassy field. The grassy field was between two areas of woodland.

Figure 1 shows two students recording how many dandelion plants there are in a 1 metre x 1 metre quadrat.

Figure 1





© Science Photo Library

Figure 2 shows a section across the area studied and Figure 3 shows a bar chart of the students' results.





Figure 3



(a)		did the students use the quadrat and the 30-metre tape measure to get the ts in Figure 3 ?	
	Use	information from Figure 1.	
			(3)
(b)	(i)	Suggest one reason why the students found no dandelion plants under the trees.	
	(ii)	Suggest one reason why the students found no dandelion plants at 16 metres.	(1)

(1)



(c)	The teacher suggested that it was not possible to make a valid conclusion from these results.
	Describe how the students could improve the investigation so that they could make a valid conclusion.
	(2)
	(Total 7 marks)



Q3.A student was asked to estimate how many clover plants there are in the school field.

The image below shows the equipment used.

1.


2.

3.

4.

(a)

(b)



How could the student improve the investigation so that a valid estimate can be (c)

(1)



made?	
Tick two boxes.	
Weigh the clover plants	
Compare their results with another student's results	
Count the leaves of the clover plants	
Place more quadrats	
Place the quadrats in a line across the field	

(d) The table below shows the student's results.

Quadrat number	Number of clover plants counted
1	11
2	8
3	11
4	9
5	1
Total	40

The area of the school field was 500 m².

The quadrat used in the table above had an area of 0.25 m².

Calculate the estimated number of clover plants in the school field.

(2)



	Estimated number of clover plants =	
	Estimated number of clover plants –	(3)
(e)	What was the mode for the results in the table above?	
	Tick one box.	
	1	
	8	
	11	
	40	
		(1)
(f)	Suggest which quadrat could have been placed under the shade of a large tree.	
	Give one reason for your answer.	
	Quadrat number	
	Reason	
	(Total 9 ma	(1) rks)

Q4.A gardener investigates if turning over the waste in a compost heap makes the waste decay more quickly.

The gardener:

- makes two separate heaps of garden waste, heap A and heap B
- turns over the material in heap A every 2 weeks
- does not turn over the material in heap B

Α

В

• estimates the amount of decay in the two heaps after 6 months.

The diagram shows the two heaps of garden waste at the beginning of the investigation.

Heap A	Heap B	
Suggest two factors, other than time investigation fair.	e, the gardener should control to make the	
1		
2		
		(2)
Name one type of living thing that ca	auses decay.	
		(1)
The gardener's results are shown in	the table.	
Compost heap Estimated amount	t of decay	

A lot

Very little



(i)	Why does turning over the material in heap ${\bf A}$ make the material decay more quickly?	
		(1)
(ii)	The gardener puts decayed material around his plants to help them grow.	
	Suggest why the plants in a woodland grow well each year without material from compost heaps being added.	
	(Total 6 ma	(2) irks)



Q5.The diagram below shows a food chain in a garden.

	Lettuce → Snail → Shrew	
	ce © destillat/iStock/Thinkstock; Snail ©Valengilda/iStock/Thinkstock; Shrew © GlobalT/iStock/Thinkstock	
a)	Name one consumer shown in the diagram above.	
		(1
b)	Name one carnivore shown in the diagram above.	
		(1
c)	A disease kills most of the shrews in the garden.	
	Suggest why the number of snails in the garden may then increase.	
		(1
d)	What is the name given to all the snails in the garden shown in the diagram above?	
	Tick one box.	
	Community	
	Ecosystem	
	Population	
	Territory	




		(1)
(e)	Which pyramid of biomass is correct for the food chain shown in the diagram above? Tick one box. Shrew Shrew Snail Snail Lettuce Lettuce A B C	(1)
(f)	Some snails ate some lettuces.	
	The lettuces contained 11 000 kJ of energy.	
	Only 10% of this energy was transferred to the snails.	
	Calculate the energy transferred to the snails from the lettuces.	
	Energy =kJ	(1)
(g)	Give one reason why only 10% of the energy in the lettuces is transferred to the snails.	
	Tick one box.	
	The lettuces carry out photosynthesis	
	The snails do not eat the roots of the lettuces	
	Not all parts of a snail can be eaten	



(h)	Abiotic factors can affect the food chain.		
	Wind direction is one abiotic factor.		
	Name one other abiotic factor.		
		(1) (Total 8 marks)	

Q6.The mould *Penicillium* can be grown in a fermenter. *Penicillium* produces the antibiotic penicillin.

The graph shows changes that occurred in a fermenter during the production of penicillin.



(a) During which time period was penicillin produced most quickly?Draw a ring around **one** answer.

0 – 20 hours 40 – 60 hours 80 – 100 hours

(1)

(b)	(1)	Describe how the concentration of glucose in the fermenter changes between 0 and 30 hours.




How does the change in the concentration of oxygen in the fermenter compare (ii) with the change in concentration of glucose between 0 and 30 hours? Tick (✓) **two** boxes. The oxygen concentration changes after the glucose concentration. The oxygen concentration changes before the glucose concentration. The oxygen concentration changes less than the glucose concentration. The oxygen concentration changes more than the glucose concentration. (2) (iii) What is the name of the process that uses glucose? Draw a ring around one answer. distillation filtration respiration (Total 6 marks)

(2)



Q7.The diagram shows one type of biogas generator.



(a) With this type of biogas generator, the concentration of solids that are fed into the reactor must be kept very low.


Suggest one reason for this.

Tick (✓) one box.

A higher concentration contains too little oxygen.	
A higher concentration would be difficult to stir.	
A higher concentration contains too much carbon dioxide.	

(b) The pie chart shows the percentages of the different gases found in the biogas.

(1)



Gas X is the main fuel gas found in the biogas.

(i) What is the name of gas X?

Draw a ring around one answer.

methane

		(1)
(ii)	What is the percentage of gas X in the biogas?	
()	Show clearly how you work out your answer.	
	Percentage of gas X =	(2)

nitrogen

oxygen

(c) If the biogas generator is not airtight, the biogas contains a much higher percentage of carbon dioxide.

Draw a ring around **one** answer in each part of this question.

aerobic respiration.

(i) The air that leaks in will increase the rate of anaerobic respiration.



rennemation.	fermentation.	
--------------	---------------	--

(1)

(ii) The process in part (c)(i) occurs because the air contains

ammonia.

nitrogen.

oxygen.

(1) (Total 6 marks)



Q8.Some students wanted to find the number of thistle plants growing on a lawn.

The students placed 10 quadrats at different positions on the lawn.

Each quadrat measured 1 metre x 1 metre.

The students counted the number of thistle plants in each quadrat.

(a)	Which method	I should the stude	ante liea to de	acida whara to	nlace the 10) auadrate?
(a)	vvnich method	i snouia ine siuae	anis use io de	eciae where to	place the 10	J uuaurais !

Tick (√) one box.


Place the quadrats as evenly as possible around the lawn.

Place 5 quadrats in areas with many thistle plants and 5 quadrats in areas with only a few thistle plants.

Place all the quadrats randomly on the lawn.

(1)

(b) The diagram shows the lawn with the positions of the thistle plants and the students' 10 quadrats.



- (i) Complete the table to show:
 - how many thistle plants the students found in each of the first four quadrats



• the total number of thistle plants found in all 10 quadrats.

Quadrat number	Number of thistle plants in each quadrat
1	
2	
3	
4	
5	1
6	3
7	0
8	0
9	2
10	1
Total	



	Estimated number of thistle plants =	(2)
(c)	How could the students make their estimate more accurate?	
		(1) (Total 7 marks)

Q9.Gardeners often collect fallen leaves in autumn and place them on compost heaps.



	-		•	
	Leaves fall from tree	Gardener collects fallen leaves	Leaves placed on compost heap	
(a)	Over the next year the	leaves decay.		
	Which living things caus	se decay?		
				(1)
(b)	The leaves decay more	quickly in summer than in winter		
	Give one reason why.			
				(1)
(c)	The compost heap has	holes in its sides to let gases ente	er.	
	Which gas is needed fo	r decay?		
	Tick (✓) one box.			
	Carbon dioxide			
	Nitrogen			



Oxygen	(4)
	(1) (Total 3 marks)