

Monday 12 May 2025 – Morning

AS Level Biology B (Advancing Biology)

H022/01 Foundations of biology

Time allowed: 1 hour 30 minutes



You can use:

- a scientific or graphical calculator
- a ruler (cm/mm)



Please write clearly in black ink. **Do not write in the barcodes.**

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

First name(s)

Last name

INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is **70**.
- The marks for each question are shown in brackets [].
- This document has **28** pages.

ADVICE

- Read each question carefully before you start your answer.

Section A

You should spend a **maximum** of **25** minutes on this section.

Write your answer for each question in the box provided.

- 1 Which of the statements about peak expiratory flow rate (PEFR) is correct?
- A It increases as the age of a person increases.
 - B It is calculated by multiplying tidal volume by breathing rate.
 - C It is the maximum rate at which air can be forced out through the mouth.
 - D It is the volume of air breathed out in the first second of forced exhalation.

Your answer

[1]


- 2 Which option about why multicellular plants need transport systems is **not** correct?
- A Assimilates must be transported from source to sink
 - B Diffusion distances are too long
 - C Multicellular plants have large surface area to volume ratios
 - D Water and mineral ions must be transported from roots to leaves

Your answer

[1]

3

3 The transmission electron micrograph shows the ultrastructure of a mammalian cell.



Which option describes the function of the structure labelled **P**?

- A It produces ATP.
- B It stores glycogen.
- C It synthesises proteins.
- D It synthesises ribosomes.

Your answer

[1]

- 4 A student observed a blood sample using a light microscope with a calibrated eyepiece graticule. They measured the diameter of a lymphocyte and calculated its actual diameter as $12\ \mu\text{m}$.

One unit of the calibrated eyepiece graticule = $2.4\ \mu\text{m}$.

What is the diameter of the lymphocyte measured by the student in eyepiece graticule units?


- A 0.2
B 5.0
C 9.6
D 28.8

$$\text{measured diameter} = \frac{12}{2.4} = 5.0$$

Your answer

[1]

- 5 The graph shows the rate of an enzyme-controlled reaction with and without the addition of a fixed quantity of substance Z.



What is the molecule in substance Z?

- A Cofactor
B Competitive inhibitor
C Non-competitive inhibitor
D Prosthetic group

Your answer

[1]

- 6 What would **not** be included in the emergency treatment given to an adult suffering a suspected heart attack?
- A** Help them take their usual angina medication.
- B** Offer them an aspirin tablet to chew, if available.
- C** Sit them up with their knees bent.
- D** Use a defibrillator to restore the normal rhythm of the heart.

Your answer

D

[1]

- 7 The table shows descriptions of some of the stages and features of apoptosis.

Which of the rows, **A** to **D**, is correct ?

	Karyorrhexis	Pyknosis	Role of phosphatidylserine
A	nucleus breaks down	nucleus condenses	binds to receptors on lymphocytes
B	nucleus breaks down	nucleus condenses	binds to receptors on macrophages
C	nucleus condenses	nucleus breaks down	binds to receptors on lymphocytes
D	nucleus condenses	nucleus breaks down	binds to receptors on macrophages


Your answer

B

[1]

The karyogram shows chromosomes from a human fetus.

Use the karyogram to answer questions 8 and 9.



- 8 Which of the statements about stages in the production of the karyogram is correct?
- A Fetal cells were extracted using amniocentesis and then stimulated to divide by meiosis.
 - B Fetal cells were extracted using chorionic villus sampling (CVS) and then stimulated to divide by mitosis.
 - C Fetal cells were stimulated to divide by mitosis and then extracted using ultrasound.
 - D Fetal cells were stimulated to divide by mitosis and then extracted using amniocentesis.

Your answer

B

[1]

- 9 What is the correct analysis of the karyogram?
- A The fetus is a female with Down's syndrome.
 - B The fetus is a female with Klinefelter's syndrome.
 - C The fetus is a female with Turner's syndrome.
 - D The fetus is a male with Turner's syndrome.

Your answer

C

[1]

10 The prickly pear, *Opuntia ficus-indica*, is a species of cactus adapted to hot, dry habitats.

What is a **physiological** adaptation for surviving in hot, dry habitats?

- A Photosynthesis takes place in stems.
- B Needle-like leaves to reduce water loss.
- C Swollen stems for storing water.
- D Waxy surfaces to protect from UV radiation.

Your answer

[1]

11 The table shows some of the features of the human immunodeficiency virus (HIV).

Which of the rows, **A** to **D**, is correct?

	Feature		
	Central core	Genetic material	Capsid
A	contains the enzyme, reverse transcriptase	DNA	protein coat surrounding the virus
B	contains the enzyme, reverse transcriptase	RNA	protein coat surrounding the virus
C	contains the nucleus of the virus	DNA	phospholipid membrane surrounding the virus
D	contains the nucleus of the virus	RNA	phospholipid membrane surrounding the virus

Your answer

[1]

12 Malaria is a disease in humans.

The table shows data for the incidence rate of malaria in a population over a one-year period.

Number of people in the population	Incidence rate (per 100 000 y ⁻¹)
2.4×10^7	148

What is the number of new cases of malaria in this population?

A 3.6×10^4

B 1.5×10^5

C 1.6×10^5

D 3.6×10^9

$$\begin{aligned} \text{Number of new cases} &= \frac{\text{Incidence rate}}{100,000} \times \text{Population Size} \\ &= \frac{148}{100,000} \times 2.4 \times 10^7 \\ &= 3.6 \times 10^4 \end{aligned}$$

Your answer

[1]

13 Which molecule is found in the cell wall of a bacterium?

A Cellulose

B Lignin

C Peptidoglycan

D Phospholipid

Your answer

[1]

14 Gram staining is a method used to classify bacteria.

Which of the statements about Gram negative bacteria is correct?

A They have a thick cell wall and do not have a lipopolysaccharide layer so stain pink.

B They have a thick cell wall and do not have a lipopolysaccharide layer so stain purple.

C They have a thin cell wall and a lipopolysaccharide layer so stain purple.

D They have a thin cell wall and a lipopolysaccharide layer so stain pink.

Your answer

[1]

Medicines can be derived from plants such as the white willow tree, *Salix alba*.

Questions **15** and **16** refer to *Salix alba*.

15 The hierarchical classification of *Salix alba* is shown below.

Domain	Eukaryota
↓	Plantae
	Tracheophyta
	Magnoliopsida
	Malpighiales
	Salicaceae
	<i>Salix</i>
Species	<i>alba</i>

Which of the statements about the taxons is **not** correct?

- A** Plantae is the kingdom.
- B** Salicaceae is the class.
- C** *Salix* is the genus.
- D** Tracheophyta is the phylum.

Your answer

B

[1]

16 What medicine is derived from *Salix alba*?

- A** Aspirin
- B** Quinine
- C** Theophylline
- D** Topotecan

Your answer

A

[1]

17 What would occur in a non-specific response to pathogens?

- A Clonal expansion
- B Clonal selection
- C Inflammation
- D Production of antibodies

Your answer

C

[1]

18 As part of a practical activity about osmosis, two students used different apparatus to measure the volume of solution remaining in the Visking tubing at the end of the activity.

Student 1 chose a measuring cylinder and measured the volume remaining as 10.0 cm^3 .

Student 2 chose a burette and measured the volume remaining as 10.35 cm^3 .

The students agreed that the burette was better than the measuring cylinder because it could measure smaller changes.

Which of the following statements about the burette is correct?

- A The burette has a higher resolution than the measuring cylinder.
- B The burette has a lower resolution than the measuring cylinder.
- C The burette is more precise than the measuring cylinder.
- D The burette is less precise than the measuring cylinder.

Your answer

A

[1]

- 19 A gene was found to be responsible for the expression of other genes in human cells. Changes to the sequence of nucleotides in this gene resulted in the constant production of transcription factors and proliferation of cells.

Which of the options describes this type of gene?


- A It is a mutagen.
- B It is an oncogene.
- C It is a proto-oncogene.
- D It is a tumour-suppressor gene.

Your answer

[1]

- 20 Researchers were investigating adaptations and evolution in woodland bird species. They observed the nesting activities of four different bird species, **A** to **D**.

The researchers recorded the heights at which each species nested. An analysis of their results is shown in the bar chart.



Which species of bird showed most variation in the heights at which they nested?

Your answer

[1]


Section B

21 Bronchiectasis is a disease that affects the airways of the lungs.

The diagram shows a healthy bronchus and the bronchus of a person with bronchiectasis.

Healthy bronchus

Diseased bronchus



(a)

(i) Describe how the features labelled X and Y on the healthy bronchus have changed in the diseased bronchus **and** suggest how these changes could have occurred.

• X has fewer cilia, caused by inflammation to epithelial cells

• X is thinner, caused by loss of tissue.

• Y is wider, caused by damage to tissue.

• Y is narrowed caused by increase in mucus production.

[4]

(ii) Bronchitis is also a disease that affects the airways of the lungs.

Using your knowledge and the diagram, state **one** similarity **and one** difference between the effects of bronchiectasis and bronchitis on a healthy bronchus.

Similarity Excess mucus production

.....

Difference Airways is not widened due to damage wall.

[2]

(iii) Bronchiectasis and bronchitis are both examples of chronic diseases.

Explain what is meant by the term **chronic disease**.

..... usually lasts a long time

..... [1]

(b) Lung disease may result in respiratory arrest.


State the procedure used to help a person in respiratory arrest.

..... expired air resuscitation

..... [1]

22

(a) This is a diagram of a transfer RNA (tRNA) molecule.



(i) State the names of the types of bond labelled **K** and **L**.

Bond **K** Hydrogen

Bond **L** phosphodiester

[1]

(ii) State the function of the part of the molecule labelled **M**.

..... attaches to amino acid

[1]

(iii) State the codon on the DNA antisense strand (template) that would result in this tRNA molecule attaching to mRNA during the process of translation.

..... ACC

[1]

(b) Compare the structure of a tRNA molecule to a molecule of DNA.

⇒ Similarities

- Both contain phosphate group and pentose sugar

⇒ Differences

- tRNA is much smaller
- Thymine is replaced by uracil in tRNA

[3]

(c) A group of scientists were investigating DNA replication and transcription in the bacterium *Escherichia coli* (*E. coli*).

They found that:

- DNA replication occurs at approximately 1000 base pairs per second
- transcription occurs at approximately 3000 nucleotides per minute.

One of the scientists made the following conclusion about their findings:

'DNA replication is much faster than RNA synthesis.'

Use the data to comment on the scientist's conclusion.

$$3000 \div 60 = 50$$

$$1000 \times 60 = 60,000$$

transcription occurs at 50 nucleotides per second.

DNA replication occurs at 60,000 nucleotide per minute

DNA replication is 20 times faster [2]

(d) ATP is required to provide energy for DNA replication.

Complete the sentences about the structure and function of ATP using the most appropriate word(s).

ATP is a phosphorylated nucleotide. It is easily transported in cells and releases energy

when it is hydrolysed to form ADP and inorganic phosphate

Turn over [3]

23 The evolution of language is a difficult topic to study. Use of experimental data by scientists is limited when studying language evolution in humans and other methods are needed to provide evidence to support or reject their hypotheses.

(a) Fossil evidence is a method used to study language evolution.

(i) State **one** advantage **and one** disadvantage of using fossils to study evolution.

Advantage fossils can be carbon dated.

Disadvantage fossils may be destroyed.


[2]

(ii) State **one** other method used to study language evolution **and** explain how it provides evidence to support or reject hypotheses.

DNA analysis
Human have a unique variant of gene
involved with speech.

[2]

(b) The diagram shows relationships in the evolution of modern languages.



(i) State the name of this type of diagram used to study evolutionary relationships.

Phylogenetic tree. [1]

(ii) The table shows some conclusions that were drawn from the diagram.

Conclusions that can be supported by information in the diagram are true and others are false.

Complete the table by deciding which conclusions are **True (T)** and which are **False (F)**.

Conclusion	True (T) or False (F)
None of the languages are extinct.	True
Hittite is the common ancestor for all other languages.	false
Polish is more closely related to English than to Sanskrit.	True

[3]

24

- (a) These are some revision notes made by a student about the features of acquired immunodeficiency syndrome (AIDS) and tuberculosis (TB).

- 1 AIDS is caused by the human immunodeficiency virus (HIV).
- 2 Antibiotics cannot be used to treat HIV infections or TB.
- 3 Both AIDS and TB are described as communicable diseases.
- 4 Many different organs in the body are affected by AIDS, but TB only affects the lungs.
- 5 HIV can only be spread by direct contact with body fluids.
- 6 Pathogens causing TB are transmitted by close contact droplet infection.
- 7 TB is caused by a fungus.
- 8 The Mantoux test can be used to test for both HIV and TB infections.

Revision note 1 is a correct statement.

Identify **two** incorrect revision notes **and** suggest a correction for each of your choices.

Incorrect revision note2.....

Correctionantibiotics can only be used to treat
TB.....

Incorrect revision note4.....

CorrectionTB also affects different organs in
the body.....

[4]

(b) Dynamin is a protein found at the site of vesicle formation on cell surface membranes.

Scientists have suggested that dynamin may be involved in the mechanism by which HIV enters host cells.

(i) State the name of a type of cell that is a host cell for HIV.

Lymphocyte [1]

(ii) Suggest the mechanism of transport across cell surface membranes that involves dynamin.


endocytosis [1]

In a recent study into the role of dynamin in the infection of host cells by HIV, researchers prepared the following cell cultures:

- host cells were added to a culture of cells expressing HIV antigens
- host cells were treated with a non-competitive inhibitor of dynamin for one hour prior to being added to cells expressing HIV antigens.

The cultures were then left for 24 hours. The HIV antigens had been tagged with a fluorescent marker for flow cytometry.

This is data from the study obtained using flow cytometry.



(iii) Explain why a logarithmic scale is appropriate for presenting the data obtained in this study.

Analysis involves large range of numbers

[1]

(iv) Discuss how the data support the suggestion that dynamin is involved in the entry of HIV into host cells.

- influence of fluorescence is less in culture with inhibitor.
- So fewer cells, have been infected with HIV.
- inhibitor slow activity of dynamics.

[3]

22
BLANK PAGE

DO NOT WRITE ON THIS PAGE

25 A group of students are investigating the growth of algal species in a freshwater pond.

This is the method they use to prepare a sample of pond water for counting individual algae.

1. Place 199 cm^3 of pond water in a measuring cylinder containing 1 cm^3 of settling agent.
2. Mix the contents of the measuring cylinder thoroughly and leave for 24 hours.
3. After 24 hours, carefully remove 180 cm^3 of the algal solution without disturbing the remaining 20 cm^3 at the bottom of the measuring cylinder.
4. Mix this 20 cm^3 sample thoroughly and place a drop on a haemocytometer slide and view using a microscope.

(a)

(i) Suggest **one** reason why steps 1 and 2 are included in the method.

..... Concentrate the algae.

 [1]

(ii) Suggest **one** reason why it is necessary to mix the sample again thoroughly in step 4.

..... ensure even the distribution of algae.


 [1]

(iii) Outline further steps in the method that would enable the students to estimate the number of individual algae present in the sample.

- count number of individuals of each species.
 - count number of individuals in one square
-
 • Use a north-west rule.
 • Calculating cells in more than one square
 to find a mean.
 Multiplying by dilution factor.
 [3]

- (b) One of the students placed a drop of the sample from step 4 on a normal microscope slide and observed the algal species using a light microscope with a magnification of $\times 200$.

The image shows the view seen by the student.



$\times 200$

Individual P

- (i) Using the image, explain a disadvantage of using a haemocytometer to estimate the number of algal cells in a pond water sample.

Some species are made up of more than one cell

[1]

- (ii) The diameter of individual P of the algal species, *Pandorina morum*, is shown on the image.

Calculate the actual diameter of this individual.

$$9\text{mm} = 9000\mu\text{m}$$

$$9000 \div 200 = 45$$

Diameter =45..... μm [2]

(iii) Wet biomass (biovolume) of *P. morum* in the sample can be calculated using the equation:

$$\text{Biovolume} = \text{number of individuals per cm}^3 \times \text{mean volume of individuals}$$

The number of *P. morum* in the sample was estimated to be 3.0×10^3 per cm^3 .

Assuming the diameter calculated in (b)(ii) is also the mean diameter and the individuals are spherical, calculate the biovolume for *P. morum*.

Use the equation: volume of a sphere = $\frac{4}{3} \pi r^3$

$$\text{Volume of a sphere} = \frac{4}{3} \times 3.14 \times (22.5)^3$$

$$= 47719$$


$$= 4.78 \times 10^4 \mu\text{m}^3$$

$$4.78 \times 10^4 \mu\text{m}^3 = 4.8 \times 10^{-8} \text{cm}^3$$

$$\text{Biovolume} = \dots\dots\dots 1.4 \times 10^{-4} \dots\dots\dots \text{cm}^3 \text{ [3]}$$

$$\begin{aligned} \text{Biovolume calculation} &= 4.8 \times 10^{-8} \times 3.0 \times 10^3 \\ &= 1.4 \times 10^{-4} \end{aligned}$$

(c) The diagram shows the ultrastructure of an algal cell from the *Euglena* species.



Give the letters identifying one organelle that would be present **and** one that would **not** be present in a palisade mesophyll cell.

Present **S**

Not present **R**

[2]

END OF QUESTION PAPER

EXTRA ANSWER SPACE

If you need extra space use these lined pages. You must write the question numbers clearly in the margin.

This section of the page is a large, empty area for writing answers. It is bounded on the left by a solid vertical line, which serves as a margin. The rest of the page is filled with horizontal dotted lines, providing a guide for writing. The lines are evenly spaced and extend across the width of the page.

A large area of the page is reserved for writing, featuring a vertical solid line on the left side and horizontal dotted lines extending across the page.

OCR

Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.