

Boost your performance and confidence with these topic-based exam questions

Practice questions created by actual examiners and assessment experts

Detailed mark scheme

Suitable for all boards

Designed to test your ability and thoroughly prepare you



Biology

Topic Questions

AQA AS & A LEVEL

3.2 Cells


www.exampaperspractice.co.uk



1 .(a)	Describe how you could use cell fractionation to isolate chloroplasts from leaf tissue.	
	(Extra space)	
		(3)
		(0)

The figure below shows a photograph of a chloroplast taken with an electron microscope.





(b)	Name the parts of the chloroplast labelled A and B .	
	Name of A	
	Name of B	(2)
(c)	Calculate the length of the chloroplast shown in the figure above.	
	Answer	(1)
(d)	Name two structures in a eukaryotic cell that cannot be identified using an optical microscope.	
	1	
	2	(1)
	(Total 7 m	narks)



2

(a)

.Researchers investigated whether the blood supply to slow and fast muscle fibres in a

muscle changes with age. They used diaphragms taken from hamsters (*Mesocricetus auratus*). The diaphragm is in constant use for breathing. They took diaphragms from groups of young, adult and old hamsters.

They removed the diaphragm from each animal and took a sample of muscle tissue. They examined it under an optical (light) microscope. For each sample they selected several fields of view at random. In each field of view, they then counted the number of capillaries associated with each type of muscle fibre.

This allowed the researchers to calculate the mean number of capillaries for each type of muscle fibre, for each age group.

The table below shows the researchers' results which include standard deviation (SD).

Hamster	Number of hamsters in		pillaries associated of muscle fibre
age group	group	Slow fibres (± SD)	Fast fibres (± SD)
Young	9	3.4 (±0.8)	4.0 (±0.8)
Adult	10	4.7 (±0.2)	6.3 (±0.4)
Old	8	4.6 (±0.9)	6.8 (±0.6)

number of capillaries per fibre reliable.	
1	
2	
3	
4	
4	

Give four precautions that the researchers took to make their calculations of mean



(b)	found	researchers examined the muscle of an animal in the old age group. They done field of view containing only slow muscle fibres. They counted 69 laries in this field of view.	
	(i)	Use a calculation to estimate how many slow muscle fibres were visible in this field of view. Show your working.	
		Number of slow muscle fibres =	(2)
	(ii)	The actual number of slow muscle fibres in the field of view was not the same as the number you calculated in question (i).	
		Give one reason why.	
			(1)
(c)		udent read the report of the researchers' investigation. She thought that the stigation was unethical but that a conclusion could still be made.	
	(i)	Suggest why she thought the investigation was unethical.	
			(1)
	(ii)	She concluded that age had a significant effect on the mean number of capillaries per fibre.	
		Evaluate this conclusion.	



(4) (Total 12 marks)



3 .A stomach ulcer is caused by damage to the cells of the stomach lining. People with stomach ulcers often have the bacterium *Helicobacter pylori* in their stomachs.

A group of scientists was interested in trying to determine how infection by *H. pylori* results in the formation of stomach ulcers.


The scientists grew different strains of *H. pylori* in liquid culture.

The table below shows the substances released by each of these strains.

U nylori otroin	Substances r	eleased by the <i>H. pylori</i> cells
<i>H. pylori</i> strain	Toxin	Enzyme that neutralises acid
Α	✓	✓
В	×	✓
С	✓	×

The scientists centrifuged the cultures of each strain to obtain cell-free liquids. They added each liquid to a culture of human cells. They then recorded the amount of damage to the human cells.

Their results are shown below. The error bars show \pm 1 standard deviation.





ell-free liquid						
F1						
Extra space						
	s measured cell ction of lysosom		measuring the	e activity of ly	sosomes.	
	ction of lysosom	nes.	measuring the			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	ction of lysosom	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			
Give one fund	produce an en	zyme that ne	utralises acid			

For more help please visit our website www.exampaperspractice.co.uk

What do these data suggest about the damage caused to human cells by the toxin

(d)




[Extra space]						
A with a prote cell damage w	n-digesting e as recorded.	nzyme before	e adding it to	y treated the liq a culture of hur		า
A with a prote cell damage w	n-digesting e as recorded.	nzyme before	e adding it to			1
A with a prote cell damage w	n-digesting e as recorded.	nzyme before	e adding it to			า
A with a prote cell damage w	n-digesting e as recorded.	nzyme before	e adding it to			1
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to e cells.		man cells. No	1
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to e cells.	a culture of hur	man cells. No	n
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to e cells.	a culture of hur	man cells. No	1
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to e cells.	a culture of hur	man cells. No	n
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to	a culture of hur	man cells. No	า
A with a prote cell damage w Suggest why t	n-digesting e as recorded. here was no d	nzyme before	e adding it to	a culture of hur	man cells. No	า



4	.(a)	The	e events that take place during interphase and mitosis lead to the production of two genetically identical cells. Explain how.	
			[Extra space]	
				(4)
				(- /
	(b)	A student cut thin sections of tissue at different distances from the tip of a root. She stained the sections and viewed them with an optical microscope.	
			For each section, the student counted the number of cells in mitosis and the total number of cells in each field of view. She then calculated a mitotic index for each section using the equation:	
			mitotic index = $\frac{\text{number of cells in mitosis}}{\text{total number of cells}}$	
			The student's results arer shown in the graph.	





(i)

	Explain why it was important that the sections were thin.	
		(2)
		(2)
(ii)	What does the graph show about the growth of roots? Use the data to explain your answer.	
	(°	(2) Fotal 8 marks)

The student cut thin sections of tissue to view with an optical microscope.




(b)	Describe the principles and the limitations of using a transmission electron	
(b)	Describe the principles and the limitations of using a transmission electron microscope to investigate cell structure.	
(b)	Describe the principles and the limitations of using a transmission electron microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	
(b)	microscope to investigate cell structure.	

For more help please visit our website www.exampaperspractice.co.uk



6 .The diagram shows a eukaryotic cell.



(a) Complete the table by giving the letter labelling the organelle that matches the function.

Function of organelle	Letter
Protein synthesis	
Modifies protein (for example, adds carbohydrate to protein)	
Aerobic respiration	

(3)

(b) Use the scale bar in the diagram above to calculate the magnification of the drawing.Show your working.

Answer =

(2)

(Total 5 marks)