

Boost your performance and confidence with these topic-based exam questions

Practice questions created by actual examiners and assessment experts

Detailed mark scheme

Suitable for all boards

Designed to test your ability and thoroughly prepare you

Time allowed 9 Minutes

2002



Percentage

%

CHEMISTRY

Topic Questions

AQA AS & A LEVEL

3.3 Organic chemistry

www.exampaperspractice.co.uk



Which one of the following does not contain any delocalised electrons?

- A poly(propene)
- B benzene
- **C** graphite
- **D** sodium

(Total 1 mark)

² Which one of the following can react both by nucleophilic addition and by nucleophilic substitution?







3,1,3-dinitrobenzene can be prepared by heating nitrobenzene with a mixture of fuming nitric acid and concentrated sulphuric acid. The reaction can be represented by the following equation.



If the yield of the reaction is 55%, the mass of 1,3-dinitrobenzene produced from 12.30 g of nitrobenzene is

- 16.90 g Α
- В 16.80 g
- С 9.30 g
- D 9.24 g

(Total 1 mark)

The relative molecular mass (*M*_r) of benzene-1,4-dicarboxylic acid is

- Α 164
- В 166
- С 168
- С 170



5 This question is about the following reaction scheme which shows the preparation of polymer P.



If 1.0 kg of benzene gave 0.98 kg of J, the percentage yield of J was

- **A** 64
- **B** 66
- **C** 68
- **D** 70



6. In a reaction which gave a 27.0% yield, 5.00 g of methylbenzene were converted into the explosive 2,4,6-trinitromethylbenzene (TNT) (M_r = 227.0). The mass of TNT formed was

- Α 1.35 g
- В 3.33 g
- С 3.65 g
- D 12.34 g

(Total 1 mark)

Ethanoyl chloride reacts with methylbenzene forming compound **X** according to the equation below.



If the experimental yield is 40.0%, the mass in grams of X (M_r = 134.0) formed from 18.4 g of methylbenzene ($M_r = 92.0$) is

- Α 26.8
- 16.1 В
- С 10.7
- D 7.4