

IB Maths: AA HL

Vector Properties

Topic Questions

These practice questions can be used by students and teachers and is Suitable for IB Maths AA HL Topic Questions

Course	IB Maths
Section	3. Geometry & Trigonometry
Торіс	3.7 Vector Properties
Difficulty	Medium

Level: IB Maths

Subject: IB Maths AA HL

Board: IB Maths

Topic: Vector Properties



a) Show that the vectors a=2i-6j+k and b=-i+3j-k are not parallel.

b) Show that $|\mathbf{a} \cdot \mathbf{b}| < |\mathbf{a}| |\mathbf{b}|$

```
c)
Show that \mathbf{a} \cdot \mathbf{a} = |\mathbf{a}|^2
```

Question 2

Consider the two vectors $\mathbf{s} = 3i + 4j - k$ and $\mathbf{t} = -2i + 2j - 3k$.

(i)
Find the cross product of **s** and **t**.
(ii)

Hence, find the angle between ${f s}$ and ${f t}$. Give your answer in radians.

[5 marks]

Question 3

The vectors **a** and **b** are defined by $\mathbf{a} = \begin{pmatrix} 1 \\ -3 \\ 1 \end{pmatrix}$, $\mathbf{b} = \begin{pmatrix} 5 \\ 2 \\ -2 \end{pmatrix}$.

By finding the scalar product of ${f a}$ and ${f b}$, find the angle between them. Give your answer in degrees.

[4 marks]

[3 marks]

[3 marks]

[2 marks]



Let
$$\mathbf{v} = \begin{pmatrix} t \\ -3 \\ t+2 \end{pmatrix}$$
 and $\mathbf{w} = \begin{pmatrix} -6 \\ 7 \\ t \end{pmatrix}$.

a) Given that **v** and **w** are perpendicular, find all possible values of *t*.

[4 marks]

b) Show that the angle between \mathbf{v} and \mathbf{w} is acute for all t > 7.

[2 marks]

Question 5

Consider the vectors $\mathbf{a} = 3i - j + 4k$ and $\mathbf{b} = (2 + t)i - 2j + 2tk$.

Given that **a** and **b** are parallel and hence the vector product is equal to zero, determine the value of *t*.

[1 mark]

Question 6

Consider the vectors $\mathbf{a} = -2i - j + 3k$ and $\mathbf{b} = 3i + 5k$.

a)

Find a vector of length 7 that is parallel to ${\boldsymbol{a}}.$

[3 marks]


b)

Find the vector that is normal to both ${f a}$ and ${f b}$.

[3 marks]



A particle is subjected to a force of 36 N acting at an angle of 25° above the horizontal and a second force F at an angle of 17° below the horizontal. There is also a resistive force of 50 N acting horizontally on the particle. This information can be seen in the diagram below.



(a) Given that the resultant horizontal force acting on the particle is 0 N, find the value of F.

[3 marks]

(b) Show that the vertical component of the resultant force is 9.9 N.

[2 marks]

Question 8

Consider the vectors
$$\mathbf{r} = \begin{pmatrix} 2 \\ 4 \\ -1 \end{pmatrix}$$
 and $\mathbf{t} = \begin{pmatrix} -3 \\ 5 \\ 3 \end{pmatrix}$.
a)
Show that $3\mathbf{r} \times \mathbf{t} = 3(\mathbf{r} \times \mathbf{t})$.

[3 marks]

b)

Find the area of a triangle which has vectors $3\mathbf{r}$ and \mathbf{t} as two of its sides.

[3 marks]



On a calm day, a remote-controlled boat is being driven along a vector $\mathbf{u} = i + 3j$ from one side of a pond to the other.

The boat is retrieved and taken to the same starting point, to make the journey again but this time a steady wind causes the boat to travel in a direction represented by the vector $\mathbf{w}=2i-j$.

a)

Calculate the angle, in degrees, between the direction of travel on its initial journey and the direction on its subsequent journey.

[3 marks]

During the first journey, the boat takes 6.3 seconds to travel the 7.56 m to the other side of the pond.

b)

Find the velocity vector of the boat.

[4 marks]

c)

Given that during the second journey the boat covers a distance of 5.1 m, find the distance between the end points for both journeys.

[4 marks]

Question 10

ABCD is a parallelogram with vertices A(2, 3, 0), B(3, 9, 4), C(7, 4, 2) and D(6, -2, -2).

a)

Find the vectors \overrightarrow{AB} and \overrightarrow{AD} .

[2 marks]

b) Final the

Find the area of the parallelogram.

[3 marks]



c)

By finding the scalar product of \overrightarrow{BA} and \overrightarrow{BC} , determine if the angle $A\widehat{BC}$ is acute or obtuse.

[4 marks]

Question 11

The velocity of a river can be described by the vector $\mathbf{a} = 2i - 3j \text{ kmh}^{-1}$ and a swimmer moves through the river with velocity $\mathbf{b} = -4i + j \text{ kmh}^{-1}$.

(a) Find the speed at which the river is flowing and the swimmer is swimming.

[2 marks]

(b) Find the resultant vector of the swimmer and the river.

[2 marks]

(c) Find the bearing along which the swimmer actually moves.

[2 marks]

(d) The swimmer is attempting to complete a 5 km race for charity. Given that the velocity vectors for the river and the swimmer do not change, determine how long it will take the swimmer to complete the challenge.

[2 marks]