Please check the examination details below	before entering your candida	te information
Candidate surname	Other names	
Centre Number Candidate		nced Level
Tuesday 21 May 202	4	
Afternoon (Time: 2 hours)	Paper WPS	502/01
Psychology International Advanced Su UNIT 2: Biological Psychol and Development	•	eories
You do not need any other materials	•	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical value tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	Level of significance for a one-tailed test						
	0.05	0.005	0.0025				
	Level of significance for a two-tailed test						
N	0.10	0.05	0.025	0.01	0.005		
5	0.900	1.000	1.000	1.000	1.000		
6	0.829	0.886	0.943	1.000	1.000		
7	0.714	0.786	0.893	0.929	0.964		
8	0.643	0.738	0.833	0.881	0.905		
9	0.600	0.700	0.783	0.833	0.867		
10	0.564	0.648	0.745	0.794	0.830		
11	0.536	0.618	0.709	0.755	0.800		
12	0.503	0.587	0.678	0.727	0.769		
13	0.484	0.560	0.648	0.703	0.747		
14	0.464	0.538	0.626	0.679	0.723		
15	0.446	0.521	0.604	0.654	0.700		
16	0.429	0.503	0.582	0.635	0.679		
17	0.414	0.485	0.566	0.615	0.662		
18	0.401	0.472	0.550	0.600	0.643		
19	0.391	0.460	0.535	0.584	0.628		
20	0.380	0.447	0.520	0.570	0.612		
21	0.370	0.435	0.508	0.556	0.599		
22	0.361	0.425	0.496	0.544	0.586		
23	0.353	0.415	0.486	0.532	0.573		
24	0.344	0.406	0.476	0.521	0.562		
25	0.337	0.398	0.466	0.511	0.551		
26	0.331	0.390	0.457	0.501	0.541		
27	0.324	0.382	0.448	0.491	0.531		
28	0.317	0.375	0.440	0.483	0.522		
29	0.312	0.368	0.433	0.475	0.513		
30	0.306	0.362	0.425	0.467	0.504		

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Chi-squared distribution formula

$$X^{2} = \sum \frac{(O-E)^{2}}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level o	f signi	ficance f	for a	one-tail	ed test

	0.10	0.05	0.025	0.01	0.005	0.0005
	0.10		ignificance			0.0003
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	9.55 11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.20	20.52
6	8.56	10.65	12.59	14.45	16.81	20.32
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	2 4 .32 26.12
9	12.24	14.68	16.92	17.54	20.09	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
10	13.44	13.99	10.51	20.40	23.21	29.39
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26 17	20.62	22.67	25.40	20.02	46.00
21 22	26.17 27.30	29.62 30.81	32.67 33.92	35.48 36.78	38.93 40.29	46.80 48.27
23	28.43	32.01	35.92 35.17	38.08	40.29	49.73
23 24	20.43 29.55	33.20	35.17 36.42	39.36	42.98	51.18
2 4 25	30.68	34.38	37.65	40.65	44.31	52.62
25 26	31.80	34.36 35.56	38.89	41.92	45.64	54.05
20 27	32.91	35.30 36.74	40.11	43.20	45.04	55.48
28	34.03	37.92	41.34	43.20 44.46	48.28	56.89
26 29	34.03 35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
30	30.23	40.20	43.//	40.90	30.09	39.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Leve	l of	f significance f	for a one-tailed	test
------	------	------------------	------------------	------

	0.05	0.025	0.01
	Level of signif	icance for a two-	tailed test
n	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



SECTION A

Biological Psychology

Answer ALL questions in this section. Write your answers in the spaces provided.

- 1 In your studies on biological psychology, you will have learned about one of the following contemporary studies:
 - McDermott (2008)
 - Hoefelmann et al. (2006).

(2)
(2)



2	Herbert conducted a study to see if there was a relationship between playing computer games and quality of sleep. He gathered his participants from one university and asked them to fill in a questionnaire.	
	One of the questions Herbert asked was 'How many hours a day do you spend playing computer games?'. He also asked his participants to rate their quality of sleep, from 1 being very poor quality of sleep to 7 being an excellent quality of sleep.	
	(a) State a fully operationalised non-directional (two-tailed) hypothesis for Herbert's study.	(2)

Herbert analysed his data using the Spearman's rank test.

(b) Calculate Spearman's rank for the data gathered by Herbert by completing **Table 1**.

Your answers **must** be to **two** decimal places.

The formulae and statistical tables can be found at the front of the paper.

You **must** show your working out.

(4)

Number of hours a day spent playing computer games	Rank 1	Quality of sleep	Rank 2	d	d²
2	2.5	6	5.5	-3	
3.5	4	5	4	0	
6	6	3	2	4	
4	5	2	1	4	
2	2.5	4	3	-0.5	
1	1	6	5.5	-4.5	
Total for d ²					

Table 1
Space for calculations

Spearman's rank



c) Explain one rea	ason why Herbert used the Spe	earman's rank test for his	data. (2)
1) Evolain one we	sakness of Herbert's study abo	ut computer games and	quality
d) Explain one we of sleep.	eakness of Herbert's study abo	ut computer games and	
	eakness of Herbert's study abo	ut computer games and	quality (2)
	eakness of Herbert's study abo	ut computer games and	
	eakness of Herbert's study abo	ut computer games and	
	eakness of Herbert's study abo	ut computer games and	
	eakness of Herbert's study abo	ut computer games and	
	eakness of Herbert's study abo	ut computer games and	

3	Kaiko has a regular menstrual cycle. She menstruates every 29 days. Kaiko notices that she finds certain types of men more attractive at different times throughout the 29 days. Her friends say that she becomes angrier about a week before she menstruates, but she quickly calms down when menstruation begins. Describe the role of infradian rhythms on Kaiko's menstrual cycle.					
	(Total for Question 3 = 4 marks)					



4	Twin studies are often used by psychologists when researching aggression.	
	(a) Describe how a twin study research method could be used in biological psychology, such as when researching aggression.	(0)
		(4)

(b)	Explain one strength and one weakness of using a twin study research method in biological psychology. Strength	(4)
	Weakness	
	(Total for Question 4 = 8 ma	rks)

5	Assess the role of hormones as an explanation of aggression.	
		(8)

TOTAL FOR SECTION A = 34 MARKS

SECTION B

Learning Theories and Development

Answer ALL questions in this section. Write your answers in the spaces provided.

6	In your studies about learning theories and development, you will have learned about operant conditioning.	
	(a) Define, using an example, what is meant by the term 'positive reinforcement' as used in operant conditioning.	
		(2)
•••••		
	(b) Define, using an example, what is meant by the term 'negative reinforcement' as	
	(b) Define, using an example, what is meant by the term 'negative reinforcement' as used in operant conditioning.	(2)
		(2)
		(2)
		(2)
		(2)
		(2)
		(2)



(c) Explain one strength of operant conditioning as an explanation of behaviour.	(2)
(Total for Question 6 = 6 n	narks)

7	Sophia conducted an observation to see whether children at different stages of
	development played games differently. She gathered her participants from a local
	school that had children from a variety of different ethnic backgrounds. She used a
	stratified sampling technique to gather her participants.

Sophia used a structured observation where she set up a room with a variety of toys. She observed the children playing through a one-way mirror. Sophia put the children into age groups and let them play with the toys for half an hour.

Sophia recorded the age of the children and whether they played next to each other or played together.

(a)	Describe how Sophia could have used a stratified sampling technique to gathe
	the children for her investigation.

r	-	'n	
	- 3)







(b) Explain one strength and one weakness of Sophia using a stratified sampling technique for her observation.	(4)
Strength	
Weakness	
(c) Explain one reason why Sophia may have chosen to use a structured observation.	(2)
	(-/



(d)	Explain one improvement Sophia could make to her observation.	(2)
	(Total for Question 7 – 10 may	dec)

BLANK PAGE QUESTION 8 BEGINS ON THE NEXT PAGE.

8	In your studies on learning theories and development you will have learned about the contemporary study by Capafóns et al. (1998).	
	(a) State one aim of the study by Capafóns et al. (1998).	(1)
	(b) Describe the sample used in the study by Capafóns et al. (1998).	(3)

(c) Explain two weaknesses of the study by Capafóns et al. (1998).	(4)
1	
2	
(d) Explain one application of the findings from the study by Capafóns et al. (1998).	(2)
(Total for Question 8 = 10 m	arks)



9	Earl has a phobia of needles and injections. His phobia developed after he had been to the dentist and had an injection that caused him severe pain. If Earl sees a needle on the television, he must look away as it makes him feel sick. Earl once fainted at the doctors' surgery because he saw his daughter having an injection.	
	Earl has to travel to another country for his work and needs to have some injections to be able to enter the country. Earl has decided to try systematic desensitisation as a treatment for his phobia of needles.	
	Discuss systematic desensitisation as a treatment for Earl's phobia of needles.	
	You must make reference to the context in your answer.	(0)
		(8)



	(Total for Question 9 = 8 marks)
ſ	

TOTAL FOR SECTION B = 34 MARKS

BLANK PAGE SECTION C BEGINS ON THE NEXT PAGE.

SECTION C

Answer All	questions in	this section	Write your ans	wers in the spac	es provided
Allowel ALL	. uuesiioiis iii	uns secuon	. Wille voul alis	wers ill tile spac	es biovided.

10 To what extent has research been effective in explaining the circadian sleep-wake cycle?	
	(12)







BLANK PAGE QUESTION 11 BEGINS ON THE NEXT PAGE.

11	Eliza and Fred are brother and sister. Eliza is in trouble at home for shouting at Fred. Fred was upset by the argument and so he was given some sweets by his mother to try and calm him down. Eliza said it was Fred's fault, as he threw a plate at her when they were arguing, and that was why she was shouting at him.	
	Eliza is also in trouble at school for throwing some food at another girl during an argument.	
	Their mother blames their father for the children's aggression. The father was recently reported to the police for arguing with a neighbour and threatening to hit the neighbour.	
	Evaluate genes and social learning theory as an explanation of Eliza and Fred's aggression.	
	You must make reference to the context in your answer.	(16)







(Total for Question 11 = 16 marks)

TOTAL FOR SECTION C = 28 MARKS TOTAL FOR PAPER = 96 MARKS



BLANK PAGE



BLANK PAGE